// Retail Price List & Product Info Guide

ALTA
WINDOW FASHIONS

NATURAL WOVEN

SHADES

Effective September 17, 2018

design simplified™

TABLE OF CONTENTS

• Features & Benefits . . . 3
• Color Charts . . . 4-6

Pricing and Options
• Woven Woods – Groups 1-5 . . . 7-11
• Decorative Wovens – Groups 6-9 . . . 12-15
• Privacy Linings . . . 16
• Simplicity Rechargeable & RemoteLift™ Motorization . . . 17

Shade Specifications
• Standard Shade Diagram . . . 18
• Cord Loop Shade Diagram . . . 19
• Cordless Lift Shade Diagram . . . 20
• Configuration Options . . . 21-22
• Faux Silk Binding and Valance Upgrades . . . 23
• Twill Edge-Binding and Valance Upgrades . . . 24
• Binding Features and Fabric Lists . . . 25
• Operable and Fixed Privacy Lining Options . . . 26
• Product Specifications . . . 27
• Size Specifications . . . 28-32
• Finished Dimensions and Mounting Requirements . . . 33-34

TriLight Shades® . . . 35-39

Tandem™ Shades . . . 40-42

• Simplicity Rechargeable Motorization . . . 43
• RemoteLift™ Motorization . . . 44-45
• Product Components . . . 46-47

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width are considered oversize. Therefore, a net shipping charge of $95.00 per order with be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

FEATURES & BENEFITS

- Woven Wood shades are offered in a wide selection of natural material styles featuring unique patterns and rich tones.
- Decorative Woven shades feature two collections. Select Weave shades are woven out of natural fibers and exotic yarns. Grass Weave shades provide a natural look, yet are constructed of unique man-made fibers for a consistent appearance.
- Durable Wood Headrail System comes pre-routed for easy installation.
- Standard swivel multi-cord lock and guided pulley system ensures smooth, long-lasting operation.
- Matching valance available in customized lengths, conceals the operating system. Woven Wood shades feature a built-in stabilizer on outside mounts.
- Antique brass finish and brackets complements the shade's natural appearance.
- Available with upgraded operating systems including top-down/bottom-up, continuous loop, cordless lift, and RemoteLift motorization for enhanced control convenience.
- Unique light and privacy controls such as TriLight Shades and Tandem provide versatile operating flexibility.
- Optional operable privacy liners or optional fixed privacy liners provide additional light control features including light filtering, room darkening and a neutral outside appearance.
- Optional twill edge-bindings and faux silk bindings frame the shade and valance using a high-quality process, and add a finishing touch.
- Limited Lifetime Warranty ensures your customers' satisfaction.

WOVEN WOODS COLOR CHART

FABRIC CODE	COLOR CODE	COLOR NAME	DOWEL SIZE	TWILL EDGE BINDING	CORDLESS OPTION	PANEL TRACK
PRICE GROUP 1						
CUL	2108	Bimini	1/2"	Yes	Yes	No
TER	2002	Ensenada Terra	3/4"	Yes	Yes	No
TER	2004	Jolo	1/2"	Yes	Yes	No
TER	2076	Kota	1/2"	Yes	Yes	No
TER	2078	Ensenada Tranquil	3/4"	Yes	Yes	No
TER	2110	Kano Greywood	3/4"	Yes	Yes	No
TER	2111	Kano Mahogany	3/4"	Yes	Yes	No
TER	2208	Hi-Lo Espresso	3/4"	Yes	Yes	No
PRICE GROUP 2						
CUL	2099	Tortuga Coral	3/4"	Yes	Yes	No
CUL	2100	Tortuga Cocoa	3/4"	Yes	Yes	No
ELI	2049	Katmandu	1/2"	Yes	Yes	No
ELI	2059	Veracruz Earth	1/2"	Yes	Yes	No
ELI	2080	Veracruz Mocha	1/2"	Yes	Yes	No
ELI	2083	Honduras Timbre	1/2"	Yes	Yes	No
ELI	2084	Honduras Rust	1/2"	Yes	Yes	No
TER	2003	Kaui	1/2"	Yes	Yes	No
TER	2011	Sonora Desert	3/4"	Yes	Yes	Yes
TER	2057	Ensenada Negro	1/2"	Yes	Yes	No
TER	2210	Hi-Lo White	3/4"	Yes	Yes	No
TER	2211	Hi-Lo Tan	3/4"	Yes	Yes	No
TER	2212	Hi-Lo Gray	3/4"	Yes	Yes	No
PRICE GROUP 3						
CUL	2157	Banjar Artisan	3/4"	Yes	Yes	No
CUL	2204	Kyoto Ebony	3/4"	Yes	Yes	No
ELI	2104	Nagoya Harvest	3/4"	Yes	Yes	Yes
EXO	2151	Mandalay Mystique	3/4"	Yes	Yes	No
EXO	2230	Kyoto Sunset	3/4"	Yes	Yes	No
TER	2234	Zee Gray	3/4"	Yes	Yes	No
TER	2236	Zee Tan	3/4"	Yes	Yes	No
TER	2237	Zee White	3/4"	Yes	Yes	No

FABRIC CODE	COLOR CODE	COLOR NAME	DOWEL SIZE	TWILL EDGE BINDING	CORDLESS OPTION	PANEL TRACK
PRICE GROUP 4						
CUL	2060	Saba Sunset	3/4"	Yes	Yes	No
CUL	2061	Saba Dusk	3/4"	Yes	Yes	No
CUL	2072	Hunan	3/4"	Yes	Yes	Yes
CUL	2155	Katni Intrigue	3/4"	Yes	Yes	No
CUL	2223	Mesa Mocha	3/4"	Yes	Yes	No
EXO	2052	Serengeti Sunrise	3/4"	Yes	Yes	Yes
EXO	2053	Serengeti Cocoa	3/4"	Yes	Yes	Yes
EXO	2150	Sumatra Surprise	3/4"	Yes	Yes	Yes
EXO	2232	Taos	3/4"	Yes	Yes	Yes
PRICE GROUP 5						
CUL	2070	Tobago	3/4"	Yes	Yes	Yes
CUL	2085	Antigua Maze	1/2"	Yes	Yes	Yes
CUL	2086	Antigua Surf	1/2"	Yes	Yes	Yes
ELI	2153	Sakura Etude	3/4"	Yes	Yes	Yes
EXO	2054	Indo Chic	3/4"	Yes	Yes	Yes
EXO	2068	Kiribati Jungle	3/4"	Yes	Yes	Yes
EXO	2069	Kiribati Rainforest	3/4"	Yes	Yes	Yes
EXO	2096	Zulu	3/4"	Yes	Yes	Yes

- No wood dowel under edge-binding and/or cordless lift operation
- Seam option is not available with Woven Wood Shades due to the characteristic of the material.
- A surcharge will be added for shade/valance ordered with edge binding

IMPORTANT NOTE ABOUT NATURAL WOVEN MATERIALS:

Our Woven Wood shades are uniquely constructed from natural bamboo, reeds, jutes, rattan, grasses and woods. Many materials, such as natural grasses, are hand tied and braided with expert care. Each shade is one of a kind. **Slight cracks, imperfections and variations in color are all inherent in natural products and are not considered flaws.**

Shade material may stretch slightly over time and with use depending on the material style. The average stretching amount is approximately 1/2" for every 3 feet of shade length plus or minus 1/4".

Hold-downs are not available with shades made without wood dowel bottom rail (ex. cordless lift shade, shade with edge binding, and shade under Select Weave Collection).

The irreplaceable feature and beauty of the Natural Woven Shades is it's unique variation in the material.

DECORATIVE WOVENS COLOR CHART

COLOR CODE	COLOR NAME	DOWEL SIZE/ HEM BAR	FAUX SILK/ TWILL** EDGE BINDING	TWILL EDGE BINDING*** DEFAULT COLOR	SEAM/ CUSTOM SEAM PLACEMENT	CORDLESS OPTION	PANEL TRACK
PRICE GROUP 3							
9474	Celebes* Cornsilk	Hem Bar	Yes	Not Required	No	Yes	Yes
9475	Celebes* Seashell	Hem Bar	Yes	Not Required	No	Yes	Yes
9476	Celebes* Ivory	Hem Bar	Yes	Not Required	No	Yes	Yes
PRICE GROUP 6							
2337	Singapore Bisque	3/4"	Yes	Not Required	Yes	Yes	Yes
2338	Singapore Talc	3/4"	Yes	Not Required	Yes	Yes	Yes
2339	Singapore Cotton	3/4"	Yes	Not Required	Yes	Yes	Yes
9450	Singapore Gray	3/4"	Yes	Not Required	Yes	Yes	Yes
PRICE GROUP 7							
2304	Caracas Tortoise	3/4"	Yes	CT408 Beige	Yes	Yes	Yes
2305	Coban Parchment	3/4"	Yes	CT400 White	Yes	Yes	Yes
2310	Granada Cinnamon	3/4"	Yes	Not Required	Yes	Yes	Yes
2311	Granada Ginger	3/4"	Yes	Not Required	Yes	Yes	Yes
2312	Granada Nutmeg	3/4"	Yes	Not Required	Yes	Yes	Yes
2323	Luzon Whisper	3/4"	Yes	CT400 White	Yes	Yes	Yes
2324	Luzon Cornsilk	3/4"	Yes	CT403 Duck	Yes	Yes	Yes
2325	Luzon Greige	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
2331	Nassau Pewter	3/4"	Yes	CT404 Latte	Yes	Yes	Yes
2340	St. Lucia Sand	3/4"	Yes	Not Required	Yes	Yes	Yes
2343	St. Lucia Storm	3/4"	Yes	Not Required	Yes	Yes	Yes
2345	Zaire Camel	3/4"	Yes	Not Required	NA	Yes	Yes
2346	Zaire Earth	3/4"	Yes	Not Required	NA	Yes	Yes
9410	Coban Gray	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
9420	Granada Bark	3/4"	Yes	Not Required	Yes	Yes	Yes
9440	Nassau Cocoa	3/4"	Yes	CT418 Chocolate	Yes	Yes	Yes
PRICE GROUP 8							
9400	St. Kitts Dune	3/4"	Yes	CT403 Duck	Yes	Yes	Yes
9401	St. Kitts Greywood	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
9460	Aruba Summer	3/4"	Yes	CT400 White	Yes	Yes	Yes
9461	Aruba Straw	3/4"	Yes	CT403 Duck	Yes	Yes	Yes
9462	Aruba Sand Dune	3/4"	Yes	CT408 Beige	Yes	Yes	Yes
9463	Aruba Driftwood	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
9464	Aruba Café	3/4"	Yes	CT419 Espresso	Yes	Yes	Yes
9470	Martinique White Wash	3/4"	Yes	CT400 White	Yes	Yes	Yes
9471	Martinique Sea Grass	3/4"	Yes	CT403 Duck	Yes	Yes	Yes
9472	Martinique Surf	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
9473	Martinique Coral	3/4"	Yes	CT409 Jute	Yes	Yes	Yes

* Not available under motorization.

** No wood dowel with twill edge-binding

*** A surcharge must be added for all patterns that require twill edge binding or shade/valance ordered with edge binding

NOTE:

- Hold-downs are not available with shades made without wood dowel bottom rail (ex. cordless, shades with edge binding, and Select Weaves)
- The irreplaceable feature and beauty of the Natural Woven Shades is it's unique variation in the material.

DECORATIVE WOVENS COLOR CHART

SELECT WEAVES (SLW) COLOR CHART							
COLOR CODE	**COLOR NAME**	**HEM BAR**	**FAUX SILK/ TWILL EDGE BINDING**	**TWILL EDGE BINDING** DEFAULT COLOR**	**SEAM/ CUSTOM SEAM PLACEMENT**	**CORDLESS OPTION**	**PANEL TRACK**
PRICE GROUP 8							
2420	Macau	Yes	Yes	Not Required	NA	Yes	Yes
2423	Mali Tan	Yes	Yes	Not Required	NA	Yes	Yes
2436	Tai White	Yes	Yes	Not Required	Yes	Yes	Yes
2438	Suva	Yes	Yes	Not Required	NA	Yes	Yes
2526	Salvador Driftwood	Yes	Yes	Not Required	Yes	Yes	Yes
2527	Cancun Light Gray	Yes	Yes	CT403 Duck	NA	Yes	Yes
2528	Cancun Off White	Yes	Yes	CT402 Natural	NA	Yes	Yes
2529	Cano Cream	Yes	Yes	Not Required	NA	Yes	Yes
2530	Madeira Green	Yes	Yes	Not Required	NA	Yes	Yes
2531	Rio Gray	Yes	Yes	Not Required	NA	Yes	Yes
PRICE GROUP 9							
2411	Jaipur Natural	Yes	Yes	Not Required	NA	Yes	Yes
2417	Lagos	Yes	Yes	Not Required	NA	Yes	Yes
2419	Lomaloma	Yes	Yes	Not Required	NA	Yes	Yes
2431	Santos Natural	Yes	Yes	Not Required	NA	Yes	Yes
2433	Sintra Dust	Yes	Yes	Not Required	NA	Yes	Yes
2441	Tunisia	Yes	Yes	Not Required	NA	Yes	Yes

** A surcharge must be added for all patterns that require twill edge binding or shade/valance ordered with edge binding

NOTE:

- Hold-downs are not available with shades made without wood dowel bottom rail (ex. cordless, shades with edge binding, and Select Weaves)
- The irreplaceable feature and beauty of the Natural Woven Shades is it's unique variation in the material.

ALTA WINDOW FASHIONS

CUL
2108 Bimini

TER
2002 Ensenada Terra
2004 Jolo
2076 Kota
2078 Ensenada Tranquil
2110 Kano Greywood
2111 Kano Mahogany
2208 Hi-Lo Espresso

GROUP 1

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	$141	180	190	222	232	254	272	316	343	377	413	446	484
42"	174	184	195	229	236	266	286	332	362	413	430	469	508
48"	178	190	200	236	241	276	295	343	377	433	453	493	534
54"	183	194	204	242	253	285	307	358	392	450	474	515	556
61"	187	208	228	255	286	295	320	374	406	473	489	536	582
66"	193	212	235	262	296	304	331	387	424	487	509	551	606
72"	197	219	244	271	304	315	342	401	437	511	529	575	623
78"	221	246	272	306	332	357	386	427	469	545	568	616	672
84"	233	262	288	324	351	379	413	472	501	587	605	661	726
90"	245	277	306	341	373	404	439	505	535	623	651	713	753
96"	260	293	324	366	393	432	469	536	570	668	698	746	785
108"	280	315	352	393	432	473	509	592	629	739	751	786	827

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

❶ Use this grid to price your INDIVIDUAL valance.
❷ Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	$52	55	59	62	68	76	84	93	98	106	115	123	130
6"	54	58	64	67	77	85	94	102	112	119	127	136	146
8"	57	65	69	76	84	94	103	113	123	134	141	150	164
10"	59	72	81	81	93	103	113	124	135	144	156	162	172
12"	60	79	83	89	101	112	129	135	146	158	160	168	174
16"	94	111	130	148	169	187	206	226	244	263	282	303	320
18"	97	116	136	156	176	196	216	235	258	277	295	315	337
20"	102	121	143	165	183	205	226	246	267	289	308	331	351
22"	106	125	148	170	192	215	235	259	280	301	324	343	366
24"	112	131	152	176	199	222	245	267	290	313	337	361	381

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.
SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.
REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.
TRILIGHT SHADES OPTION (SEE PAGES 35-39)
TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE

- Valance Returns for Inside Mounts
- Valance Custom Heights to 12"
- Control Positions (R or L)
- Extension Brackets
- Hold Down Brackets
- Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
- Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE

- 2 On 1 Headrail.....Price as 2 separate shades and **add $62**
- 3 On 1 Headrail.....Price as 3 separate shades and **add $76**
- Top-Down ..... **add $54**
- Top-Down/Bottom-Up ..... **add $61**
- Continuous Cord Loop Surcharge.....**add $56**
- Cordless Lift Surcharge (see pages 4-6 for pattern availability)....**add $95**
- Operable Lining – add to grid size liner pricing..... **add $104**
- Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) ..... **add $97**
  – Shade Only (TSB, TSO)..... **add $62**
  – Valance Only (TVSB, TVSO)..... **add $37**

CUL	ELI	TER
2099 Tortuga Coral	2049 Katmandu	2003 Kaui
2100 Tortuga Cocoa	2059 Veracruz Earth	2011 Sonora Desert
	2080 Veracruz Mocha	2057 Ensenada Negro
	2083 Honduras Timbre	2210 Hi-Lo White
	2084 Honduras Rust	2211 Hi-Lo Tan
		2212 Hi-Lo Gray

GROUP 2

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	$157	228	250	278	290	320	342	377	414	458	504	547	574
42"	212	236	260	288	301	335	362	399	437	504	526	575	605
48"	221	244	269	300	308	349	371	418	459	536	557	606	636
54"	229	254	278	311	325	366	378	437	480	557	587	644	672
61"	235	262	289	321	347	379	409	457	504	582	611	677	709
66"	244	271	301	334	358	392	430	474	523	605	643	697	730
72"	249	281	306	343	366	408	443	494	545	630	661	731	765
78"	263	295	331	373	402	439	476	534	587	682	721	755	792
84"	281	315	357	398	435	477	511	570	629	739	746	793	829
90"	297	338	377	427	467	509	550	611	677	769	783	819	858
96"	313	358	404	454	496	544	592	655	712	801	801	855	900
108"	343	393	440	504	544	595	655	701	751	858	858	906	964

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

❶ Use this grid to price your INDIVIDUAL valance.
❷ Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	$54	60	65	70	73	80	89	97	104	113	121	130	138
6"	57	64	69	75	81	93	102	112	119	130	139	147	158
8"	59	67	79	81	94	103	113	124	135	146	156	167	176
10"	61	74	84	93	103	115	125	138	148	161	173	184	196
12"	62	83	87	99	105	124	135	147	156	170	175	200	231
16"	99	121	143	165	184	205	226	246	267	289	308	331	351
18"	106	127	150	173	195	216	239	262	282	306	327	348	371
20"	112	135	160	182	206	228	250	276	297	321	342	368	391
22"	116	143	167	192	216	239	263	288	312	337	362	386	409
24"	121	147	173	199	226	249	276	301	327	352	375	402	428

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.
SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.
REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.
TRILIGHT SHADES OPTION (SEE PAGES 35-39)
TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE

- Valance Returns for Inside Mounts
- Valance Custom Heights to 12"
- Control Positions (R or L)
- Extension Brackets
- Hold Down Brackets
- Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
- Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE

- 2 On 1 Headrail.....Price as 2 separate shades and **add $62**
- 3 On 1 Headrail.....Price as 3 separate shades and **add $76**
- Top-Down ..... **add $54**
- Top-Down/Bottom-Up ..... **add $61**
- Continuous Cord Loop Surcharge.....**add $56**
- Cordless Lift Surcharge (see pages 4-6 for pattern availability)....**add $95**
- Operable Lining – add to grid size liner pricing..... **add $104**
- Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) ..... **add $97**
  – Shade Only (TSB, TSO) ..... **add $62**
  – Valance Only (TVSB, TVSO) ..... **add $37**

GROUP 3

CUL	ELI	EXO	GRW	TER
2157 Banjar Artisan	2104 Nagoya Harvest	2151 Mandalay Mystique	9474 Celebes Cornsilk	2234 Zee Gray
2204 Kyoto Ebony		2230 Kyoto Sunset	9475 Celebes Seashell	2236 Zee Tan
			9476 Celebes Ivory	2237 Zee White

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	$218	259	282	316	333	369	401	446	493	543	595	649	680
42"	240	269	294	334	341	397	428	473	523	598	634	694	733
48"	250	281	305	347	352	416	452	496	548	632	674	737	777
54"	259	294	312	362	379	437	462	524	581	677	713	783	815
61"	267	306	337	375	414	458	493	551	614	712	746	827	873
66"	280	315	355	401	440	474	520	579	646	746	783	866	912
72"	286	327	368	416	457	503	544	610	668	773	823	913	962
78"	308	351	397	447	489	540	587	650	724	842	903	945	1006
84"	330	374	427	478	530	584	629	701	792	912	936	994	1053
90"	351	402	453	519	572	626	682	765	852	943	980	1042	1089
96"	377	432	489	552	616	678	735	823	890	983	1017	1078	1127
108"	410	476	541	620	686	755	816	897	953	1068	1091	1170	1230

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft (Woven Woods) or 65 sq.ft. (Grass Weaves); dual battery wand or transformer is RECOMMENDED for shade exceed the limit.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

❶ Use this grid to price your INDIVIDUAL valance.
❷ Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	$57	67	71	81	89	95	106	124	128	140	157	176	205
6"	65	70	80	88	93	104	123	127	139	156	171	188	220
8"	67	78	87	92	102	121	125	138	155	169	184	215	236
10"	69	84	90	100	112	124	136	151	164	179	199	224	239
12"	74	85	91	104	119	130	141	158	167	182	210	237	241
16"	119	146	169	195	221	244	269	294	318	343	369	393	420
18"	127	156	180	208	235	260	288	313	339	368	393	420	447
20"	136	166	192	221	250	277	306	334	362	391	418	446	476
22"	144	173	202	233	263	293	324	352	381	413	443	473	504
24"	150	183	212	245	278	307	339	373	402	435	468	496	529

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.
SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.
REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)
TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE

- Valance Returns for Inside Mounts
- Valance Custom Heights to 12"
- Control Positions (R or L)
- Extension Brackets
- Hold Down Brackets
- Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
- Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE

- 2 On 1 Headrail.....Price as 2 separate shades and **add $62**
- 3 On 1 Headrail.....Price as 3 separate shades and **add $76**
- Top-Down ..... **add $54**
- Top-Down/Bottom-Up ..... **add $61**
- Continuous Cord Loop Surcharge.....**add $56**
- Cordless Lift Surcharge (see pages 4-6 for pattern availability)....**add $95**
- Operable Lining – add to grid size liner pricing .....**add $104**
- Faux Silk Binding Option – Default - All ..... **add $150**
  (Grass Weaves Only) – Custom Placement.....**add $99**
  – Valance Only.....**add $50**
- Twill Edge-Binding Option – Shade & Valance .....**add $97**
  – Shade Only .....**add $62**
  – Valance Only.....**add $37**

CUL
2060 Saba Sunset
2061 Saba Dusk
2072 Hunan
2155 Katni Intrigue
2223 Mesa Mocha

EXO
2052 Serengeti Sunrise
2053 Serengeti Cocoa
2150 Sumatra Surprise
2232 Taos

GROUP 4

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	$238	281	313	349	383	413	452	500	551	614	677	739	780
42"	262	294	330	371	404	445	480	530	588	678	720	792	832
48"	276	308	347	392	424	464	507	565	623	720	764	845	889
54"	285	327	359	410	445	493	536	603	662	766	815	897	934
61"	297	338	389	432	486	517	565	630	701	808	862	953	1000
66"	307	357	407	453	508	547	598	662	737	842	906	1006	1051
72"	318	369	417	473	518	574	623	698	769	894	955	1051	1112
78"	342	397	449	512	568	619	677	760	840	974	1036	1100	1162
84"	371	430	487	548	615	672	735	823	913	1063	1091	1161	1227
90"	397	458	521	589	655	721	792	887	996	1107	1142	1211	1278
96"	423	493	563	642	714	788	855	968	1043	1151	1188	1255	1336
108"	473	552	626	718	795	878	957	1048	1127	1246	1289	1364	1454

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

❶ Use this grid to price your INDIVIDUAL valance.
❷ Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	$59	61	68	79	89	98	109	117	130	139	148	160	169
6"	64	70	84	95	106	119	131	143	156	167	180	192	202
8"	68	84	97	112	124	139	152	167	182	196	199	202	219
10"	76	93	100	117	126	144	160	176	186	197	204	221	227
12"	78	94	103	122	129	147	163	179	190	202	208	227	233
16"	136	165	192	221	249	277	304	332	363	391	418	446	474
18"	146	174	206	236	266	297	327	357	388	418	449	478	508
20"	156	188	219	254	285	316	349	379	414	447	478	511	544
22"	166	199	233	269	304	338	373	405	440	476	509	544	578
24"	173	209	245	285	320	357	392	428	468	504	540	575	611

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.
SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.
REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.
TRILIGHT SHADES OPTION (SEE PAGES 35-39)
TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE

- Valance Returns for Inside Mounts
- Valance Custom Heights to 12"
- Control Positions (R or L)
- Extension Brackets
- Hold Down Brackets
- Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
- Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE

- 2 On 1 Headrail.....Price as 2 separate shades and **add $62**
- 3 On 1 Headrail.....Price as 3 separate shades and **add $76**
- Top-Down ..... **add $54**
- Top-Down/Bottom-Up ..... **add $61**
- Continuous Cord Loop Surcharge.....**add $56**
- Cordless Lift Surcharge (see pages 4-6 for pattern availability)....**add $95**
- Operable Lining – add to grid size liner pricing..... **add $104**
- Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) ..... **add $97**
  – Shade Only (TSB, TSO)..... **add $62**
  – Valance Only (TVSB, TVSO)..... **add $37**

CUL
2070 Tobago
2085 Antigua Maze
2086 Antigua Surf

ELI
2153 Sakura Etude

EXO
2054 Indo Chic
2068 Kiribati Jungle
2069 Kiribati Rainforest
2096 Zulu

GROUP 5

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	$258	303	339	381	419	454	497	552	612	685	749	822	867
42"	280	322	363	411	449	487	530	592	659	752	806	886	934
48"	298	339	384	435	479	524	571	640	710	806	864	949	1002
54"	309	361	407	458	494	557	605	682	752	864	924	1022	1075
61"	328	376	433	485	541	587	641	719	796	922	987	1082	1154
66"	339	397	452	510	573	622	682	757	843	965	1042	1140	1213
72"	353	414	470	537	585	657	713	804	900	1029	1099	1214	1284
78"	384	444	510	580	642	710	778	878	971	1114	1206	1277	1358
84"	411	481	550	626	692	771	848	945	1061	1232	1269	1335	1420
90"	442	519	596	679	751	836	919	1032	1155	1290	1326	1416	1502
96"	479	560	648	728	817	895	990	1122	1205	1347	1391	1474	1573
108"	535	622	718	826	921	1020	1128	1206	1307	1451	1516	1599	1693

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

❶ Use this grid to price your INDIVIDUAL valance.
❷ Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	$67	69	75	84	95	108	117	130	139	148	161	171	183
6"	71	74	92	105	119	132	144	160	171	186	199	212	203
8"	75	78	99	113	125	143	159	178	185	204	212	216	221
10"	79	81	102	121	134	153	165	184	193	208	216	226	236
12"	82	98	105	125	136	159	170	187	197	211	220	238	246
16"	153	185	216	247	279	310	344	376	408	438	471	503	535
18"	165	199	233	269	303	337	371	407	440	474	509	544	577
20"	178	215	251	288	325	363	399	437	472	509	548	583	619
22"	190	229	269	307	347	386	426	467	506	544	584	624	662
24"	200	241	281	328	368	410	453	493	536	577	622	662	702

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.
SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.
REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.
TRILIGHT SHADES OPTION (SEE PAGES 35-39)
TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE

- Valance Returns for Inside Mounts
- Valance Custom Heights to 12"
- Control Positions (R or L)
- Extension Brackets
- Hold Down Brackets
- Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
- Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE

- 2 On 1 Headrail.....Price as 2 separate shades and **add $62**
- 3 On 1 Headrail.....Price as 3 separate shades and **add $76**
- Top-Down ..... **add $54**
- Top-Down/Bottom-Up ..... **add $61**
- Continuous Cord Loop Surcharge.....**add $56**
- Cordless Lift Surcharge (see pages 4-6 for pattern availability)....**add $95**
- Operable Lining – add to grid size liner pricing..... **add $104**
- Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) ..... **add $97**
  – Shade Only (TSB, TSO)..... **add $62**
  – Valance Only (TVSB, TVSO)..... **add $37**

ALTA WINDOW FASHIONS

Grass Weave*
2337 Singapore Bisque
2338 Singapore Talc
2339 Singapore Cotton
9450 Singapore Gray

GROUP 6

* Most Grass Weave shades are available up to 72" widths without a seam.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	$291	328	361	405	441	472	514	576	641	707	779	853	894	948	1004
42"	303	342	380	426	469	507	550	609	681	783	832	917	967	1026	1087
48"	318	358	400	450	489	535	584	642	715	830	887	977	1027	1089	1154
54"	328	375	414	467	513	562	608	682	758	890	938	1036	1078	1143	1212
61"	339	388	435	494	540	591	637	717	801	935	983	1096	1161	1231	1304
66"	356	403	452	514	570	611	674	754	844	984	1031	1152	1214	1286	1364
72"	365	416	470	536	590	647	703	794	877	1021	1088	1217	1284	1362	1443
78"	393	450	508	578	634	698	762	850	953	1118	1202	1258	1343	1423	1509
84"	420	482	551	620	690	761	821	923	1048	1220	1249	1324	1405	1489	1579
90"	452	520	589	678	750	820	893	1009	1135	1260	1308	1392	1453	1540	1633
96"	489	560	639	725	809	892	973	1094	1188	1313	1355	1441	1506	1597	1692
108"	537	622	709	819	907	999	1084	1194	1272	1432	1458	1569	1649	1748	1853
120"	569	660	752	867	963	1059	1147	1266	1347	1518	1545	1663	1748	1852	1963

RemoteLift Shades: Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 65 sq.ft.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

❶ Use this grid to price your INDIVIDUAL valance.
❷ Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
4"	$56	62	66	71	76	83	91	99	106	115	124	131	138	147	156
6"	60	63	69	79	89	98	108	117	126	135	146	156	164	173	183
8"	62	68	78	91	101	112	124	135	146	158	168	179	190	201	211
10"	65	77	90	102	115	128	139	152	165	178	191	203	216	229	241
12"	72	85	99	113	127	141	156	169	183	197	211	226	239	253	267
16"	114	135	158	180	202	225	245	267	289	311	335	356	377	400	421
18"	122	145	168	193	215	239	263	286	309	333	357	380	403	427	451
20"	129	153	178	204	229	253	278	303	329	353	379	404	428	452	479
22"	135	162	188	216	241	269	295	321	347	374	402	428	453	481	509
24"	143	170	197	227	253	282	310	337	367	393	422	450	477	506	535

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.
SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.
REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.
TRILIGHT SHADES OPTION (SEE PAGES 35-39)
TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE

- Valance Returns for Inside Mounts
- Valance Custom Heights to 12"
- Control Positions (R or L)
- Extension Brackets
- Hold Down Brackets
- Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
- Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE

- 2 On 1 Headrail.....Price as 2 separate shades and **add $62**
- 3 On 1 Headrail.....Price as 3 separate shades and **add $76**
- Top-Down ..... **add $54**
- Top-Down/Bottom-Up ..... **add $61**
- Continuous Cord Loop Surcharge.....**add $56**
- Cordless Lift Surcharge (see pages 4-6 for pattern availability)....**add $95**
- Operable Lining – add to grid size liner pricing .....**add $104**
- Faux Silk Binding Option – Default - All ..... **add $150**
  – Custom Placement.....**add $99**
  – Valance Only.....**add $50**
- Twill Edge-Binding Option – Shade & Valance .....**add $97**
  – Shade Only .....**add $62**
  – Valance Only.....**add $37**

ALTA WINDOW FASHIONS

Grass Weave*	Grass Weave*
2304 Caracas Tortoise	2331 Nassau Pewter
2305 Coban Parchment	2340 St. Lucia Sand
2310 Granada Cinnamon	2343 St. Lucia Storm
2311 Granada Ginger	2345 Zaire Camel
2312 Granada Nutmeg	2346 Zaire Earth
2323 Luzon Whisper	9410 Coban Gray
2324 Luzon Cornsilk	9420 Granada Bark
2325 Luzon Greige	9440 Nassau Cocoa

GROUP 7

* Most Grass Weave shades are available up to 72" widths without a seam.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	$310	346	401	449	486	533	584	644	719	801	890	979	1032	1095	1157
42"	333	375	416	475	513	572	619	687	767	890	948	1050	1105	1171	1237
48"	350	393	430	493	516	598	654	732	815	948	1006	1124	1182	1254	1325
54"	363	416	430	511	536	637	691	785	868	1014	1077	1191	1242	1316	1391
61"	378	433	458	548	586	670	730	822	922	1068	1141	1271	1336	1417	1497
66"	391	456	517	587	646	709	777	865	970	1113	1202	1346	1403	1486	1572
72"	407	473	533	609	673	744	811	913	1014	1183	1266	1405	1486	1577	1664
78"	442	509	580	667	735	805	884	997	1110	1300	1388	1474	1556	1649	1744
84"	478	556	634	716	804	883	968	1088	1215	1429	1461	1558	1648	1748	1846
90"	511	597	682	773	861	949	1044	1179	1335	1489	1532	1626	1716	1818	1922
96"	551	645	739	845	943	1042	1134	1296	1399	1548	1591	1683	1797	1906	2013
108"	617	730	827	953	1058	1171	1276	1405	1516	1681	1736	1838	1960	2079	2197
120"	654	773	877	1011	1122	1241	1352	1489	1607	1782	1840	1949	2079	2202	2328

RemoteLift Shades: Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 65 sq.ft.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

❶ Use this grid to price your INDIVIDUAL valance.

❷ Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
4"	$57	62	65	75	83	93	101	111	119	128	137	147	156	165	173
6"	64	68	79	90	101	112	124	134	146	157	167	178	190	201	211
8"	67	80	93	105	119	132	145	159	170	183	197	209	222	236	249
10"	77	92	106	123	136	151	167	182	196	211	227	240	256	272	288
12"	85	101	118	135	152	170	186	203	220	237	254	271	288	306	323
16"	133	159	183	209	235	263	288	312	339	365	392	416	443	470	497
18"	143	170	197	226	253	281	309	336	366	393	420	448	477	506	535
20"	152	182	210	240	271	301	331	361	391	419	451	480	511	541	572
22"	161	194	225	258	288	321	352	383	416	448	480	511	545	578	610
24"	170	203	236	271	304	339	372	405	440	474	509	542	577	612	646

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE

- Valance Returns for Inside Mounts
- Valance Custom Heights to 12"
- Control Positions (R or L)
- Extension Brackets
- Hold Down Brackets
- Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
- Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE

- 2 On 1 Headrail.....Price as 2 separate shades and **add $62**
- 3 On 1 Headrail.....Price as 3 separate shades and **add $76**
- Top-Down ..... **add $54**
- Top-Down/Bottom-Up ..... **add $61**
- Continuous Cord Loop Surcharge.....**add $56**
- Cordless Lift Surcharge (see pages 4-6 for pattern availability)....**add $95**
- Operable Lining – add to grid size liner pricing .....**add $104**
- Faux Silk Binding Option – Default - All ..... **add $150**
  - – Custom Placement.....**add $99**
  - – Valance Only.....**add $50**
- Twill Edge-Binding Option – Shade & Valance .....**add $97**
  - – Shade Only .....**add $62**
  - – Valance Only.....**add $37**

Grass Weave*	Grass Weave*	Select Weave	Select Weave
9400 St. Kitts Dune	9464 Aruba Café	2420 Macau	2527 Cancun Light Gray
9401 St. Kitts Greywood	9470 Martinique White Wash	2423 Mali Tan	2528 Cancun Off White
9460 Aruba Summer	9471 Martinique Sea Grass	2436 Tai White	2529 Cano Cream
9461 Aruba Straw	9472 Martinique Surf	2438 Suva	2530 Madeira Green
9462 Aruba Sand Dune	9473 Martinique Coral	2526 Salvador Driftwood	2531 Rio Gray
9463 Aruba Driftwood			

GROUP 8

* Most Grass Weave shades are available up to 72" widths without a seam.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	$348	401	448	499	522	603	664	735	821	925	1019	1124	1185	1256	1332
42"	368	424	477	546	582	647	709	796	889	1022	1096	1214	1282	1360	1441
48"	388	449	507	578	591	699	760	857	957	1096	1179	1303	1377	1461	1548
54"	407	476	514	609	605	747	745	919	1020	1179	1263	1407	1481	1570	1663
61"	431	497	569	646	715	787	857	970	1080	1261	1351	1492	1592	1687	1789
66"	449	527	599	681	760	833	917	1022	1144	1317	1431	1575	1677	1777	1884
72"	468	550	629	719	793	883	956	1088	1225	1415	1511	1682	1779	1886	1998
78"	510	592	683	778	868	954	1054	1195	1331	1539	1669	1769	1884	1997	2117
84"	549	646	736	845	936	1044	1154	1291	1463	1716	1759	1851	1972	2091	2217
90"	593	699	805	920	1022	1140	1257	1420	1601	1797	1842	1970	2089	2213	2346
96"	646	761	881	995	1118	1226	1360	1553	1672	1880	1933	2054	2193	2324	2464
108"	727	848	983	1137	1271	1410	1566	1673	1819	2023	2115	2226	2365	2507	2657
120"	769	898	1041	1205	1347	1494	1658	1772	1929	2144	2243	2359	2506	2656	2816

RemoteLift Shades: Single battery wand size recommendation limit is 65 sq.ft (Grass Weaves) or 28 sq.ft. (Select Weaves); dual battery wand or transformer is RECOMMENDED for shade exceed the limit.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

❶ Use this grid to price your INDIVIDUAL valance.

❷ Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
4"	$67	69	75	82	95	108	116	131	139	148	159	171	185	196	208
6"	65	77	90	101	114	127	139	152	169	176	184	192	200	212	225
8"	77	92	95	121	128	146	157	175	183	193	201	209	218	232	245
10"	83	97	100	125	134	157	165	181	194	204	213	226	237	251	266
12"	94	101	105	129	136	164	170	191	197	211	220	234	246	261	276
16"	151	182	210	240	271	301	331	361	391	420	450	480	510	541	573
18"	163	196	229	261	293	325	358	391	421	454	487	520	552	585	620
20"	175	210	244	280	314	349	384	419	453	489	523	559	593	629	666
22"	187	226	263	300	337	375	412	449	486	523	560	598	636	674	714
24"	197	238	276	317	357	398	437	477	516	557	595	637	676	716	759

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE

- Valance Returns for Inside Mounts
- Valance Custom Heights to 12"
- Control Positions (R or L)
- Extension Brackets
- Hold Down Brackets
- Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
- Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE

- 2 On 1 Headrail.....Price as 2 separate shades and **add $62**
- 3 On 1 Headrail.....Price as 3 separate shades and **add $76**
- Top-Down ..... **add $54**
- Top-Down/Bottom-Up ..... **add $61**
- Continuous Cord Loop Surcharge.....**add $56**
- Cordless Lift Surcharge (see pages 4-6 for pattern availability)....**add $95**
- Operable Lining – add to grid size liner pricing .....**add $104**
- Faux Silk Binding Option – Default - All ..... **add $150**
  - – Custom Placement.....**add $99**
  - – Valance Only.....**add $50**
- Twill Edge-Binding Option – Shade & Valance .....**add $97**
  - – Shade Only .....**add $62**
  - – Valance Only.....**add $37**

ALTA WINDOW FASHIONS

Select Weave
2411 Jaipur Natural
2417 Lagos
2419 Lomaloma
2431 Santos Natural
2433 Sintra Dust
2441 Tunisia

GROUP 9

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	$427	489	558	636	718	790	867	964	1049	1128	1240	1329	1430
42"	457	527	608	694	778	860	959	1055	1161	1290	1358	1474	1586
48"	490	575	665	756	786	946	1045	1158	1269	1405	1483	1608	1732
54"	523	619	737	815	997	1031	1135	1260	1374	1537	1645	1782	1927
61"	560	663	765	880	988	1117	1233	1375	1505	1672	1790	1939	2067
66"	595	715	818	943	1070	1188	1328	1481	1634	1821	1958	2117	2253
72"	632	762	880	1019	1158	1292	1437	1587	1758	1983	2102	2297	2471
78"	680	810	946	1086	1247	1392	1560	1714	1907	2121	2258	2477	2678
84"	720	858	1005	1159	1326	1478	1653	1852	2030	2303	2442	2634	2852
90"	765	905	1069	1250	1421	1583	1773	1971	2181	2452	2596	2870	3039
96"	809	969	1137	1315	1504	1701	1889	2118	2315	2652	2817	2987	3189
108"	884	1059	1243	1461	1674	1908	2114	2353	2601	2945	3074	3285	3487
120"	937	1121	1319	1549	1775	2021	2240	2495	2757	3123	3259	3481	3696

RemoteLift Shades: Single battery wand size recommendation limit is 28 sq.ft., dual battery wand or transformer RECOMMENDED for shade greater than 28 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

❶ Use this grid to price your INDIVIDUAL valance.
❷ Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	$91	98	109	122	132	144	156	173	181	199	211	220	235
6"	97	108	121	132	147	157	166	191	198	213	231	246	264
8"	106	119	132	147	163	180	197	215	232	249	266	284	301
10"	118	144	147	170	190	209	230	250	270	290	310	331	350
12"	141	146	167	190	212	236	259	281	305	328	350	374	397
16"	232	238	261	301	344	384	426	467	510	550	592	636	676
18"	253	260	286	331	375	420	467	512	555	600	648	695	740
20"	275	279	308	358	407	455	505	553	602	653	701	754	801
22"	297	300	335	386	440	492	546	597	651	703	758	813	865
24"	313	315	354	412	470	526	583	639	696	754	811	870	926

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.
SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.
REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.
TRILIGHT SHADES OPTION (SEE PAGES 35-39)
TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE

- Valance Returns for Inside Mounts
- Valance Custom Heights to 12"
- Control Positions (R or L)
- Extension Brackets
- Hold Down Brackets
- Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
- Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE

- 2 On 1 Headrail.....Price as 2 separate shades and **add $62**
- 3 On 1 Headrail.....Price as 3 separate shades and **add $76**
- Top-Down ..... **add $54**
- Top-Down/Bottom-Up ..... **add $61**
- Continuous Cord Loop Surcharge.....**add $56**
- Cordless Lift Surcharge (see pages 4-6 for pattern availability)....**add $95**
- Operable Lining – add to grid size liner pricing .....**add $104**
- Faux Silk Binding Option – Default - All ..... **add $150**
  – Custom Placement.....**add $99**
  – Valance Only.....**add $50**
- Twill Edge-Binding Option – Shade & Valance .....**add $97**
  – Shade Only .....**add $62**
  – Valance Only.....**add $37**

GROUPS 1-9 (PRIVACY LINING PRICING IS THE SAME FOR ALL PRICE GROUPS)

Fixed Privacy Lining – Translucent (LF-# White, Ivory and Khaki)

Operable Privacy Lining – Light Filtering (OLF-# White, Cream, Café and Mink)

Add the price below to your shade price. For operable liners, also add the operable surcharge.
Lining is applied so the white side faces out and the colored side faces inside the room.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	$44	53	62	68	72	80	84	98	108	117	121	125	130	141	153
42"	49	59	68	72	80	86	92	108	121	128	132	138	143	156	171
48"	52	62	72	81	89	98	103	118	130	137	143	152	159	174	189
54"	57	68	80	89	98	104	115	128	141	151	158	168	175	189	207
61"	59	71	84	95	103	115	122	138	154	164	171	179	189	207	225
66"	62	79	90	100	109	121	130	149	166	175	183	194	203	221	241
72"	66	81	98	108	118	128	138	158	175	185	197	206	220	240	261
78"	70	86	102	115	123	137	149	168	185	198	207	223	234	255	279
84"	72	90	108	121	132	145	158	178	197	207	223	236	247	269	293
90"	72	95	115	125	138	154	168	187	206	223	236	248	263	287	313
96"	80	99	118	132	149	164	176	198	220	234	247	263	277	301	328
108"	92	117	137	155	174	189	205	233	257	273	292	308	322	351	383

Note: Khaki Fixed Privacy Lining over 54" wide AND 54" high will be spliced together vertically, the maximum height is limited to 106", creating a seam. This applies to the lining ONLY and not the actual woven shade. Privacy Lining is attached to the back of the shade. Small slits are made in the lining at the ring cord-guide attachment locations. When Faux Silk or Twill Edge-Bindings are also ordered, the privacy lining will be sewn under the binding.

GROUPS 1-9 (PRIVACY LINING PRICING IS THE SAME FOR ALL PRICE GROUPS)

Fixed Privacy Lining – Room Darkening (RD-# White, Ivory, Khaki, Brown, Black, Beige-Deluxe, and Taupe-Deluxe)

Operable Privacy Lining – Room Darkening (OBO-# White, Cream, Café and Black)

Add the price below to your shade price. For operable liners, also add the operable surcharge.
Lining is applied so the white side faces out and the colored side faces inside the room.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	$56	68	81	89	98	103	112	128	142	151	158	166	174	188	206
42"	62	77	89	99	104	117	123	141	158	168	175	183	192	209	227
48"	68	83	98	108	118	128	137	155	174	181	192	202	210	228	249
54"	72	89	103	117	125	137	149	170	187	198	207	221	233	254	277
61"	80	98	112	123	137	151	160	181	202	213	227	240	251	275	299
66"	81	100	119	131	143	159	174	194	216	233	244	258	271	296	322
72"	86	108	125	141	155	171	185	207	233	245	262	276	290	317	345
78"	90	115	132	151	166	181	197	223	245	263	277	296	309	336	367
84"	98	119	141	158	175	193	207	236	262	277	296	312	329	359	391
90"	99	123	149	168	185	203	221	247	273	296	312	331	349	381	414
96"	104	131	155	176	197	213	234	262	290	309	329	351	369	403	438
108"	122	152	181	205	229	248	272	305	336	360	385	408	429	468	509

Note: Khaki, Brown and Black Fixed Privacy Lining over 54" wide AND 54" high will be spliced together and the maximum height will be reduced to 106", creating a seam. Beige-Deluxe and Taupe-Deluxe Privacy Lining over 60" wide AND 60" high will be spliced together and the maximum height will be reduced to 118" creating a seam. This applies to the lining ONLY and not the actual woven shade. Privacy Lining is attached to the back of the shade. Small slits are made in the lining at the ring cord-guide attachment locations. When Faux Silk or Twill Edge-Bindings are also ordered, are also ordered, the privacy lining will be sewn under the binding.

Motorization consists of a **motor, power source, and controller**. Be sure all of these elements are included when determining final price.

SIMPLICITY RECHARGEABLE OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER
USE APPROPRIATE GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Simplicity Rechargeable Motor ..... **add $360 per motor**
  – 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W) ..... **add $55 each**
  – Plug-in Charger ..... Part #CS5199 ..... **add $40 each**
  – Solar Panel (Part #CS52096 Solar Panel & mounting brackets) (Part #02-70-9021 Mounting bracket screws) ..... **add $195 each**

REMOTELIFT™ OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (Must select RemoteLift power source when ordering)

- RF RemoteLift Motorization Upgrade ..... **add $375 per shade**
- RF Remote Control – 1 Channel ..... Part #RC445069 ..... **add $135 each**
- RF Remote Control – 5 Channel ..... Part #RC445079 ..... **add $170 each**
- RF Wireless Wall Switch – 1 Channel ..... Part #RC445135 ..... **add $343 each**
- RF Wireless Wall Switch – 5 Channel ..... Part #RC445136 ..... **add $348 each**
- RF Programmable Timer – 1 Channel ..... Part #1805237A ..... **add $454 each**
- RTS-Smoove 1 RTS ..... **add $180 each**
- RTS-myLink RTS interface ..... **add $515 each**

- RF Reloadable Single Battery Wand ..... Part #KITRWR ..... **add $120 each**
- RF Reloadable Dual Battery Wand ..... Part #KITRDWR ..... **add $258 each**
- RF Transformer ..... Part #1822192 ..... **add $149 each**
- RF Battery Wand Extension Wire – 10" ..... Part #9013282 ..... **add $13 each**
- RF Battery Wand Extension Wire – 48" ..... Part #9013279 ..... **add $19 each**
- RF Battery Wand Extension Wire – 96" ..... Part #9013277 ..... **add $25 each**
- RF 8 AA Lithium Batteries (Reload-Wand) ..... Part #9014834 ..... **add $61 each**

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft (Woven Wood), 65 sq.ft (Grass Weaves) or 28 sq.ft. (Select Weaves); dual battery wand or transformer RECOMMENDED for shade exceed the limit.

SHADE CONFIGURATION DIAGRAM

Shades and Individual Valances Are Built on 1 of 3 Headrail Depths:

1-1/2" Headrail Depth: Standard Rectangular, Waterfall Style, Top-Down, Top-Down/Bottom-Up & Turned Headrail
2-1/2" Headrail Depth: RemoteLift, Continuous Cord Loop, Operable Liner, 2 or 3 on 1 Headrail & Individual Valances
3/4' Headrail Depth: For narrow mounts

OUTSIDE MOUNT (& CEILING MOUNT) VALANCE WIDTH ADDITIONS FOR:

Standard, Top-Down, Top-Down/Bottom-Up & RemoteLift Shades (see next pages for Cord Loop and Cordless Lift Shades)
A small width addition is made to the valance to create a "cornice style" box for approved appearance & shade operation/stacking.
Valance Width ADDITION = **+1/2 "PER SIDE = +1" Total**



VALANCE NOTE:

Standard valances are 6" in height. When shades are under 18" in width, the valance is 4" in height for improved proportion.

Custom valances up to 12" in height may be ordered with **NO extra charge**.

Custom valances over 12" in height are charged **EXTRA**.

Refer to the valance price grids by Group.

RETURN NOTES:

Standard outside mount return depths are 1-3/4" for the small headrail and 2-3/4" for the large headrail.

Outside mount returns are attached to the valance using the **VRS SYSTEM on woven wood only**.

The VRS System is NOT featured on Decorative Wovens due to the sheerness and fabric weight. Returns will use the classic velcro for attachment.

The outside mount valance width addition covers the front facing edge of the return and creates a clean corner.

If optional returns are ordered on an IB Mount, they will use the classic velcro "dog ear" attachment method (not VRS).

Returns not available on turned headrail or 3/4" headrail shades.

Privacy Lining (behind shade) Width Deduction
NO dowel deduction if hold-down brackets are ordered

Wood Dowel (wrapped with shade) Width Deduction
NO dowel if edge or tape bindings are ordered on shade bottom

VALANCE RETURN STABILIZER (VRS) SYSTEM

Outside mount shade valances come with the innovative Valance Return Stabilizers (VRS) System. The VRS System includes clear corner pieces and are attached to the valance and returns, keeping them stable and in perfect alignment. The valance also covers the front edge of the returns. A tiny spring mechanism in each VRS keeps the valance hanging straight down off the headrail, while also allowing you to raise the valance for installing the shade and for periodic dusting/cleaning underneath.

Not Available on Decorative Wovens. Returns with velcro are available under Decorative Wovens.

LIMITED LENGTH ADJUSTER

Woven Wood shade configurations that have a bottom dowel will include a Limited Length Adjuster. Shades that have a edge-binding or tape-binding on the bottom will NOT include the adjuster. The Limited Length Adjuster allows up to a 1" shade height reduction (depending upon the dowel size and woven material). It works by simply SLIDING UP the Adjuster on each side of the shade which in turn rolls the dowel up. This is an innovative solution to adjust for some woven shade stretching, which may occur to some extent over time with all woven wood materials.

Not Available on Decorative Wovens

CORD LOOP SHADE DIAGRAM

INSIDE MOUNT WIDTH DEDUCTIONS FOR: Cord Loop Shades

Minor adjustments are made to the standard IB width deductions for cord loop shades to improve the cord loop operation. These adjustments allow the loop control, cord loop and safety tensioner to be shifted toward the outside edge of the shade.

Headrail & Valance Width DEDUCTION = **-1/4" (STANDARD) IB WIDTH DEDUCTION ON BOTH SIDES = -1/2" Total**

Shade Panel Width DEDUCTION = **-1/4" (ADJUSTED) IB WIDTH DEDUCTION ON BOTH SIDES = -1/2" Total**



standard - 1/4" IB width deduction to headrail, fabric and valance ON BOTH SIDES

OUTSIDE MOUNT (& CEILING MOUNT) WIDTH ADDITIONS FOR: Cord Loop Shades

Minor adjustments are made to the standard OB width additions for cord loop shades to improve the cord loop operation. These adjustments allow the loop control, cord loop and safety tensioner to be shifted toward the outside edge of the shade.

Headrail Width ADDITION = **+1/4" ON BOTH SIDES = +1/2" Total**

Valance Width ADDITION = **+3/4" ON BOTH SIDES = +1-1/2" Total**



adjusted +1/4" OB width addition to headrail ON BOTH SIDES

adjusted +3/4" OB width addition to valance ON BOTH SIDES

NOTE: The adjusted OB width additions to the headrail (+1/4" on each side) allow clearance for the cord loop and safety tensioner.

Valance and returns attach with the VRS system (Woven Woods only) which then adds the (standard) +1/2" beyond the headrail width on each side.

CONTINUOUS CORD LOOP SYSTEM - MOUNTING AND WIDTH ADJUSTMENTS NOTES

Continuous Cord Loop Systems offer manually operated clutch mechanisms for raising and lowering shades. By simply putting on one side of the cord loop, shades can be quickly and precisely positioned. Left or Right side control positions may be specified.

Cord Loop shades are installed with special L-shaped (small roller shade cassette headrail style) mounting brackets, which snap into a flat, custom fit connector pre-attached to the headrail. This cord loop bracket system allows the cord loop mechanism to be shifted to the very edge of the headrail so that the cord loop is shifted toward the edge of the shade, rather than hanging in front of the shade. The width adjustments made on the cord loop control side allow the cord loop to hang straight down to the required, mounted safety tensioner and clear the edge of the woven material.

NOTE: There is a likelihood where cord will rub against the edge of the shade. Hence, edge binding is highly recommended.

CORDLESS LIFT SHADE DIAGRAM

INSIDE MOUNT WIDTH DEDUCTIONS FOR: CORDLESS LIFT

Headrail & Valance Width DEDUCTION = **-1/4" (STANDARD) IB WIDTH DEDUCTION ON BOTH SIDES = -1/2" Total**
Shade Panel Width DEDUCTION = **-1/4" (ADJUSTED) IB WIDTH DEDUCTION ON BOTH SIDES = -1/2" Total**



standard -1/4" IB width deduction to headrail, fabric and valance ON BOTH SIDES

OUTSIDE MOUNT AND CEILING MOUNT WIDTH ADDITIONS FOR: CORDLESS LIFT

Headrail Width ADDITION = **+1/4" ON BOTH SIDES = +1/2" Total**
Valance Width ADDITION = **+3/4" ON BOTH SIDES = +1-1/2" Total**



adjusted +1/4" OB width addition to headrail ON BOTH SIDES

adjusted +3/4" OB width addition to valance ON BOTH SIDES

NOTE: The adjusted OB width additions to the headrail (+1/4" on each side).

Valance and returns attach with the VRS system (Woven Woods only) which then adds the (standard) +1/2" beyond the headrail width on each side.

CORDLESS LIFT SYSTEM – MOUNTING AND WIDTH ADJUSTMENT NOTES

Cordless Lift shades are installed with special L-shaped (small roller shade cassette headrail style) mounting brackets, which snap into a flat, custom fit connector pre-attached to the headrail. Cordless Lift shades do not install with the standard woven wood screw-post brackets through routes in the headrail.

LIMITED LENGTH ADJUSTER

Woven Wood cordless lift shade without edge-binding will have a limited length adjuster. Insert a phillips screwdriver into the adjuster. Turn left to shorten and right to lengthen.

This is a solution to allow limited adjustment for some woven shade stretching, which may occur to some extent over time with all woven wood materials.

SHADE CONFIGURATION OPTIONS

STANDARD RECTANGULAR

- Returns standard on outside mount
- Returns for inside mount available upon request
- Valance is 6" long (4" for shades under 18" wide)
- Built on 1-1/2" depth headrail (unless specified)
- Available with Simplicity and RemoteLift Motorization (on 2-1/2" headrails)



WATERFALL STYLE (FRONT-SIDE SHADE)

- Returns standard on outside mount
- Backside valance includes liner when ordered on shade
- Backside valance included on inside mount
- Front-side cord grommet (unless specified)
- Built on 1-1/2" depth headrail unless specified
- Available with Simplicity and RemoteLift Motorization (on 2-1/2" headrails)



3/4" HEADRAIL (FOR NARROW DEPTH MOUNTS ONLY)

- Available with standard or waterfall style only
- Returns are not available
- No valance width addition for outside mount
- Shade mounts with screws only, not brackets
- Mounting holes pre-drilled in headrail
- Not available as 2 or 3 on 1 headrail



2 OR 3 ON 1 HEADRAIL

- Standard, waterfall & top-down/bottom-up
- Cord loop, cordless, and Simplicity motorization are available under bottom-up in 2 on 1 only.
- Valance split at shade gap if over 96" wide
- Built on 1-1/2" and 2-1/2" depth headrails (see configurations)
- For 2 on 1 or 3 on 1 TDBU shade that is larger than 96" in width are build on 2-1/2" headrail



Note: We cannot guarantee fabric alignment on side-by-side shades.

SHADE CONFIGURATION OPTIONS

TOP-DOWN

- Returns standard on outside mount
- Backside valance included on inside mount
- Front & back valances include liner when ordered on shade
- Built on 1-1/2" depth headrail. unless specified
- Not available with remotelift or cordless
- Not available with waterfall style



TOP-DOWN/BOTTOM-UP

- Returns standard on outside mount
- Backside valance included on inside mount
- Front & back valances include liner when ordered on shade
- Top-Down/Bottom-Up shades are built on 1-1/2" depth headrail
- For 2 in 1 or 3 in 1 shade that is larger than 96" in width are build on 2-1/2" headrail
- Not available with Waterfall style



CONTINUOUS CORD LOOP

- Built on 2-1/2" depth headrail only
- Available as 2 on 1 headrail (not 3 on 1 headrail)
- Available with waterfall shades;
- If waterfall, loop cord is behind shade
- Not available with top-down or top-down/bottom-up
- Note: inside and outside mount width adjustments
- Cord may rub against side of the shade during operation. Edge binding is highly recommended.



SIMPLICITY RECHARGEABLE & REMOTELIFT MOTORIZATION

- Automated control options available
- Built on 2-1/2" depth headrail only
- Available with waterfall style
- Not available with top-down or top-down/bottom-up or 3 on 1 headrail
- When ordering multiple motorized shades/remotes, please provide programming instructions, otherwise, all shades will be programmed to one remote



CORDLESS

- Built on 2-1/2" depth headrail only
- Enclosed aluminum hem bar
- Available in standard rectangular style & waterfall
- Available as 2 on 1 headrail (not 3 on 1 headrail)
- Available with fixed liners
- Available with twill edge and faux silk bindings – valance sides & shade sides only



FAUX SILK BINDING SHADE & VALANCE UPGRADES

AVAILABLE ON DECORATIVE WOVEN PATTERNS

FAUX SILK BINDING OPTION (EFO)
Shade and valance sides and bottom available in all configurations



NOTE: Valance returns do not include bindings.
They are comprised of Decorative Woven Material only.

ESVB
Faux silk sides + bottom + valance sides



ES
Faux silk sides + valance sides



ESB
Faux silk sides + bottom



ESO
Faux silk sides only



NOTE: Corners on shades with faux silk bindings on the side and bottom are mitered, providing a high-end drapery workroom look.

INDIVIDUAL VALANCE

Large 2-1/2" depth headrail

Returns standard on outside mount only

Valance without headrail uses velcro

EVSB
Faux silk VALANCE sides + bottom
(binding not on returns)

EVSO
Faux silk valance sides only
(binding not on returns)



FAUX SILK ORDER ABBREVIATION TABLE	
EFO	- option (default = all sides & bottom)
ESVB	- sides + bottom + valance sides
ES	- sides + valance sides
ESB	- sides + bottom
ESO	- sides only
EVSB	- valance sides + bottom
EVSO	- valance sides only

NOTE:
On outside mounts, the valance widths are adjusted 1/2" wider on each side to create a “Cornice Style" box and to cover the front edge of the returns creating a clean corner.

Due to the valance width addition, trim on the valance sides will also extend out slightly as compared to the trim on the shade sides.

NOTE: Some styles require faux silk or twill edge-bindings. See color chart for detail. See "Options: Extra Charge" on each Price Group page for appropriate surcharge.

TWILL EDGE-BINDING SHADE & VALANCE UPGRADES

AVAILABLE ON WOVEN WOOD AND DECORATIVE WOVEN PATTERNS

EDGE-TAPE OPTION (ETO)
Shade and valance sides and bottom available in all configurations



NOTE: Valance returns do not include bindings. They are comprised of woven material only.

TSVB
Tape sides + bottom + valance sides



TS
Tape sides + valance sides



TSB
Tape sides + bottom



TSO
Tape sides only



NOTE: Corners on shades with twill edge-bindings are NOT mitered.

INDIVIDUAL VALANCE
Large 2 1/2" depth headrail
Returns standard on outside mount only
Valance without headrail uses velcro

TVSB
Tape valance sides + bottom (binding not on returns)

TVSO
Tape valance sides only (binding not on returns)

TWILL EDGE-BINDING ORDER ABBREVIATION TABLE

ETO	- edge tape option (default + all sides & bottom)
TSVB	- tape sides + bottom + valance sides
TS	- tape sides + valance sides
TSB	- tape sides + bottom
TSO	- tape sides only
TVSB	- tape valance sides + bottom
TVSO	- tape valance sides only

NOTE:
On outside mounts, the valance widths are adjusted 1/2" wider on each side to create a “Cornice Style" box and to cover the front edge of the returns creating a clean corner. See Shade Configuration Diagram. OB Valances and returns are attached using the “Valance Return Stabilizer" or VRS System. [Woven Wood patterns only].

Due to the valance width addition, edge-tape on the valance sides will also extend out slightly as compared to the edge-tape on the shade sides

NOTE: Some styles require faux silk or twill edge-bindings. See color chart for detail. See "Options: Extra Charge" on each Price Group page for appropriate surcharge.

BINDING FEATURES AND FABRIC LISTS

- Bindings come standard on shade and valance sides and bottom, front and back unless one of the custom placement options is specified.
- Bindings are sewn to the woven material for durability, structure, a cleaner appearance, and to protect the shade edges.
- Cordless only available with faux silk binding and twill edge-bindings.
- Not available on all woven materials – see color charts for availability.
- Available on all woven shade configurations.

Faux Silk Bindings

Twill Edge-Bindings

TWILL EDGE-BINDING FABRIC LIST

Available on Woven Woods & Decorative Wovens

Color #	5/8" Folded	1-1/2" Folded
White	CT400	NA
Natural	CT402	CT802
Duck	CT403	NA
Latte	CT404	NA
Dusk	CT405	CT805
Sand	CT406	CT806
Beige	CT408	CT808
Jute	CT409	CT809
Camel	CT410	CT810
Desert	CT412	CT812
Mocha	CT417	CT817
Chocolate	CT418	CT818
Espresso	CT419	CT819
Silver	CT420	NA
Steel	CT421	CT821
Black	CT424	CT824

FAUX SILK BINDING FABRIC LIST (1" WIDTH)

Available on Decorative Wovens ONLY

Color #	Color Name
FT550	Optic
FT551	Cashmere
FT552	Crystal
FT554	Bubbly
FT555	Angora
FT557	Natural
FT562	Sand

Color #	Color Name
FT565	Jute
FT566	Chipmunk
FT568	Tiramisu
FT572	Granite
FT573	Oyster
FT574	Smoke

- Corners are mitered for a custom workroom look

OPERABLE PRIVACY LINING OPTIONS

Features

- Operable privacy liners may be raised and lowered independently of the front woven shade using a separate lift cord & cordlock.
- Operable liners allow for the most versatile woven shade light control.
- Available on all woven materials.
- Available on Standard & Waterfall-Style shade configurations ONLY.
- Operable liners are neutral white to the outside, are NOT reversible, and include spaced horizontal "tabs" on the back-side for the lift cords.
- Operable liner safety cord shrouds are WHITE-ONLY. The lift cords are color-coordinated to the woven material and match the shade lift cords.
- Valances DO NOT include operable liners (or same-color fixed liners).
- Cut-outs not available.

Front View

Back View

OPERABLE PRIVACY LINING

Family	Color #	Color Name
Light Filtering	OLF-4001	White
Light Filtering	OLF-4004	Cream
Light Filtering	OLF-4005	Café
Light Filtering	OLF-4007	Mink
Room Darkening	OBO-5001	White
Room Darkening	OBO-5004	Cream
Room Darkening	OBO-5005	Café
Room Darkening	OBO-5006	Black

Oprivacy liners are made of 100% Polyester.

FIXED PRIVACY LINING OPTIONS

Features

- Fixed (traditional) privacy liners are physically attached to the back of the woven shade and operate in unison WITH them.
- Available on all woven materials.
- Available on ALL woven shade configurations.
- Fixed liners are neutral white to the outside. Reversed liners (i.e. colored to the outside and white to the inside) must be specified when ordering.
- Front & back valances on Top-Down/Bottom-Up shades DO include liners.
- Back valances on Waterfall-Style shades DO include liners.
- Fixed liners are sewn UNDER faux silk, twill edge-binding when those options are ordered.
- Allows for traditional style woven wood shade light control.

Front & Back View

Back View with Binding

FIXED PRIVACY LINING

Family	Color #	Color Name
Translucent	LF-1001	White
Translucent	LF-1002	Ivory
Translucent	LF-1003	Khaki
Room Darkening	RD-2001	White
Room Darkening	RD-2002	Ivory
Room Darkening	RD-2003	Khaki
Room Darkening	RD-2004	Brown
Room Darkening	RD-2006	Black
Room Darkening	RD-3008	Beige-Deluxe
Room Darkening	RD-3009	Taupe-Deluxe

Translucent fixed privacy liners are made of 100% Cotton.

Room Darkening fixed privacy liners are made of 30% Cotton and 70% Polyester.

Note: Khaki, Brown and Black Fixed Privacy Lining over 54" wide and 54" high will be spliced together and the maximum height will be reduced to 106", creating a seam. Beige-Deluxe and Taupe-Deluxe Privacy Lining over 60" wide and 60" high will be spliced together and the maximum height will be reduced to 118" creating a seam. This applies to the lining ONLY and not the actual woven shade. Privacy Lining is attached to the back of the shade. Small slits are made in the lining at the ring cord-guide attachment locations. When Faux Silk or Twill Edge-Bindings are also ordered, the privacy lining will be sewn under the binding.

PRODUCT SPECIFICATIONS

WOVEN WOODS, SELECT WEAVES, AND GRASS WEAVES

Shade Features	Footnotes	
Number of Styles		92
Headrail Depth	(1)	3/4", 1-1/2" or 2-1/2"
Bracket Style (for each headrail size above)	(2)	L-Shaped
Swivel Multi Cord Lock & Pulley		Yes
Woven Valance	(3)	Yes
Valance Returns (Standard on OB)	(4)	Yes
Color-Coordinated Lift Cords		Yes
Color-Coordinated Decorative Wood Tassel		Yes
Color-Coordinated Cord Connector		Yes
Color-Coordinated Cord Tensioner		Yes
Wood Dowel Bottomrail	(5)	3/4"
Warranty		Lifetime Limited

Continuous Cord Loop Chart	
Shade Height	**Cord Loop Length**
12" to 18"	12"
18-1/8" to 26"	18"
26-1/8" to 38"	24"
38-1/8" to 50"	36"
50-1/8" to 62"	48"
62-1/8" to 74"	60"
74-1/8" to 86"	72"
86-1/8" to 98"	84"
98-1/8" to 120"	96"
special request, long cord loop	120"
special request, long cord loop	144"

Shade Configuration Options		
Faux Silk Bindings (not available on all patterns)		Yes
Translucent/Light Filtering Privacy Linings (Fixed or Operable)		Yes
Room Darkening Privacy Linings (Fixed or Operable)		Yes
Continuous Cord Loop System	(6)	Yes
Cordless Lift Shades (see pages 4-6 for pattern availability)		Yes
Top-Down or Top-Down/Bottom-Up (TDBU)	(7)	Yes
Top-Down/Bottom-Up Continuous Cord		No
Waterfall Style	(8)	Yes
Simplicity Rechargeable & RemoteLift Motorization		Yes
2 or 3 On 1 Headrail	(9)	Yes
3/4" Headrail (for extra shallow mounts)		Yes
Custom Valance Heights & Return Depths	(10)	Yes

Stacking Chart	
Shade Height	**Stack Height**
24"	6"- 7"
36"	6"- 8"
48"	8"- 9"
60"	8"- 10"
72"	8"- 10"
84"	9" - 12"
96"	9" - 12"
108"	10" - 13"
120"	10" - 13"

NOTE: These are stacking averages for standard shades. Actual heights may vary + or - 1". Stacking heights for continuous cord and bindings add approximately 1" more (each).

Other Options		
Individual Valances	(3)	Yes
Cut-Outs (max size 3"x8" on L or R shade bottom)	(10)	Yes
Specialty Shapes		No
Control Positions		L or R
Ceiling Mount (Flat) Brackets	(2)	Yes
Hold Down Brackets		Yes
Spacer Blocks; 3/4"		Yes
Extension Brackets; 2-1/2" and 4-1/2"		Yes
Cord Cleats (Standard with TD & TDBU)	(8)	Yes

Please Note: fabric alignment on side-by-side shades cannot be guaranteed.

FEATURE & OPTION NOTES:

1. Continuous Cord Loop shades, Cordless Lift Shades, RemoteLift shades and Individual Valances are made with the larger 2-1/2" depth headrail.
2. Wider shades may also come with ceiling mount bracket(s) used to support the center headrail area. Flat (T-Style) brackets may also be ordered by request.
3. Custom shade valance heights may be specified to 12" at NO extra charge. Over 12" valance is charged EXTRA.
4. Returns standard on OB shades and valance orders ONLY, unless specified. Return widths are 1-3/4" (for small HR) and 2-3/4" (for large HR).
5. Either of 2 size wood dowel bottomrails are wrapped with the selected woven material. Dowel size used depends on material style - see dowel size detail under color chart.
6. Cord may rub against Continuous Cordloop shade, edge binding is highly recommended.
7. Top-Down and TDBU shades require an EXTRA LONG lift cord and come with a CORD CLEAT to wrap excess cord. These shades are built on 1-1/2" depth headrail. For 2 on 1 and 3 on 1 TDBU shades over 96" are built on a 2-1/2" headrail.
8. Waterfall-Style shades may be motorized. They are not available in Top-Down or Top-Down/Bottom-Up.
9. Widths over 96" will always receive a spliced valance split at the shade gap. There is a 1/2" gap between individual shades. Cord Loop, Cordless, RemoteLift, and Simplicity Motorization shades are not available with 3 on 1 headrail.
10. Cut-Out maximum size is 3" x 8" and only available on the Left or Right bottom corner of the shade. Cut-Outs are NOT available when Edge-Binding, Twill Edge-Binding or Faux Silk Binding is ordered, or on operable liners.

SIZE SPECIFICATIONS: WOVEN WOODS

Standard, Waterfall Style, Top-Down & Top-Down/Bottom-Up Shades	
MINIMUM WIDTH	10" (per panel)
MAXIMUM WIDTH	96"
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	108"

- All Standard Rectangular, Top-Down and Top-Down/Bottom-Up shades are built on a 1-1/2" depth headrail as standard, unless specified.
- For 2 on 1 or 3 on 1 TDBU shade that is larger than 96" in width are built on a 2-1/2" headrail.
- Waterfall Style shades come with a front-side oval grommet for easy cord access & control. They may also be ordered with "rear cord access", so no grommet, if desired.
- The turned headrail and 3/4" headrail options for narrow depth mounting is only available for Standard and Waterfall shades.

Continuous Cord Loop Shades	LARGE Headrail
MINIMUM WIDTH	22" NET
MAXIMUM WIDTH	96"
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	96" */108"

- Continuous Cord Loop shades are only built on the large 2-1/2" depth headrail.
- Cord Loop shades may be ordered as Waterfall Style, but only with "rear cord access". The loop control will be BEHIND the shade, not through a front-side grommet.

* Kota, Kyoto Sunset, Kyoto Ebony, Zee Gray, Zee Tan, and Zee White can only go up to 96" in height.

Cordless Lift Shades	LARGE Headrail
MINIMUM WIDTH	20" NET
MAXIMUM WIDTH	84"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Lift shades are only built on the large 2-1/2" depth headrail.

2 or 3 on 1 Headrail Shades (Standard/Continuous Cord Loop)	2 on 1 Headrail	3 on 1 Headrail
MINIMUM WIDTH	10" / 22" (per panel)	10" (per panel) / NA
MAXIMUM WIDTH	144"	144"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	108"	108"

- Continuous Cord Loop shades are NOT available as 3 on 1 headrail.
- The 2 or 3 on 1 valance is continuous up to 96" wide. Over 96" require valance to be spliced at the shade gap between the individual panels.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.
- Individual shade panel widths are restricted to the standard width maximums.

2 on 1 Headrail Shades (Cordless Lift)	
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	84" per panel 120" overall width
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Lift shades are NOT available as 3 on 1 headrail.

Simplicity Rechargeable Motorization	RF System
MINIMUM WIDTH	24" Net (single shade), 48.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- Simplicity motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Simplicity motorized shades can be ordered as Waterfall

** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).

*** Refer to Maximum Motorization Area under Size Specification section for details

RemoteLift Motorization – Radio Frequency (RF)	RF System
MINIMUM WIDTH	19" Net (single shade), 38.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- All RemoteLift motorized shades are built on LARGE 2-1/2" depth headrail ONLY without exception.
- Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer mandatory for shade equal or greater than 65 sq.ft.
- RemoteLift shades may be ordered as Waterfall Style.

** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).

*** Refer to Maximum Motorization Area under Size Specification section for details

Operable Privacy Lining

- Shades ordered with Operable Lining follow the same size specifications as the **configurations** listed above, for Standard and Waterfall Style shades ONLY.
- Operable liners are available on Standard and Waterfall Style shades ONLY.
- Waterfall Style shades ordered with operable privacy lining DO NOT include lining on the back-side valance.
- Cut-outs are not available on operable liner shades.

Fixed Privacy Lining

- Shades ordered with Privacy Lining follow the same size specifications as the **configurations** listed above.
- Top-Down and TDBU shades ordered with privacy lining DO include lining on the front valance.
- Waterfall Style shades ordered with privacy lining DO include lining on the back-side valance.
- Khaki Translucent Privacy Lining over 54" wide AND 54" high will be spliced together and the maximum height will be reduced to 106".
- Khaki, Brown and Black Room Darkening Privacy Lining over 54" width and 54" height will be SPLICED and the maximum height will be reduced to 106".
- Beige/Deluxe & Taupe/Deluxe Room Darkening Privacy Lining over 60" width and 60" height will be SPLICED and the maximum height will be reduced to 118".

SIZE SPECIFICATIONS: DECORATIVE WOVENS – GRASS WEAVES

	Standard, Waterfall, Operable Liner	Top-Down	Top-Down/Bottom-Up
MINIMUM WIDTH	12" (per panel)	12" (per panel)	12" (per panel)
MAXIMUM WIDTH	72" * / 96"	72" * / 96"	48"
MINIMUM HEIGHT	12"	12"	12"
MAXIMUM HEIGHT	108"	108"	108"

* Most patterns are available up to 96" with a center seam. Shades over 72" wide will come standard at no charge with 1 seam placed in the center of the shade except
Zaire collection can only go up to 72" in width, seam not available
Celebes collection can only go up to 96" in width, seam not available



- Custom seam placement is available on most patterns at a 15% surcharge, see detail under section "Color Chart". Allows up to 2 seams per shade. Minimum seam placement from the side edges of the shade is 5".
- All Standard Rectangular, Top-Down, Top-Down/Bottom-Up shades are built on a 1-1/2" depth headrail as standard. The 2-1/2" headrail must be specified. For 2 on 1 or 3 on 1 Top-Down/Bottom-Up shades that are larger than 96" in width are built on a 2-1/2" headrail.
- Waterfall shades come with a front-side oval grommet for easy cord access & control. They may also be ordered with "rear cord access", so no grommet, if desired.
- The 3/4" Headrail option for narrow depth mounting is only available for Standard and Waterfall shades.

Continuous Cord Loop Shades	2 1/2" Headrail
MINIMUM WIDTH	22" NET
MAXIMUM WIDTH	72" / 96" / 120" *
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	108"

* Patterns with Coninuous Cord Loop control option are available in widths up to 120" with a seam. Shades over 72" wide will come standard at no charge with 1 seam placed in the center of the shade except:
Zaire collection can only go up to 72" in width, seam not available
Celebes collection can only go up to 96" in width, seam not available

- Custom seam placement is available on most patterns at a 15% surcharge, see detail under color chart section. Allows up to 2 seams per shade. Minimum seam placement from the side edges of the shade is 5".
- Shades are only built on the 2-1/2" depth headrail.
- Shades may be ordered as Waterfall, but only with "rear cord access". The loop control will be BEHIND the shade, not through a front-side grommet.

2 or 3 on 1 Headrail Shades (Standard / Continuous Cord)	2 on 1 Headrail	3 on 1 Headrail
MINIMUM WIDTH	12" / 22" (per panel)	12" (per panel) / NA
MAXIMUM WIDTH	144"	144"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	108"	108"

- Continuous Cord Loop shades are NOT available as 3 on 1 headrail.
- The 2 or 3 on 1 valance is continuous up to 72" wide and 96" with seam on most patterns. Over 96" require valance to be spliced at the shade gap between the individual panels.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.
- Individual shade panel widths are restricted to the standard width maximums.

Cordless Lift Shades	2 1/2" Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	72" * / 84"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

* The following patterns with Cordless Lift control are only available up to 72" in width: **Zaire Camel and Zaire Earth**

- Shades are only built on the 2-1/2" depth headrail.

2 on 1 Headrail Shades (Cordless Lift)	2 on 1 Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	72" or 84" per panel / 120" overall width
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

* The following patterns with Cordless Lift control are only available up to 72" in width: **Zaire Camel and Zaire Earth**

- Cordless shades are NOT available as 3 on 1 headrail.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.

Simplicity Rechargeable Motorization	RF System
MINIMUM WIDTH	24" Net (single shade), 48.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	72"*/96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

* These patterns are only up to 72" in width: **Zaire Camel and Zaire Earth**
** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
*** Refer to Maximum Motorization Area under Size Specification section for details

- Simplicity motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Simplicity motorized shades can be ordered as Waterfall
- Due to the material construction, **Celebes** collection can't be motorized.

RemoteLift Motorization – Radio Frequency (RF)	RF System
MINIMUM WIDTH	19" Net (single shade), 38.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	72"*/96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

* These patterns are only up to 72" in width: **Zaire Camel and Zaire Earth**
** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
*** Refer to Maximum Motorization Area under Size Specification section for details

- All battery-operated motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer mandatory for shade equal or greater than 65 sq.ft.
- Motorized shades may be ordered as Waterfall.
- Due to the material construction, **Celebes** collection can't be motorized.

SIZE SPECIFICATIONS: SELECT WEAVES

	Standard, Waterfall, Operable Liner	Top-Down	Top-Down/Bottom-Up
MINIMUM WIDTH	12" (per panel)	12" (per panel)	12" (per panel)
MAXIMUM WIDTH	96" / 120" *	96"	72"
MINIMUM HEIGHT	12"	12"	12"
MAXIMUM HEIGHT	120"	72"	72"

* Tai White & Salvador Dritwood are available in widths up to 120" with a seam. Shades over 96" will come standard at no charge with 1 seam placed in the center of the shade.

- Custom seam placement is available only on above patterns at a 15% surcharge. Allows up to 2 seams per shade. Minimum seam placement from the side edges of the shade is 5".
- All Standard Rectangular, Top-Down, Top-Down/Bottom-Up shades are built on a 1-1/2" depth headrail as standard. The 2-1/2" headrail must be specified. For 2 on 1 or 3 on 1 Top-Down/Bottom-Up shades that are larger than 96" in width are built on a 2-1/2" headrail
- Waterfall shades come with a front-side oval grommet for easy cord access & control. They may also be ordered with "rear cord access", so no grommet, if desired.
- The 3/4" Headrail option for narrow depth mounting is only available for Standard and Waterfall shades.

Continuous Cord Loop Shades	2 1/2" Headrail
MINIMUM WIDTH	22" NET
MAXIMUM WIDTH	96" / 120" *
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	96" * / 120"

* The following pattern available only up to 96" in height: Macau

* Tai White & Salvador Dritwood are available in widths up to 120" with a seam. Shades over 96" will come standard at no charge with 1 seam placed in the center of the shade.

- Custom seam placement is available only on above patterns at a 15% surcharge. Allows up to 2 seams per shade. Minimum seam placement from the side edges of the shade is 5".
- Shades are only built on the 2-1/2" depth headrail.
- Shades may be ordered as Waterfall Style, but only with "rear cord access". The loop control will be BEHIND the shade, not through a front-side grommet.

2 or 3 on 1 Headrail Shades (Standard/Continuous Cord)	2 on 1 Headrail	3 on 1 Headrail
MINIMUM WIDTH	12" / 22" (per panel)	12" (per panel) / NA
MAXIMUM WIDTH	144"	144"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	120"	120"

- Continuous Cord Loop shades are NOT available as 3 on 1 headrail.
- The 2 or 3 on 1 valance is continuous up to 96" wide. Over 96" require valance to be spliced at the shade gap between the individual panels.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.
- Individual shade panel widths are restricted to the standard width maximums.

Cordless Lift Shades	2 1/2" Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	84"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Shades are only built on the 2-1/2" depth headrail.

2 on 1 Headrail Shades (Cordless Lift)	2 on 1 Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	84" per panel / 120" overall width
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless shades are NOT available as 3 on 1 headrail.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.

Simplicity Rechargeable Motorization	RF System
MINIMUM WIDTH	24" Net (single shade), 48.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (Single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies**

** 2 on 1 shade requires two motors (see "Simplicity Rechargeable Motorization Options" for surcharge information).

*** Refer to Maximum Motorization Area under Size Specification section for details

- Simplicity motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Simplicity motorized shades can be ordered as Waterfall

RemoteLift Motorization – Radio Frequency (RF)	RF System
MINIMUM WIDTH	19" Net (single shade), 38.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (Single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	120"
MAXIMUM AREA (SQUARE FEET)	Varies**

** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).

*** Refer to Maximum Motorization Area under Size Specification section for details

- All battery-operated motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Single battery wand size recommendation limit is 28 sq.ft., dual battery wand or transformer mandatory for shade equal or greater than 28 sq.ft.
- Motorized shades may be ordered as Waterfall

SIZE SPECIFICATIONS: MAXIMUM MOTORIZATION AREA

Collection	Code	Color Name	Maximum Shade Size Without Liner	Maximum Shade Size with Liner
Woven Wood	CUL-2085	Antigua Maze	30 SQF	20 SQF
Woven Wood	CUL-2086	Antigua Surf	30 SQF	20 SQF
Woven Wood	CUL-2157	Banjar Artisan	30 SQF	20 SQF
Woven Wood	CUL-2108	Bimini	20 SQF	15 SQF
Woven Wood	TER-2057	Ensenada Negro	15 SQF	10 SQF
Woven Wood	TER-2002	Ensenada Terra	15 SQF	10 SQF
Woven Wood	TER-2078	Ensenada Tranquil	15 SQF	10 SQF
Woven Wood	TER-2208	Hi-Lo Espresso	35 SQF	20 SQF
Woven Wood	TER-2212	Hi-Lo Gray	35 SQF	20 SQF
Woven Wood	TER-2211	Hi-Lo Tan	35 SQF	20 SQF
Woven Wood	TER-2210	Hi-Lo White	35 SQF	20 SQF
Woven Wood	ELI-2084	Honduras Rust	15 SQF	10 SQF
Woven Wood	ELI-2083	Honduras Timbre	15 SQF	10 SQF
Woven Wood	CUL-2072	Hunan	25 SQF	15 SQF
Woven Wood	EXO-2054	Indo Chic	35 SQF	20 SQF
Woven Wood	TER-2004	Jolo	15 SQF	10 SQF
Woven Wood	TER-2110	Kano Greywood	30 SQF	20 SQF
Woven Wood	TER-2111	Kano Mahogany	30 SQF	20 SQF
Woven Wood	ELI-2049	Katmandu	20 SQF	10 SQF
Woven Wood	CUL-2155	Katni Intrigue	25 SQF	15 SQF
Woven Wood	TER-2003	Kaui	15 SQF	10 SQF
Woven Wood	EXO-2068	Kiribati Jungle	40 SQF	30 SQF
Woven Wood	EXO-2069	Kiribati Rainforest	60 SQF	40 SQF
Woven Wood	TER-2076	Kota	15 SQF	10 SQF
Woven Wood	CUL-2204	Kyoto Ebony	25 SQF	15 SQF
Woven Wood	EXO-2230	Kyoto Sunset	25 SQF	15 SQF
Woven Wood	EXO-2151	Mandalay Mystique	30 SQF	20 SQF
Woven Wood	CUL-2223	Mesa Mocha	20 SQF	10 SQF
Woven Wood	ELI-2104	Nagoya Harvest	50 SQF	35 SQF
Woven Wood	CUL-2061	Saba Dusk	20 SQF	10 SQF
Woven Wood	CUL-2060	Saba Sunset	15 SQF	10 SQF
Woven Wood	ELI-2153	Sakura Etude	40 SQF	25 SQF
Woven Wood	EXO-2053	Serengeti Cocoa	40 SQF	30 SQF
Woven Wood	EXO-2052	Serengeti Sunrise	40 SQF	30 SQF
Woven Wood	TER-2011	Sonora Desert	25 SQF	15 SQF
Woven Wood	EXO-2150	Sumatra Surprise	50 SQF	35 SQF
Woven Wood	EXO-2232	Taos	40 SQF	25 SQF
Woven Wood	CUL-2070	Tobago	25 SQF	15 SQF
Woven Wood	CUL-2100	Tortuga Cocoa	20 SQF	15 SQF
Woven Wood	CUL-2099	Tortuga Coral	20 SQF	15 SQF
Woven Wood	ELI-2059	Veracruz Earth	15 SQF	10 SQF
Woven Wood	ELI-2059	Veracruz Earth	15 SQF	10 SQF
Woven Wood	ELI-2080	Veracruz Mocha	15 SQF	10 SQF
Woven Wood	TER-2234	Zee Gray	20 SQF	10 SQF
Woven Wood	TER-2236	Zee Tan	20 SQF	10 SQF
Woven Wood	TER-2237	Zee White	20 SQF	10 SQF
Woven Wood	EXO-2096	Zulu	35 SQF	25 SQF

Collection	Code	Color Name	Maximum Shade Size Without Liner	Maximum Shade Size with Liner
Select Weave	SLW-2527	Cancun Light Gray	50 SQF	30 SQF
Select Weave	SLW-2528	Cancun Off White	50 SQF	30 SQF
Select Weave	SLW-2529	Cano Cream	50 SQF	35 SQF
Select Weave	SLW-2411	Jaipur Natural	60 SQF	60 SQF
Select Weave	SLW-2417	Lagos	60 SQF	50 SQF
Select Weave	SLW-2419	Lomaloma	60 SQF	60 SQF
Select Weave	SLW-2420	Macau	40 SQF	30 SQF
Select Weave	SLW-2530	Madeira Green	60 SQF	40 SQF
Select Weave	SLW-2423	Mali Tan	50 SQF	35 SQF
Select Weave	SLW-2531	Rio Gray	60 SQF	40 SQF
Select Weave	SLW-2526	Salvador Driftwood	60 SQF	40 SQF
Select Weave	SLW-2431	Santos Natural	60 SQF	60 SQF
Select Weave	SLW-2433	Sintra Dust	60 SQF	40 SQF
Select Weave	SLW-2438	Suva	40 SQF	30 SQF
Select Weave	SLW-2436	Tai White	40 SQF	25 SQF
Select Weave	SLW-2441	Tunisia	60 SQF	60 SQF

Collection	Code	Color Name	Maximum Shade Size Without Liner	Maximum Shade Size with Liner
Grass Weave	GRW-9464	Aruba Café	60 SQF	60 SQF
Grass Weave	GRW-9463	Aruba Driftwood	60 SQF	60 SQF
Grass Weave	GRW-9462	Aruba Sand Dune	60 SQF	60 SQF
Grass Weave	GRW-9461	Aruba Straw	60 SQF	60 SQF
Grass Weave	GRW-9460	Aruba Summer	60 SQF	60 SQF
Grass Weave	GRW-2304	Caracas Tortoise	60 SQF	60 SQF
Grass Weave	GRW-9410	Coban Gray	60 SQF	60 SQF
Grass Weave	GRW-2305	Coban Parchment	60 SQF	60 SQF
Grass Weave	GRW-9420	Granada Bark	60 SQF	60 SQF
Grass Weave	GRW-2310	Granada Cinnamon	60 SQF	60 SQF
Grass Weave	GRW-2311	Granada Ginger	60 SQF	60 SQF
Grass Weave	GRW-2312	Granada Nutmeg	60 SQF	60 SQF
Grass Weave	GRW-2324	Luzon Cornsilk	60 SQF	60 SQF
Grass Weave	GRW-2325	Luzon Greige	60 SQF	60 SQF
Grass Weave	GRW-2323	Luzon Whisper	60 SQF	60 SQF
Grass Weave	GRW-9473	Martinique Coral	60 SQF	60 SQF
Grass Weave	GRW-9471	Martinique Sea Grass	60 SQF	60 SQF
Grass Weave	GRW-9472	Martinique Surf	60 SQF	60 SQF
Grass Weave	GRW-9470	Martinique White Wash	60 SQF	60 SQF
Grass Weave	GRW-9440	Nassau Cocoa	60 SQF	60 SQF
Grass Weave	GRW-2331	Nassau Pewter	60 SQF	60 SQF
Grass Weave	GRW-2337	Singapore Bisque	60 SQF	60 SQF
Grass Weave	GRW-2339	Singapore Cotton	60 SQF	60 SQF
Grass Weave	GRW-9450	Singapore Gray	60 SQF	60 SQF
Grass Weave	GRW-2338	Singapore Talc	60 SQF	60 SQF
Grass Weave	GRW-9400	St. Kitts Dune	60 SQF	60 SQF
Grass Weave	GRW-9401	St. Kitts Greywood	60 SQF	60 SQF
Grass Weave	GRW-2340	St. Lucia Sand	60 SQF	60 SQF
Grass Weave	GRW-2343	St. Lucia Storm	60 SQF	60 SQF
Grass Weave	GRW-2345	Zaire Camel	60 SQF	60 SQF
Grass Weave	GRW-2346	Zaire Earth	60 SQF	60 SQF

SIZE SPECIFICATIONS: WOVEN WOODS, SELECT WEAVES, AND GRASS WEAVES

Headrail Sizes	Headrail SIZE	Headrail DEPTH
Standard, Waterfall Style and Top-Down Shades	Small	1-1/2"
2 or 3 on 1 Headrail Shades (for Standard, Waterfall & Top-Down Shades)	Small	1-1/2"
3/4" Headrail Shades (Standard and Waterfall Shades ONLY) (Valance returns not available)	3/4"	3/4"
Top-Down / Bottom-Up Shades*	Small/Large	1-1/2" / 2-1/2"
Continuous Cord Loop Shades (all shade sizes)	Large	2-1/2"
Cordless Lift Shades (all shade sizes)	Large	2-1/2"
Simplicity Rechargeable & RemoteLift Motorized Shades	Large	2 1/2"
2 on 1 Headrail Shades (Continuous Cord, Cordless & Simplicity Motorization)	Large	2 1/2"
2 on 1 or 3 on 1 Headrail Shades (TDBU)*	Small/Large	1-1/2" / 2-1/2"
Individual Valances – Standard	Narrow (IB) / Large	3/4" / 2-1/2"
Individual Valances – Optional	Small	1-1/2"

- All Standard Rectangular shades are built on SMALL 1-1/2" depth headrail unless the LARGE 2-1/2" depth headrail is specified on the order.

* Top-Down/Bottom-Up shades are built on 1-1/2" depth headrail. For 2 on 1 or 3 on 1 TDBU shades that are larger than 96" in width are built on a 2-1/2" headrail

** Continuous Cord Loop, Cordless and Simplicity Motorization shades are only built on the large 2-1/2" depth headrail and not available on 3 on 1.

Twill Edge-Binding and Faux Silk Binding

- Shades ordered with Twill Edge-Binding or Faux Silk Binding follow the same size specifications as listed on the preceeding pages.
- **On Cordless, binding can only go onto shade sides and/or valance sides (ES or ESO and TS or TSO) if ordered.**

SHADE Valances	Shade Height	Valance Height
ALL Shades	Under 18"	4"
ALL Shades	18" and Over	6"
MAXIMUM Custom Valance Height - With NO Extra Charge	any	Up to 12"
MAXIMUM Valance Height - With EXTRA Charge	any	Over 12", up to 24"

- Valance heights may vary by + or - 3/4" due to the variations in woven materials.
- Custom valance heights up to 12" are free of charge. For extra charge on custom valance height over 12", refer to valance price grid.
- OB valances will include the Valance Return Stabilizer (VRS) System (Woven Wood patterns only).

SHADE Valance returns depth for standard cordlock

Headrail Size	Mount Type	Standard	Minimum	Maximum
1-1/2" (Small)	Inside Mount - default no returns	1-1/2"	1-1/2"	2"
	Outside Mount	1-3/4" / 1-1/2" (waterfall)	1-1/2"	2"
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4" / 2-1/2" (waterfall)	1-1/2"	3"

SHADE Valance returns depth for continuous cord loop & cordless lift

Headrail Size	Mount Type	Standard	Minimum	Maximum
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	3-1/8"	1-1/2"	3-1/8"

SHADE Valance returns depth for remotelift & simplicity motorization

Headrail Size	Mount Type	Standard	Minimum	Maximum
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4" / 2-1/2" (waterfall)	1-1/2"	3"

INDIVIDUAL Valances	Standard
MINIMUM WIDTH	10"
MAXIMUM WIDTH*	72" / 96" (without seam)
MINIMUM HEIGHT	4"
MAXIMUM HEIGHT	24"

- Valance heights may vary by + or - 3/4" due to the variations in woven materials. Individual valances are built on the 2-1/2" depth headrail unless specified.
- OB valances will include the Valance Return Stabilizer (VRS) System if ordered on a headrail (Woven Wood patterns only).

* Maximum width can go up to 120" with seam for Tai White & Salvador Driftwood as well as most grass weave patterns except Zaire Camel & Zaire Earth.

INDIVIDUAL Valance returns depth

Headrail Size	Mount Type	Standard	Minimum	Maximum
3/4" (Narrow)	Inside Mount - default no returns	N/A	N/A	N/A
1-1/2" (Small)	Inside Mount - default no returns	1-1/2"	1-1/2"	2"
	Outside Mount	1-3/4"	1-1/2"	2"
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4"	1-1/2"	3"

To order Woven material only in linear widths, contact customer service.

PRODUCT SPECIFICATIONS: WOVEN SHADES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

TRADITIONAL, TOP-DOWN, TOP-DOWN/BOTTOM-UP

Inside (IB/IS) Mount	
Headrail, Valance & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail Width	ordered width
Valance Width*	+ 1"
Fabric Width	ordered width
Shade Height	ordered height

2 on 1 (and 3 on 1) Headrail	
Gap Between Panels	- ½"

1 ½" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	2 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 ½" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

CONTINUOUS CORD LOOP, CORDLESS LIFT

Inside (IB/IS) Mount	
Headrail, Valance & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail Width	+ ½"
Valance Width*	+ 1 ½"
Fabric Width	ordered width
Shade Height	ordered height

2 on 1 Headrail	
Gap Between Panels	- ½"

2 ½" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

Note: Cord Loop Shades have adjusted IS width deductions and OS width additions to allow operational clearance for the cord loop and safety tensioner.

FINISHED DIMENSION & MOUNTING NOTES

Note: Ceiling mount shades are OB/OS by default and have the same finished dimensions. IB/IS shades may also be "TOP" mounted using the standard L-style brackets or using the optional Flat brackets.

* OB/OS Valances and returns are attached using a Valance Return Stabilizer. The OB/OS valance width additions indicated above create a "cornice style" box for improved appearance and operation.

** The flush mount depth requirements indicated above include space for the woven material attached to the front (valance) and back (shade) sides of the headrail. These are AVERAGE depths as the different woven wood materials have varying degrees of thickness. Verify your individual shade's depth before mounting, then position brackets accordingly for an EXACT flush mount.

Note: Add an extra + ½" to the mounting depths for Traditional (standard) and Old Style (waterfall) shades with operable liner.

PRODUCT SPECIFICATIONS: WOVEN SHADES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

SIMPLICITY MOTOR & REMOTELIFT (Bottom Up Only)

2 ½" Headrail (Standard Fold)	
Inside (IB/IS) Mount	
Headrail, Valance & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail Width	order width
Valance Width*	+1"
Fabric Width	ordered width
Shade Height	ordered height

2 ½" Headrail (Standard Fold) Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 ½" Headrail (Waterfall)	
Inside (IB/IS) Mount	
Headrail & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail & Fabric Width	ordered width
Shade Height	ordered height

2 ½" Headrail (Waterfall) Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

Waterfall Style (Front Side Shade, No Valance) - VALANCE IN BACK OF SHADE

Inside (IB/IS) Mount	
Headrail & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail & Fabric Width	ordered width
Shade Height	ordered height

1 ½" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	2"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 on 1 (and 3 on 1) Headrail	
Gap Between Panels	- ½"

2 ½" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

Note: A backside valance is provided on IB/IS mounts to hide the components under the headrail from outside view.

¾" HEADRAIL SHADES (For Narrow-Depth Mounts)

Inside (IB/IS) Mount	
Headrail & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail, Fabric & Valance Width	ordered width
Shade Height	ordered height

¾" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	¾"
Minimum Mounting Depth, Flush Mount **	1 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	½"

2 on 1 (and 3 on 1) Headrail	
Gap Between Panels	- ½"

Note: Valance returns are NOT included with narrow headrail shades.

FINISHED DIMENSION & MOUNTING NOTES

Note: Ceiling mount shades are OB/OS by default and have the same finished dimensions. IB/IS shades may also be "TOP" mounted using the standard L-style brackets or using the optional Flat brackets.

** The flush mount depth requirements indicated above include space for the woven material attached to the front (valance) and back (shade) sides of the headrail. These are AVERAGE depths as the different woven wood materials have varying degrees of thickness. Verify your individual shade's depth before mounting, then position brackets accordingly for an EXACT flush mount.

* OB/OS Valances and returns are attached using a Valance Return Stabilizer. The OB/OS valance width additions indicated above create a "cornice style" box for improved appearance and operation.

Note: Add an extra + ½" to the mounting depths for Traditional (standard) and Old Style (waterfall) shades with operable liner.

SMART FACTS

POSITIONED AS ALL SHEER

POSITIONED HOWEVER YOU DESIRE

POSITIONED AS FULL SHADE

- The beautiful combination of a sheer pleated shade on top and woven shade on the bottom provides maximum versatility in a single window covering.
- Performs like a top-down/bottom-up shade, but the sheer pleated shade offers more benefits: diffuses harsh light entering the room; offers moderate privacy during the day; protects furnishings from harmful UV rays.
- Four sheer pleated styles are available in multiple colors to meet most decorating tastes.
- Shade is built on the large 2-1/2" depth stained wood headrail for durability and easy installation.
- The hardware system uses the same quality components as the top-down/bottom-up woven shade.
- The standard cordlock lifts and lowers the shade with ease. The right cord operates the middle rail and the left cord operates the bottomrail.
- The headrail and operating system is hidden by a 6" valance on the front and back side of the shade for a clean interior and exterior appearance. Included on both inside (IB) and outside (OB) mounts. Custom valance heights to 12" at no extra charge.
- The woven panel is available with a fixed privacy lining. When shade is ordered with the optional fixed liner, the valances will also include a liner.

SELECTING A TRILIGHT SHADE

1. Choose a woven style and color for the bottom shade.
2. Choose a sheer pleated fabric for the top shade. See Color Chart.
3. Refer to the woven price grids on pages 7-15 to determine your woven wood shade price.
4. Refer to the sheer pleated grids A on page 37 to find your top shade price. Then simply add the prices (by shade size) of the sheer pleated fabric and woven material together to determine your final price.

> TriLight Shades are available as a standard rectangle only.
> Standard control system—right operates the intermediate rail; left operates the bottomrail. (Note: grouped controls not available.)
> Fixed liners are available for the bottom woven shade.

COLOR CHART

TriLight Pleated Sheer (TOP Panel)	
SKU #	**PATTERN NAME**
P05-500	Snow White
P05-501	Ice
P05-502	Heirloom
P05-503	Soft Ivory
P05-504	Crystal
P05-505	Light Taupe
P05-506	Bisque
P05-507	Latte
P05-508	Chocolate
P05-509	Twilight

TriLight NOT AVAILABLE in following Patterns	
SKU #	**PATTERN NAME**
GRW-2304	Caracas Tortoise
GRW-2305	Coban Parchment
GRW-2323	Luzon Whisper
GRW-2324	Luzon Cornsilk
GRW-2325	Luzon Greige
GRW-2331	Nassau Pewter
GRW-9400	St. Kitts Dune
GRW-9401	St. Kitts Greywood
GRW-9410	Coban Gray
GRW-9440	Nassau Cocoa
GRW-9460	Aruba Summer
GRW-9461	Aruba Straw
GRW-9462	Aruba Sand Dune
GRW-9463	Aruba Driftwood
GRW-9464	Aruba Café
GRW-9470	Martinique White Wash
GRW-9471	Martinique Sea Grass
GRW-9472	Martinique Surf
GRW-9473	Martinique Coral
SLW-2528	Cancun Off White
SLW-2527	Cancun Light Gray

SHEER PLEATED MAXIMUM WIDTHS	% UV BLOCKAGE
Whisper 83"	60

Determine the top shade price by using the charts below.
Add the sheer pleated and woven shade prices together to determine your final price.

GROUP A (Sheer Pleated Rectangular)

• Whisper Sheer (83")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	$69	78	88	98	109	115	127	135	147	153	167	178	186
42"	75	83	95	109	115	127	139	148	159	172	183	193	206
48"	78	90	104	114	127	139	148	162	174	187	200	212	226
54"	83	95	110	122	135	147	162	174	190	204	218	231	245
61"	89	103	115	130	145	159	173	187	204	219	233	251	263
66"	94	109	123	139	153	171	183	203	219	233	251	267	282
72"	98	113	130	147	167	181	197	217	231	249	266	286	302
78"	104	118	139	153	174	192	210	228	247	266	282	302	321
84"	108	123	143	162	183	200	219	238	256	277	295	318	337
90"	110	130	148	171	192	211	231	255	275	295	315	336	359
96"	114	135	158	179	200	219	243	263	286	307	330	351	374

TRILIGHT OPTIONS & CONFIGURATION SPECIFICATIONS

OPTIONS: NO EXTRA CHARGE

- **Extension Brackets**
- **Spacer Blocks**
- **Special Cord Length** – Standard length is approximately 1/2 the height of the shade

TRILIGHT – STANDARD



Shade is built on the large 2-1/2" depth wood headrail.
Standard operating controls: Right operates the intermediate rail; left operates the bottomrail. Grouped controls are not available.

TriLight Shades	LARGE Headrail
MINIMUM WIDTH	22"
MAXIMUM WIDTH	84"
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	96"
MAXIMUM AREA (SQ/FT)	48 to 72 sq/ft*

- TriLight shades are built on the large 2-1/2" depth headrail.
- TriLight shades are NOT available as 2 or 3 on 1 headrail.
- TriLight shades are not available with twill edge-binding, faux silk binding or operable privacy liners. TriLight shades ARE available with fixed liners on the woven panel.
- TriLight shades maximum width is dependent on the maximum width of the ordered Pleated TOP panel fabric which is 84" wide.
- TriLight shades are only available with SPLIT controls (grouped controls are not available).
- Cut-outs are not available on TriLight shades.

* TriLight shades maximum area (sq/ft) is dependent on the ordered woven material. Heavier materials are limited to 48 sq/ft, medium to 60 sq/ft and light to 72 sq/ft.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly. Measurements may vary +/- 1/8".

Inside (IB) Mount	
Headrail & Valance Width *	– 1/2"
Fabric Width	– 1/2"
Shade Height	ordered height
Outside (OB) & Ceiling Mount	
Headrail Width	ordered width
Valance Width *	+ 1"
Fabric Width	ordered width
Shade Height	ordered height
2 on 1 (and 3 on 1) Headrail	
NOT AVAILABLE WITH TRILIGHT	N/A

Note: A backside valance is provided on both IB and OB mounts to hide the additional components under the headrail from outside view.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	Large, 2-1/2" Headrail
Minimum Mounting Depth	1-1/2"
Minimum Mounting Depth, Flush Mount **	3-1/4"
Outside (OB) Mount	Large, 2-1/2" Headrail
Minimum Flat Vertical Surface	1"

TriLight Stacking	
Shade Height	Stack Height
24"	7"
48"	9"
72"	11"
96"	13"
108"	15"

FINISHED DIMENSION & MOUNTING NOTES

Note: Ceiling mount shades are OB by default and have the same finished dimensions. IB shades may also be "TOP" mounted using the the standard L-style brackets or using the optional Flat brackets.

* OB Valances and returns are attached using the Valance Return Stabilizer (VRS) System for woven wood only. The OB valance width additions indicated above create a "cornice style" box for improved appearance and operation.

** The flush mount depth requirements indicated above include space for the woven material attached to the front (valance) and back (shade) sides of the headrail. These are AVERAGE depths as the different woven wood materials have varying degrees of thickness. Verify your individual shade's depth before mounting, then position brackets accordingly for an EXACT flush mount.

TRILIGHT STACKING INFORMATION

TriLight Stacking Chart	
Shade Height	**Stack Height**
24"	7"
48"	9"
72"	11"
96"	13"
108"	15"

NOTE: These are stacking averages for standard shades.
Actual heights may vary + or - 1".

TRILIGHT – STANDARD RECTANGULAR

TRILLGHT

- Returns standard on outside mount
- Backside valance included on inside and outside mounts
- Front & back valances include liner when ordered on shade
- Built on 2 1/2" depth headrail
- Split controls only (grouped controls not available)

The following options are not available on trilight:

- Waterfall style, continuous cord loop, cordless, remotelift
- Twill edge-binding, faux silk binding, operable liners
- 2 or 3 on 1 headrail, cut-outs

TriLight (basic) side view



TriLight intermediate connecting rail detail view



SMART FACTS

- Innovative design allows choice of woven shade fabric for the front shade to achieve just the right style and color desired.
- The back liner roller shade offers total flexibility when controlling light and privacy.
- The back liner also provides an extra layer of insulation to help reduce energy costs.
- Liners are available in light-filtering, blackout and screen styles to fit varying needs.
- Optional side seals eliminate light leaks from the sides of shades. They fit neatly inside the window frame and are hidden behind the front shade so they don't detract from the beauty of the shade.
- Optional side seals provide additional energy efficiency. Together with the back liner, they form a complete barrier between the window and the room — keeping rooms cooler in summer and warmer in winter.

SELECTING A TANDEM SHADE

1. Choose a woven style and color.
2. Choose a liner (back roller shade) style and color. See Color Chart.
3. Refer to the woven price grids on pages 7-15 to determine your woven shade price. Add in the Tandem option pricing found on the next page to determine the final shade price.

- Tandem woven is available as a single rectangular shade with standard controls only
- Right cordlock operates the front shade; cord loop operates the back liner. Shades operate independently of each other.
- Reverse controls available; no grouped controls
- Side seals available as a surcharge option
  Note: Available colors 973 Oyster and 661 White

COLOR CHART

OPACITY	MAX. WIDTH	COLOR #	COLOR NAME
Light Filtering	72"	R7201	White
Light Filtering	72"	R7202	Oyster
Blackout	72"	R4001	White
Blackout	72"	R4004	Black
Blackout	72"	R4006	Oyster
Blackout	72"	R4014	Golden Leather
Blackout	72"	R4016	Milk Chocolate
Blackout	72"	R4018	Mocha

Tandem not available in following Patterns

SKU #	PATTERN NAME	SKU #	PATTERN NAME
GRW-2304	Caracas Tortoise	GRW-9460	Aruba Summer
GRW-2305	Coban Parchment	GRW-9461	Aruba Straw
GRW-2323	Luzon Whisper	GRW-9462	Aruba Sand Dune
GRW-2324	Luzon Cornsilk	GRW-9463	Aruba Driftwood
GRW-2325	Luzon Greige	GRW-9464	Aruba Café
GRW-2331	Nassau Pewter	GRW-9470	Martinique White Wash
GRW-9400	St. Kitts Dune	GRW-9471	Martinique Sea Grass
GRW-9401	St. Kitts Greywood	GRW-9472	Martinique Surf
GRW-9410	Coban Gray	GRW-9473	Martinique Coral
GRW-9440	Nassau Cocoa	SLW-2528	Cancun Off White
		SLW-2527	Cancun Light Gray

TANDEM OPTION PRICING

Find your shade width on the price grids below. Add the surcharge to the price of each shade(s). If ordering optional side seals, include the additional **$49 surcharge** to the price of each shade(s).

Light Filtering and Blackout (Max. Width 72")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
	$113	134	156	175	191	209	225	252	280

Optional Side Seals: Add $49

Available colors 973 Oyster and 661 White.

PRODUCT CONFIGURATION SPECIFICATIONS

SIZE STANDARDS	
Minimum Width	
All liners	12"
Maximum Width	
Light Filtering	72"
Blackout	72"
Minimum Height	
All liners	12"
Maximum Height	
Light Filtering	84"
Blackout	82"
MOUNTING REQUIREMENTS	
Inside Mount, IB	
Minimum Mounting Depth	1-5/8"
Mounting Depth, Flush	3" (includes valance; dependent upon fabric thickness)
Outside Mount, OB	
Minimum Mounting Height	2"

FINISHED DIMENSIONS	
Headrail Unit (including mounting rail)	
Inside Mount	Ordered width less 1/8"
Outside Mount	Ordered width
Finished Height	
Inside Mount	Ordered height
Outside Mount	Ordered height
Front Shade Fabric Width	
Inside Mount	Ordered width less 1"
Outside Mount	Ordered width less 7/8"
Valance Width	
Inside Mount	Ordered width less 1/8"
Outside Mount	Ordered width plus 1"
Back Shade Fabric Width	
Inside Mount	Ordered width less 1 3/8"
Outside Mount	Ordered width less 1 1/4"

Valance included on all shades. 6" drop only.

Outside mount valances come standard with returns and feature the Valance Return Stabilizer (VRS) system (Woven Wood patterns only).

Inside mount valances do not come with returns.

WOVEN WOOD STACKING CHART

Shade Height	Stack Height
21"	5"
42"	7"
63"	9"
84"	11

Note: These are stacking averages for standard shades.
Actual height may vary approximately + or –1".
Stack height does not include the headrail size: 2 1/4".

LOOP SPECIFICATIONS

The cord loop operates the back liner.

Shade Height	Cord Loop Drop	Loop Color
Up to 38"	24" loop	Color Coordinated
38 1/8" to 50"	36" loop	Color Coordinated
50 1/8" to 62"	48" loop	Color Coordinated
62 1/8" to 84"	60" loop	Color Coordinated
Special Request	84" loop	Color Coordinated

SIMPLICITY RECHARGEABLE MOTORIZATION: OVERVIEW

Simplicity Rechargeable



- The Rechargeable Simplicity motor program features an integrated rechargeable lithium ion battery in the motor casing and is fully concealed by the inner tube.
- Rechargeable battery is included with the motor. The average battery charge will last 6-12 months based on an average sized shade raised and lowered once per day. The life of the battery charge will vary based on the type of window covering selected, the size and weight of the window covering and the number of times the shade is operated on a daily basis. The battery can be recharged up to 500 times. It takes approximately 5 hours to recharge the motor when fully depleted.

Battery Charger

- An 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering Simplicity Rechargeable Motorized shade option. The charger plugs into the charging port of the motor. The charger is black and comes with a 156” wire. The dimensions are 1” wide x 2-1/2” length x 1-3/4" deep. Sold separately.

Solar Panel Recharge Option

Dimensions of panel
18½” x 1½”

- Plugs in to any Simplicity Rechargeable motorized shading. Provides constant trickle charge to 7.4v Li-ION Rechargeable battery packs. Does not require direct sunlight, but performs best in regular direct sunlight applications. Will prolong the life of the charge of the 7.4v rechargeable battery packs, and in some applications will maintain charge indefinitely.
- Life of charge is subject to application variables such as, size and weight of shade, frequency of use, amount of direct sunlight exposure, etc.

5 Channel Remote

- The remote can operate up to five shadings simultaneously, individually or in groups. Remotes and holders are available in white or black. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet.

White
(Part #CS5138W)

Black
(Part #CS5138)

Please Note:

- Not all motors run at the same rate of speed.
- Simplicity motors have a “Favorites” position setting. To set a “Favorites” position, follow instructions provided in the installation instructions.

REMOTELIFT™ MOTORIZATION: OVERVIEW

With our RemoteLift™ motorized shades, tasks such as adjusting those hard-to-reach window coverings, controlling glare or protecting valuable furnishings from the sun are now simplified. At the touch of a button, window coverings can be instantly adjusted to changing activities or the varying sun conditions.

Glare can be annoying while trying to watch your favorite television show, surf the web or read the morning paper. An ideal solution is to manage glare with a RemoteLift™ hand-held remote control. At the simple touch of a button, shades and blinds will open or close to adjust to the changing sunlight in a room.

RemoteLift motorized shades provide ultra-quiet operation. The RF system enables shades to be operated from virtually anywhere in the house without direct line of sight. Similar to how a garage door opener operates, radio signals travel through walls and make it possible to control multiple coverings throughout the home alone or as a group. The RF system is available in both a 1-channel and a 5-channel version to allow for independent control of individual shades and/or group control.

The RemoteLift motorization system provides many benefits, such as improving energy efficiency, providing easily controllable privacy and also enhancing home security.

Many homeowners too often experience the damaging effects of the sun's UV rays on floor coverings, furniture, wall coverings and artwork. Programming shades to raise or lower at certain times of the day helps to manage heat gain in summer months and heat loss during winter - reducing monthly energy bills.

The RemoteLift RF timer allows users to program specific times of the day to automatically adjust shades in different areas of the house, protecting interiors from the fading effects of direct sunlight. This feature provides added security to an unoccupied home by creating a lived in look even while homeowners are away on vacation.

The battery powered RemoteLift RF wireless wall switch allows shades to be controlled when entering or exiting a room, just like the lights. The switch may be seamlessly installed without wiring next to any light switch or stand alone, and is never misplaced. This one touch privacy helps create the ideal environment whether preparing for a bath, relaxing in bed or enjoying time with the family at home.

Our RemoteLift motorized shades are powered by Somfy, the industry leader in automated window coverings. All motorized products are backed by a 5-year warranty.

REMOTELIFT™ MOTORIZATION: FEATURES & OPTIONS

RADIO FREQUENCY (RF) MOTORIZATION FEATURES:

- Highest quality patent protected design by Somfy
- Advanced motor, capable of lifting shadings up to 12 LBS.
- Quiet operation
- Installs with standard installation hardware
- RF motor is programmable

Note: The power source must be selected when ordering. The options are: reloadable single battery wand, reloadable dual wand, and the plug-in transformer.

 Radio Frequency (RF) RemoteLift Motor Motor (Part #1002481) Crown (Part #9018475)	• Fully concealed motor unit • Flexible and programmable operation • 12 Volt System
 Radio Frequency (RF) Remote Control (must order separately) Color: 2 tone white and gray 2 Types: programmable 1-channel and programmable 5-channel (1-Channel: Part #RC445069) (5-Channel: Part #RC445079)	• Controls shade operation • Programmable features • Easy shade positioning up to 90 feet away • 5-channel remote allows for multiple and independent shade operation
 Single Battery Wand (reloadable) and Installation Clips Wand (Part #RC445268) Clips (Part #9013263) 8 AA Lithium Batteries (not shown) (Part #9014834)	• On initial shade orders, the reloadable wand comes with 8 AA lithium batteries • Comes with mounting installation clips • For parts ordering the reloadable wand INCLUDING 8 AA lithium batteries, order both part #s • Replacement 8 AA lithium batteries may also be ordered separately
 Optional, Dual Battery Wand (reloadable) and Installation Clips (Kit: Part #KITRDWR) (Clips: Part #9013263) (Y-Harness: Part #9015580) (Y-Harness Ext. Cable: Part #9016736)	• On initial shade orders, the reloadable wands come with 16 AA lithium batteries • Combines (reloadable) Single Battery Wands for added lifting capacity and/or extended life • Comes with mounting installation clips
 Transformer (Part #1822445)	• Plug-in operation, no batteries required • Works in standard wall outlet (includes 10' long wire)
 Battery Wand Extension Cables Color: White (10" Cable: Part #9018686A) (48" Cable: Part #9016736) (96" Cable: Part #9018624)	• Available in 10", 48" and 96" • Allows battery wand installation away from headrail
 Wireless Wall Switch Color: white 2 Types: programmable 1-channel and 5-channel (1 Channel: Part #RC445135) (5 Channel: Part #RC445136)	• Control wireless operation from the wall up to 90 feet away • Works like turning a light on/off
 Programmable Timer 1 Type: programmable 1-channel (Part #1805237A)	• Program operation based on pre-set times • Excellent home security feature
 Smoove 1 RTS – single channel surface mount control Color: Pure (Part #1811533)	• Battery operated • Tactile buttons for UP/DOWN/MY/STOP control • LED for visual feedback
 myLink Interface Color: White (Part #1811403)	• Smartphone and Tablet Interface 120V AC • App Control • Remote Access • Compatible and controls all Radio Technology Somfy RTS products. • Can control up to 5 channels of RTS motorized products using myLink apps for iOS and android devices.

PRODUCT COMPONENTS: WOVEN SHADES

Mounting Bracket for Continuous Cord Loop and Cordless Lift Shades (Part #VRBKT15)



Standard Cord Lock (Part #70-195-1000)
Enlarged Cord Lock (Part #70-195-1100)

Standard Cord Pulley (Part #70-195-1001)
Enlarged Cord Pulley (Part #70-195-1101)

Shade Grommets (Part #70-195-1005)

Installation Bracket (Part #70-195-1003) (Also center support bracket if necessary)



Cord Tensioner Mounting Kits for Continuous Cord Loop Shades (Part #KIT2350)



Wood Headrails 5/8" x 1-1/2" and 5/8" x 2-1/2"

Built-in Valance (4" or 6" Standard Size)

Cord Connector (Part #7007738-COLOR)

Color-Coordinated Pull Cord

Decorative Wovens Tassel (Part #TW710-COLOR)

Woven Wood Tassel (Part #17-90-COLOR)



Cord Tensioner (Part #4152336-COLOR)

Shade

Wood Dowel Bottom Rail (Part #70-00-1009)

Cord Guide Rings (Not Shown)
Antique Brass (Part #70-195-1004)
White PVC (Part #70-100-1004)

Grommet Antique Brass (Not Shown) (Part #70-195-1005)

OPTIONAL BRACKETS AND COMPONENTS

Outside Mount, L-Shaped Brackets – Antique Brass 1-1/2" Long (Part #70-195-1003)
2" Long (Part #70-195-1014)
Can be used for center support

Inside Mount and Ceiling Mount, Flat Brackets – Antique Brass 1-1/2" Long (Part #70-195-1002)
2" Long (Part #70-195-1013)



Extension, L-Shaped Brackets – Antique Brass 2-1/2" Long (Part #70-195-1011)
4-1/2" Long (Part #70-195-1012)

Hold Down Brackets
Hold Down Pin (Part #12-70-3009)
White (Part #20-0250-LR-WHITE)
Antique Brass (Part #20-0250-LR195)
Push Nut (Part # 70-00-1014) (when edge binding is ordered)

Spacer Blocks
3/4" (Part #13-70-4000) (Standard when requested)
3/8" (Part #6623900000)

Cord Cleats Child Safety Kit – Antique Brass
(Standard on top-down & top-down/bottom-up)
(Part #70-195-0246)

Bottom Ring Set (Part #CSBRS)

WOVEN SHADES CORDLESS LIFT SYSTEM



Installation Bracket

Pre-Installed Cordless Lift Motor Set:

Black Motor (Part #730012000)

Motor Clamp (Part #7300139000)

Lift/Tilt Roll Assembly
(Part #7300155000)



Cordless Transmission
(Part #7300185000)

Stand Off (Part #08-145)

PRODUCT COMPONENTS: TANDEM™ SHADES

OPTIONAL

(Standard when side seals are ordered)



STANDARD