

// Retail Price List & Product Info Guide



ALTA
WINDOW FASHIONS

design simplified

WOOD

BLINDS

Pricing effective August 21, 2023 and supersedes all previous pricing.
Subject to change by Alta Window Fashions.

Revised 4-22-24

SUMMARY OF REVISIONS

4-22-24 Revisions:

Updates have been made to the entire guide in compliance with the CPSC Voluntary Standard

12-1-23 Revisions:

Page 8 Dublin 6200 Alabaster - 1-1/2" Deco Tape Discontinued

10-1-23 Revisions:

Page 2 Characteristics of Wood blinds and Greengard information added

9-1-23 Revisions:

Page 3-5 Size Spec chart updated-Center Tilt Header info

Page 7 Return Lengths Chart Outside Mount header updated

TABLE OF CONTENTS

Product Overview

- Color Chart..... 2

Pricing Information

- 2" Smooth Finish Price Group and Option Charges 3
- 2" Speciality Finish Price Group and Option Charges 4
- 2-3/8" Smooth Finish Price Group and Option Charges 5

Valance Upgrade Information

- Individual Valance Ordering and Pricing..... 6
- Valance and Valance Return Information and Specifications..... 7

Product and Specifications

- Features and Options 8
- Size Specifications, Finished Dimensions and Mounting Requirements 9

Controls, Components, Ladder/Tape Placement and Stack-up Charts

- Cordless XL 10
- Cordless Lift 11
- Cordless Lift & Lock™ 12
- Bliss & Somfy Automation..... 13

[Automation Price Guide](#) – Automation pricing is now featured in a separate guide for quick reference. [Click here to view.](#)

[Product Components Guide](#) – product components pages are now featured in a separate guide for quick reference. [Click here to view.](#)

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

COLOR CHART

Wood Styles & Names	2" COLOR #	2-3/8" COLOR #
SMOOTH FINISH (paints & stains)		
Amber	W2-287	
Ashen	W2-401	
Barn Door	W2-316	
Dark Mocha	W2-295	
Eastern Cherry	W2-315	
English Walnut	W2-299	
Golden Oak	W2-124	
Hidden Gray	W2-601	
Inkwell	W2-400	
Lunar	W2-301	
Mahogany	W2-125	
Milky White*	W2-282	W238-282
Nuevo White	W2-284	
New Oak	W2-117	
Nutmeg	W2-602	
Pleasant Dream	W2-600	
Pure White	W2-026	W238-026
Rich Walnut	W2-133	
Snow White	W2-296	
Snowflake	W2-013	W238-013
Spice	W2-134	
Stewart Pecan	W2-318	
Sugar	W2-300	W238-300
Sunset Pine	W2-288	
Winter White	W2-012	W238-012

Specialty Finish		
Aged Barrel	WBR-902	
Comfort Oak	WBR-901	
Front Porch	WBR-803	
Moonshine	WBR-903	
Old Heritage	WBR-904	
Tinsmith	WBR-806	
Washed Birch	WBR-900	

*Color has changed with "April 2022" Launch.
View new sample deck.

= NOT AVAILABLE

CHARACTERISTICS OF WOOD BLINDS

Wood blinds are a popular choice for window treatments thanks to their natural beauty and timeless appeal.

One of the inherent features of wood is its natural variations in color and grain, which adds a unique charm to every piece.

Additionally, it is important to note that wood blinds also have certain characteristics, or features such as small solid knots, dark mineral deposits, and "tiger stripes" *(grain patterns running perpendicular to the wood grain), which are considered normal for this material.

As wood is a natural material, not all slats will be perfectly straight and have a slight degree of curve. This may appear as uneven light gaps between slats throughout the blind. Wood blinds will lose original intensity after long exposure to the sun. This can occur over time and is dependent on both the exterior and interior environments.

High moisture areas are not suitable for wood. Over time, excessive moisture can cause the wood to warp. Moisture may cause painted wood slats to crack or chip.

Wood blinds in all colors are certified GOLD for Greenguard Indoor Air Quality.

// Cordless Wood Blinds – 2"



2" SMOOTH FINISH

Cordless XL and 3" Std Decorative Valance Included

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
HEIGHT TO:															
30"	\$164	177	197	216	236	261	288	333	361	388	413	451	490	531	576
36"	176	195	215	230	261	284	315	364	391	426	460	507	537	582	630
42"	192	213	230	259	288	312	350	401	436	476	514	566	598	650	703
48"	206	227	250	276	309	331	376	436	473	513	560	616	653	709	776
54"	230	261	283	305	350	382	426	494	529	582	638	698	740	801	867
61"	249	276	306	309	375	384	458	516	572	626	689	753	804	867	943
66"	264	294	326	352	404	444	495	570	617	677	739	817	865	939	1023
73"	283	315	352	373	443	481	536	617	674	737	806	888	956	1013	
78"	300	334	372	402	455	497	580	666	722	773	850	959	1016		
84"	320	353	391	427	488	537	617	698	756	811	919	1013			

Refer to chart below for all min / max size specifications

OPTIONS: NO CHARGE – SPECIFY ON ORDER	
<ul style="list-style-type: none"> • 3" Modern Valance • Controls (L or R) • Hold Down Brackets - not available with 2-3/8" cordless lift & lock • Tile Cut-Out - available with cordless lift & lock only • Spacer Blocks (3/8" & 3/4") • Extensions Brackets (Long & Short) 	<ul style="list-style-type: none"> • Wand Tilt Only • Optional Wand Lengths • 2 on 1 Headrail - available with cordless lift & lock only (price each blind separately) • Side by Side*
*Guaranteed within 1/4" when requested at the time of order.	

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER	
<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$100 each • Cordless Lift Systemadd \$125 each 	<ul style="list-style-type: none"> • Blinds Under 12" Wideadd \$16 each • Keystone Valance (for blinds under 102").....add \$18 each

Please see General Info. for additional freight and shipping charge information.

SIZE SPECIFICATIONS	Automation			
	2" Cordless XL	2" Cordless Lift	2" Cordless Lift & Lock™	2" Bliss and Somfy Automation w/ Cordless Lift
Minimum Width - Center Tilt (Tilt only, No lift)	8" - 18"	N/A	N/A	N/A
Minimum Width (Net)	18-1/8"	18"	10-1/2"	20"
Maximum Width (One blind)	84"	78"	96"	78"
Minimum Height	18-1/2"	12"	12"	12"
Maximum Height	84"	84"	84"	84"
Max. AREA (SQ/FT)	40 sq/ft	45 sq/ft	45 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	N/A	N/A	120"	N/A
Maximum Continuous Valance Width (not spliced)	102"			

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)

2" SPECIALITY FINISHES

Cordless XL and 3" Modern Valance Included

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
HEIGHT TO:															
30"	\$178	194	217	235	261	286	322	368	397	432	469	514	545	585	638
36"	191	214	234	257	287	315	346	407	435	476	516	564	600	649	702
42"	213	234	257	284	318	346	390	448	486	532	577	639	677	734	789
48"	226	251	278	306	345	376	419	490	529	581	629	698	742	801	871
54"	259	285	318	350	390	430	479	555	598	658	713	791	834	903	980
61"	273	304	341	374	419	460	516	596	647	713	773	859	903	980	1065
66"	291	329	365	401	453	500	560	643	697	763	834	927	980	1074	1164
73"	317	352	395	430	491	539	606	699	765	838	922	1011	1080	1171	
78"	338	372	413	454	514	561	654	753	813	880	955	1091	1160		
84"	352	396	445	483	546	605	700	793	863	927	1022	1153			

Refer to chart below for all min / max size specifications

OPTIONS: NO CHARGE – SPECIFY ON ORDER

- Controls (L or R)
- Hold Down Brackets - not available with 2-3/8" cordless lift & lock
- Tile Cut-Out - available with cordless lift & lock only
- Spacer Blocks (3/8" & 3/4")
- Extensions Brackets (Long & Short)
- Wand Tilt Only
- Optional Wand Lengths
- 2 on 1 Headrail - available with cordless lift & lock only (price each blind separately)
- Side by Side*

*Guaranteed within 1/4" when requested at the time of order.

SURCHARGE OPTIONS - SPECIFY ON ORDER (ADD COST TO BLIND)

- Cordless Lift & Lockadd \$100 each
- Cordless Lift Systemadd \$125 each
- Blinds Under 12" Wideadd \$16 each
- Keystone Valance (for blinds under 102").....add \$18 each

Please see General Info. for additional freight and shipping charge information.

SIZE SPECIFICATIONS	2" Cordless XL	2" Cordless Lift	2" Cordless Lift & Lock™	Automation
				2" Bliss and Somfy Automation w/ Cordless Lift
Minimum Width - Center Tilt (Tilt only, No lift)	8" - 18"	N/A	N/A	N/A
Minimum Width (Net)	18-1/8"	18"	10-1/2"	20"
Maximum Width (One blind)	84"	78"	96"	78"
Minimum Height	18-1/2"	12"	12"	12"
Maximum Height	84"	84"	84"	84"
Max. AREA (SQ/FT)	40 sq/ft	45 sq/ft	45 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	N/A	N/A	120"	N/A
Maximum Continuous Valance Width (not spliced)				102"

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

2-3/8" SMOOTH FINISH

Cordless XL and 3" Modern Valance Included

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
HEIGHT TO:															
30"	\$168	181	206	224	246	270	301	345	374	408	444	485	514	550	598
36"	180	202	223	241	271	296	327	384	411	447	489	534	563	611	662
42"	199	223	241	268	299	327	369	423	459	501	543	600	639	691	745
48"	213	235	261	287	326	353	396	461	499	546	594	655	699	751	818
54"	242	269	299	331	369	404	449	524	562	619	670	746	788	851	923
61"	259	286	322	352	396	433	489	561	608	670	731	808	851	923	1005
66"	273	308	342	378	426	469	528	605	654	720	788	872	923	1010	1098
73"	298	333	372	404	462	507	573	658	721	791	867	953	1015	1104	
78"	317	350	389	428	485	529	617	707	765	829	900	1027	1091		
84"	333	373	416	455	515	572	659	750	812	872	962	1085			

Refer to chart below for all min / max size specifications

OPTIONS: NO CHARGE – SPECIFY ON ORDER	
<ul style="list-style-type: none"> • 3" Modern Valance • Controls (L or R) • Hold Down Brackets - not available with 2-3/8" cordless lift & lock • Tile Cut-Out - available with cordless lift & lock only • Spacer Blocks (3/8" & 3/4") • Extensions Brackets (Long & Short) 	<ul style="list-style-type: none"> • Wand Tilt Only • Optional Wand Lengths • 2 on 1 Headrail - available with cordless lift & lock only (price each blind separately) • Side by Side*
*Guaranteed within 1/4" when requested at the time of order.	

SURCHARGE OPTIONS - SPECIFY ON ORDER (ADD COST TO BLIND)	
<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$100 each • Cordless Lift Systemadd \$125 each 	<ul style="list-style-type: none"> • Blinds Under 12" Wideadd \$16 each • Keystone Valance (for blinds under 102").....add \$18 each

Please see General Info. for additional freight and shipping charge information.

SIZE SPECIFICATIONS	2-3/8" Cordless XL	2-3/8" Cordless Lift	2-3/8" Cordless Lift & Lock™	Automation
				2-3/8" Bliss and Somfy Automation w/ Cordless Lift
Minimum Width - Center Tilt (Tilt only, No lift)	8" - 18"	N/A	N/A	N/A
Minimum Width (Net)	18-1/8"	18"	10-1/2"	20"
Maximum Width (One blind)	84"	78"	96"	78"
Minimum Height	18-1/2"	12"	12"	12"
Maximum Height	84"	84"	84"	84"
Max. AREA (SQ/FT)	40 sq/ft	45 sq/ft	50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	N/A	N/A	120"	N/A
Maximum continuous valance width (not spliced)	102"			

BLISS Automation pricing. [Click here to view.](#)
Somfy Automation pricing. [Click here to view.](#)

INDIVIDUAL VALANCE ORDERING & PRICING

2" & 2-3/8" WOOD COLOR NAMES	Color Number	
	3" Modern	3" Standard Decorative
Aged Barrel	902	•
Amber	287	• •
Ashen	401	• •
Barn Door	316	• •
Comfort Oak	901	•
Dark Mocha	295	• •
Eastern Cherry	315	• •
English Walnut	299	• •
Front Porch	803	•
Golden Oak	124	• •
Hidden Gray	601	• •
Lunar	301	• •
Mahogany	125	• •
Milky White	282	• •
Moonshine	903	•
Neuvo White	284	• •
New Oak	117	• •
Nutmeg	602	• •
Old Heritage	904	•
Pleasant Dream	600	• •
Pure White	026	• •
Raven	400	• •
Rich Walnut	133	• •
Snow White	296	• •
Snowflake	013	• •
Spice	134	• •
Stewart Pecan	318	• •
Sugar	300	• •
Sunset Pine	288	• •
Tinsmith	806	•
Washed Birch	900	•
Winter White	012	• •



Standard Decorative - 3" Profile
• Standard on all Smooth Finishes



Modern Valance - 3" Profile
• Standard on all Specialty Finishes
• Optional for all styles

INDIVIDUAL VALANCE PRICING

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
3" Std Deco & Modern	\$30	30	30	30	47	47	47	47	63	63	63	63	76	76	76	98	98	98	126	154

NOTE: The maximum continuous valance width is 102". Valances over the maximum width will be spliced in the center.

KEYSTONE VALANCE OPTION

Keystones

Designed to cover splices in oversized valances. Use as a decorative look over any blind.

Valances under 102"


A color matched Keystone may be ordered with a valance. The valance will come assembled with the Keystone position in the center of valance.

Valances over 102"

A color matched Keystone will be included at no charge. Will require assembly.

Notes:

The addition of a keystone will not affect the overall width of the valance.
The color of the keystone will match valance.



VALANCE AND VALANCE RETURN INFORMATION AND SPECIFICATIONS

VALANCE ORDERING

Outside Mount	1" Added to valance, measured inside returns
Inside Mount	-1/8" (no returns)
Max Un-Spliced	102"
Max Spliced	168"* (Minimum 2 splices)

Notes:

- Valances are cut to measure inside miter to ensure the most accurate fit when installed over the headrail or window frame.

RETURN LENGTHS

Inside Mount Blind		3" Valance Standard Decorative • Modern	
		Minimum	Maximum
Cordless XL	2" Wood	1/2"	6"
	2-3/8" Wood*	3/4"	6"
Cordless Lift & Cordless Lift & Lock™	2" Wood	1/2"	6"
	2-3/8" Wood*	1/2"	6"

Outside Mount Blind		Standard (Min. Recommended)	Maximum
		Cordless XL	2" Wood
	2-3/8" Wood*	3-5/8"	6"
Cordless Lift & Cordless Lift & Lock™	2" Wood	3"	6"
	2-3/8" Wood*	3-3/8"	6"

All valance profiles will be notched for better clearance. Please refer to Cordless XL Control Charts for an example of how valance is notched

Notes: All valance profiles utilize magnetic valance clips. The magnetic valance clips have a projection adjustment feature. By pull the clips outward, they can provide an additional 1/4" projection.


ADJUSTED RETURN LENGTHS WITH SPACER BLOCKS & EXTENSION BRACKETS

3/8" Spacer Blocks (Small)	3-3/8"
3/4" Spacer Blocks (Large)	3-3/4"
3-7/8" Extension Brackets (Short)	4-1/4"
5-7/8" Extension Brackets (Long)	6-1/4"

Notes:

- *3" Return Lengths are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.

CUSTOM VALANCE RETURNS & RETURNS - MEASURED & CUT FROM THE INSIDE:



Order Configuration	How Valance Will Be Produced	
RETURN LENGTH OVERRIDE	IB	1" Wider than ordered size
	OB	1" Wider than ordered size (no change from standard)
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
CONTINUOUS	IB	Valance will be exact size of continuous valance measurement
	OB	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
CONTINUOUS with RETURN LENGTH OVERRIDE	IB	1" Wider than ordered size
	OB	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact

PRODUCT SPECIFICATIONS

FEATURES	2" Smooth	2" Speciality	2-3/8" Smooth
# of Colors	25	7	5
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024	.024
Bracket Style	Box	Box	Box
Bottomrail - Cordless XL & Cordless Lift	Trapezoid	Trapezoid	Trapezoid
Bottomrail - Cordless Lift & Lock™	Vinyl	Vinyl	Vinyl
Ladder Space Between Slats	44 mm	44 mm	54 mm
Wand Tilt	Yes	Yes	Yes
Decorative Valance	Yes – 3"	Yes – 3"	Yes – 3"
Valance Return Lengths (standard for OB mounts)	3"	3"	3-3/8"
Magnetic Valance Attachment System	Yes	Yes	Yes
Warranty (<i>Tilt motor systems are warranted for 5 years</i>)	Lifetime Limited	Lifetime Limited	Lifetime Limited

OPTIONS AND UPGRADES	2" Smooth	2" Speciality	2-3/8" Smooth
Cordless XL	Yes	Yes	Yes
Cordless Lift	Yes	Yes	Yes
Cordless Lift & Lock™	Yes	Yes	Yes
Bliss and Somfy Automation System - not available with Cordless XL & Cordless Lift & Lock™	Yes	Yes	Yes
Cordless Lift System PLUS Automation System	Yes	Yes	Yes
* 2 On 1 Headrail - not available with Cordless XL or Cordless Lift	Yes	Yes	Yes
Modern Valance	Yes	Yes	Yes
Keystone Valance	Yes	Yes	Yes

CONTROL/MOUNTING OPTIONS	2" Smooth	2" Speciality	2-3/8" Smooth
Wand Tilt (single blind)	Yes	Yes	Yes
Tilt Control Position – Cordless XL	L or R Under 12" net - center tilt only	L or R Under 12" net - center tilt only	L or R Under 12" net - center tilt only
Tilt Control Position – Cordless Lift	Left	Left	Left
Tilt Control Position – Cordless Lift & Lock™ (single blind)	L or R	L or R	L or R
Tile Cut-out(s) - not available with Cordless XL & Cordless Lift & Lock™	Yes	Yes	Yes
Spacer Blocks (3/8" and 3/4" Depths)	Yes	Yes	3/8" Standard
Extension Brackets (Short & Long)	Yes	Yes	Yes
Hold-down Brackets - not available with 2-3/8" Cordless Lift & Lock™	Yes	Yes	Yes

2 on 1 Lift & Lock with Wand Tilt	Width (NET)	Right Blind
		WAND TILT
	10-1/2" to 12-3/8"	C (only)
	12-1/2" or more	L or R

FOOTNOTES (FEATURES & SPECIFICATIONS)

* There will be a 1/2" maximum light gap between multiple blinds on 1 headrail. 2 on 1 headrail not available with the Automation upgrades.

SIZE SPECIFICATIONS

SIZE SPECIFICATIONS	2" Cordless XL	2" Cordless Lift	2" Cordless Lift & Lock™	Automation
				2" Bliss Home and Somfy Automation w/ Cordless Lift
Minimum Width (Net)	8" - 18" (Tilt Only No Lift) 18-1/8"	18"	10-1/2"	20"
Maximum Width (One blind)	84"	78"	96"	78"
Minimum Height	18-1/2"	12"	12"	12"
Maximum Height	84"	84"	84"	84"
Max. AREA (SQ/FT)	40 sq/ft	45 sq/ft	45 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	N/A	N/A	120"	N/A
Maximum Continuous Valance Width (not spliced)	102"			

SIZE SPECIFICATIONS	2-3/8" Cordless XL	2-3/8" Cordless Lift	2-3/8" Cordless Lift & Lock™	Automation
				2-3/8" Bliss and Somfy Automation w/ Cordless Lift
Minimum Width (Net)	8" - 18" (Tilt Only No Lift) 18-1/8"	18"	10-1/2"	20"
Maximum Width (One blind)	84"	78"	96"	78"
Minimum Height	18-1/2"	12"	12"	12"
Maximum Height	84"	84"	84"	84"
Max. AREA (SQ/FT)	40 sq/ft	45 sq/ft	50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	N/A	N/A	120"	N/A
Maximum continuous valance width (not spliced)	102"			

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

Inside (IB) Mount	
Headrail width ¹	- 3/4"
Blind width	- 1/2"
Blind height	ordered height
Valance	- 1/8"
Outside (OB) Mount	
Headrail width ¹	- 1/4"
Blind width	ordered width
Blind height	ordered height
Valance (measured from inside corners)	+ 1"
2 on 1 Headrail	
Gap between panels	Approx. 1/4" - 1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth - 2"	1-1/8"
Minimum mounting depth - 2-3/8"	1-1/4"
Minimum mounting depth, flush mount - 2":	3-1/2"
Minimum mounting depth, flush mount - 2-3/8":	3-3/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-3/4"

FOOTNOTE

¹ The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.


CONTROL CHARTS – CORDLESS XL

CONTROLS

- Plastic tilt wands are **color coordinated** with slats
- Chart shows standard lengths.
- **LIFT** function is controlled from the bottom rail

Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 84"

No additional wand sizes available.



BOTTOMRAIL – CORDLESS XL LIFT

- 2" Trapezoid bottomrails are standard on wood blinds with **cordless xl lift**
 - **Wood** bottomrail is standard for 2"
 - **Faux** bottomrail is standard for 2-3/8"
- The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).

Trapezoid Bottomrail



LADDER PLACEMENT CHARTS

The following charts show the number of ladders and routes based on the NET width of the blind.

2" & 2-3/8" Wood		
Blind Width	# of Ladders	# of Routes
8" to 30"	2	2
30-1/8" to 42"	3	*2
42-1/8" to 60"	3	3
60-1/8" to 84"	4	4

2" & 2-3/8" Wood		
Blind Width	End Routes	Tilter Route
8" to 11-7/8"	2.5"	Centered
12" to 18"	4"	1.5"
18-1/8" to 84"	6"	1.5"

tilter route is from the end of the headrail

*For the ranges between 32" to 42" add the same quantity of lift cords as ladders when the drop is 60" or greater

STACK-UP CHART (APPROXIMATE)

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"


2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"

PLUS	+ 2-1/2"
-------------	-----------------

PLUS	+ 2-1/2"
-------------	-----------------

** Some blinds approximately 70" and longer may have one or two additional slats resting

VALANCE



- All valance profiles ordered over 2-3/8" Cordless XL will be notched for better clearance.

SQUARE FOOTAGE SPECIFICATIONS

2" & 2-3/8" Wood

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78	84
HEIGHT TO:												
30	5	6	7	8	9	10	11	13	14	15	16	18
36	6	7	8	9	11	12	14	15	17	18	20	21
42	7	8	9	11	12	14	16	18	19	21	23	25
48	8	9	11	12	14	16	18	20	22	24	26	28
54	9	11	12	14	16	18	20	23	25	27	29	32
61	10	12	14	15	18	20	23	25	28	31	33	36
66	11	13	15	17	19	22	25	28	30	33	36	39
73	12	14	16	18	21	24	27	30	33	37	40	N/A
78	13	15	17	20	23	26	29	33	36	39	N/A	N/A
84	14	16	19	21	25	28	32	35	39	N/A	N/A	N/A

Max Square Footage 40

CONTROL CHARTS – CORDLESS

TILT WAND

- Tilt cords are **color coordinated** with slats
- Tilt Length Override (Optional) - specify length

- Bliss and Somfy Automation, tilt function is controlled by remote unit



Color wands up to 48" long. Clear wands 60", 72", or 84" available upon request. Please specify optional lengths when ordering.

2" & 2-3/8" Wood	
Wand Length	Blind Length
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 72"
48"	72-1/8" to 96"

LADDER PLACEMENT CHARTS

The following charts show the number of ladders and routes based on the NET width of the blind.

2" WOOD		
Blind Width	# of Ladders	# of Routes
18" - 38-1/8"	2	2
38-1/4" - 60-1/8"	3	2
60-1/4" - 78"	4	4

2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
18" - 36"	2	2
36-1/8" - 60-1/8"	3	2
60-1/4" - 78"	4	4

**Routes are positioned approximately 6 1/4" from the end of the slat for blinds less than 38 1/4" wide, and 8 1/4" from the end of the slat for all others, and 6-5/8" for blinds with motorization

STACK-UP CHART (APPROXIMATE)

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- Headrail+Bottomrail = 2-1/2"

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"
PLUS 2-1/2"	

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"
PLUS 2-1/2"	

SQUARE FOOTAGE SPECIFICATIONS

2" & 2-3/8" WOOD

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78
HEIGHT TO:											
30	5	6	7	8	9	10	11	13	14	15	16
36	6	7	8	9	11	12	14	15	17	18	20
42	7	8	9	11	12	14	16	18	19	21	23
48	8	9	11	12	14	16	18	20	22	24	26
54	9	11	12	14	16	18	20	23	25	27	29
61	10	12	14	15	18	20	23	25	28	31	33
66	11	13	15	17	19	22	25	28	30	33	36
73	12	14	16	18	21	24	27	30	33	37	40
78	13	15	17	20	23	26	29	33	36	39	42
84	14	16	19	21	25	28	32	35	39	42	N/A

Max Square Footage 45

CONTROL CHARTS – CORDLESS LIFT & LOCK SYSTEM

TILT WAND

- Tilt wands are **color - coordinated** with slats
- Chart shows standard lengths.
- Tilt Length Override (Optional) – specify length when ordering



2" & 2-3/8" WOOD	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 96"

Wood wands up to 48" long. Clear wands 60", 72", or 84" available upon request. Please specify optional lengths when ordering.

LADDER PLACEMENT CHART

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
10-1/2" - 36"	2	2
36-1/8" - 56"	3	2
56-1/8" - 78"	4	4
78 1/8" - 96"	5	4

**Routes are positioned approximately 2 1/2" from the end of the slat for blinds less than 12 1/2" wide, 3" from the end of the slat for blinds less than 19 3/4" wide, and 6" from the end of the slat for all others.

STACK-UP CHART (APPROXIMATE)

- $Headrail + Bottomrail = 2-1/2"$
- The charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"

PLUS 2-1/2"

PLUS 2-1/2"

BOTTOMRAIL – CORDLESS LIFT & LOCK™

- A **2" deep by 1" tall faux bottomrail** is standard
- Bottom rail colors are pre-selected. Color matched to slat
- Color coordinated end caps



SQUARE FOOTAGE SPECIFICATIONS

2" WOOD														
TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36
61	10	12	14	15	18	20	23	25	28	31	33	36	38	41
66	11	13	15	17	19	22	25	28	30	33	36	39	41	44
73	12	14	16	18	21	24	27	30	33	37	40	43	N/A	N/A
78	13	15	17	20	23	26	29	33	36	39	42	N/A	N/A	N/A
84	14	16	19	21	25	28	32	35	39	42	N/A	N/A	N/A	N/A

Max Square Footage 45

2-3/8" WOOD														
TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36
61	10	12	14	15	18	20	23	25	28	31	33	36	38	41
66	11	13	15	17	19	22	25	28	30	33	36	39	41	44
73	12	14	16	18	21	24	27	30	33	37	40	43	46	49
78	13	15	17	20	23	26	29	33	36	39	42	46	49	N/A
84	14	16	19	21	25	28	32	35	39	42	46	49	N/A	N/A

Max Square Footage 50

CONTROL CHARTS – BLISS AND SOMFY MOTOR SYSTEM

LADDER PLACEMENT CHARTS

The following charts show the number of ladders and routes based on the NET width of the blind.

2" WOOD		
Blind Width	# of Ladders	# of Routes
18" - 38-1/8"	2	2
38-1/4" - 60-1/8"	3	2
60-1/4" - 78"	4	4

2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
18" - 36"	2	2
36-1/8" - 60-1/8"	3	2
60-1/4" - 78"	4	4

**Routes are positioned approximately 6 1/4" from the end of the slat for blinds less than 38 1/4" wide, and 8 1/4" from the end of the slat for all others, and 6-5/8" for blinds with motorization

STACK-UP CHART (APPROXIMATE)

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- *Headrail+Bottomrail = 2-1/2"*

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"

PLUS	2-1/2"
-------------	--------

PLUS	2-1/2"
-------------	--------