

// Retail Price List & Product Info Guide



ALTA
WINDOW FASHIONS

design simplified

WOOD

BLINDS

Pricing effective January 24, 2022 and supersedes all previous pricing.
Subject to change by Alta Window Fashions.

SUMMARY OF REVISIONS

TABLE OF CONTENTS

Product Overview

- Color Chart..... 2

Pricing Information

- 2" Smooth Finish Price Group and Option Charges..... 3
- 2" Coastal Price Group and Option Charges..... 4
- 1-3/8" and 2-3/8" Smooth Finish Price Group and Option Charges..... 5
- BLISS and Somfy Automation Surcharges..... 6

Valance Upgrade Information

- Individual Valance Ordering and Pricing..... 7
- Tape Valance Option and Color Chart..... 7
- Valance and Valance Return Information and Specifications..... 8

Cordless Lift & Lock Bottomrail Color Coordination..... 9

Solid and Decorative Tape Option and Listing..... 10

Product and Specifications

- Features and Options..... 11-12
- Size Specifications..... 13
- Finished Dimensions and Mounting Requirements..... 13

Controls, Components, Ladder/Tape Placement and Stack-up Charts

- Standard Rectangular..... 14
- Cordless Lift..... 15
- Bliss & Somfy Automation..... 16
- Cordless Lift & Lock™..... 17

Product Components Guide – product components pages are now featured in a separate guide for quick reference. [Click here to view or go to pricing.altwindowfashions.com/books/vdtj](#) in your browser.

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

COLOR CHART

Wood Styles & Names	1-3/8" COLOR #	2" COLOR #	2-3/8" COLOR #
SMOOTH FINISH (paints & stains)			
Amber	W138-287	W2-287	W238-287
Ashen		W2-401	
Barn Door		W2-316	
Chocolate		W2-320	
Dark Mocha		W2-295	W238-295
Eastern Cherry		W2-315	
English Walnut		W2-299	
Golden Oak	W138-124	W2-124	W238-124
Golden Pine		W2-285	
Gray Day		W2-402	
Lunar		W2-301	W238-301
Mahogany	W138-125	W2-125	W238-125
Mesquite	W138-291	W2-291	W238-291
Milky White	W138-282	W2-282	W238-282
Neuvo White		W2-284	W238-284
New Oak		W2-117	
Provincial		W2-319	
Pure White	W138-026	W2-026	W238-026
Raven		W2-400	
Rich Walnut	W138-133	W2-133	W238-133
Rose Mahogany		W2-293	
Snow White		W2-296	
Snowflake		W2-013	W238-013
Spice	W138-134	W2-134	W238-134
Stewart Pecan		W2-318	
Storm Cloud		W2-317	
Sugar		W2-300	W238-300
Sunset Pine		W2-288	
Traditional White		W2-283	
Winter White	W138-012	W2-012	W238-012

COASTAL

Boardwalk		WBR-807	
Driftwood		WBR-801	
Ocean Mist		WBR-806	
Sailcloth		WBR-800	
Sand Dollar		WBR-803	
Winter Surf		WBR-805	

= NOT AVAILABLE

2" SMOOTH FINISH

3" Standard Decorative Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
HEIGHT TO:															
30"	\$141	152	170	186	203	225	249	288	311	335	357	390	423	459	498
36"	151	168	185	199	225	245	272	314	338	368	398	438	464	503	545
42"	165	183	199	223	249	270	302	346	377	411	444	490	517	562	608
48"	178	196	216	238	267	286	325	377	409	443	484	532	564	613	671
54"	199	225	244	271	302	330	368	427	457	503	551	603	640	692	750
61"	215	238	264	267	324	331	396	446	494	541	596	651	695	750	816
66"	228	254	281	304	349	383	428	492	533	585	639	707	748	812	885
73"	244	272	304	304	382	416	463	533	582	637	697	768	827	876	
78"	259	289	321	347	393	430	501	576	624	669	735	830	879		
84"	276	305	338	369	421	464	533	603	654	701	795	876			
90"	289	322	358	390	438	488	562	632	680	749	828				
96"	304	338	377	416	466	515	586	661	718	787					
102"	319	353	391	428	483	532	614	703	764						
108"	350	387	428	461	515	574	654	749	818						
114"	362	403	437	476	533	595	674	777							
120"	377	427	464	502	564	624	716	815							
126"	397	440	483	532	600	661	753								

Note: Blinds over 50 sq. ft. require 2 on 1 Headrail

Cordless Lift & Lock not available in sizes over 45 sq ft outside the thick black line

SOLID AND DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with cordless lift upgrade, Cordless Lift & Lock upgrade, or LightsOut option.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
Solid	\$28	28	28	28	33	33	33	41	41	41	41	47	47	47	53
Decorative	59	59	59	59	74	74	74	88	88	88	88	103	103	103	117

FORTE VALANCE UPGRADE SURCHARGE

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
4" Forte	\$21	21	21	21	33	33	33	33	45	45	45	45	54	54	54	70	70	70	86	86

OPTIONS: NO CHARGE – SPECIFY ON ORDER

- 3" Crescent Valance (in place of 3" Standard Deco Valance)
- 3" Modern Valance (in place of 3" Standard Deco Valance)
- LightsOut Routeless Feature (not available with Cordless Lift, Cordless Lift & Lock, or blinds with Tapes)
- Controls – LR, RL, or Grouped (Standard Only)
- Tile Cut Out – maximum 5-1/2" width each side (not available with Cordless Lift & Lock)
- Hold-Down Brackets
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")
- Special Wand/Cord Length (please see available lengths on p.14)
- Cord Tilter (please see available lengths on p.14)
- 2 on 1 Headrail (maximum 120") – price as separate blinds (2 on 1 headrail not available with Cordless Lift)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size, and color.)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd \$80 each
- Cordless Lift Systemadd \$125 each
- Blinds Under 12" Wideadd \$16 each
- Tape Valance (on 3" Standard Deco Valance Only)add \$16 each
- Keystone Valance option (for blinds under 102" wide).....add \$16

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	Automation				
	2" Standard	2" Cordless	2" Cordless Lift & Lock™	2" Bliss and Somfy Automation w/ Std Lift	2" Bliss and Somfy Automation w / Cordless Lift
Minimum Width (Net)	8" 12" with Tapes	18" Tapes NA	10-1/2" Tapes NA	20" 22" with Tapes	20" Tapes N/A
Maximum Width (One blind)	102"	78"	96"	96"	78"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"	84"
Max. AREA (SQ/FT)	50 sq/ft	45 sq/ft	45 sq/ft	50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	N/A	120"	N/A	N/A
Maximum Continuous Valance Width (not spliced)	102"	102"	102"	102"	102"

2" COASTAL

3" Standard Decorative Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
HEIGHT TO:															
30"	\$153	167	187	202	225	247	278	318	343	373	405	444	471	506	551
36"	164	184	201	221	248	272	299	351	376	411	446	488	519	561	607
42"	183	201	221	245	274	299	337	387	420	460	499	552	585	635	682
48"	195	217	240	264	298	325	362	423	457	502	544	603	641	692	753
54"	223	246	274	302	337	371	414	480	517	569	617	684	721	781	848
61"	236	262	294	323	362	398	446	515	560	617	669	743	781	848	921
66"	251	284	315	346	391	432	484	556	602	660	721	801	848	929	1007
73"	273	304	341	371	424	466	524	604	661	725	798	874	934	1013	
78"	291	321	357	392	444	485	565	651	703	761	826	944	1003		
84"	304	342	384	418	472	523	605	686	746	801	884	998			
90"	323	358	401	441	499	551	636	718	776	858	910				
96"	340	383	425	469	531	585	669	753	829	902					
102"	355	398	445	482	551	605	702	794	863						
108"	391	436	484	519	588	649	745	846	927						
114"	405	454	499	537	607	672	770	879							
120"	425	474	523	566	644	712	813	902							
126"	445	497	544	602	681	750	872								

Note: Blinds over 50 sq. ft. require 2 on 1 Headrail

Cordless Lift & Lock not available in sizes over 45 sq ft outside the thick black line

SOLID AND DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with Cordless Lift upgrade, Cordless Lift & Lock upgrade or LightsOut option.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
Solid	\$28	28	28	28	33	33	33	41	41	41	41	47	47	47	53
Decorative	59	59	59	59	74	74	74	88	88	88	88	103	103	103	117

FORTE VALANCE UPGRADE SURCHARGE

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
4" Forte	\$21	21	21	21	33	33	33	33	45	45	45	45	54	54	54	70	70	70	86	86

OPTIONS: NO CHARGE – SPECIFY ON ORDER

- 3" Crescent Valance (in place of 3" Standard Deco Valance)
- 3" Modern Valance (in place of 3" Standard Deco Valance)
- LightsOut Routeless Feature (not available with Cordless Lift System, Cordless Lift & Lock, or blinds with Tapes)
- Controls – LR, RL, or Grouped (Standard Only)
- Tile Cut Out – maximum 5-1/2" width each side (not available with Cordless Lift & Lock)
- Hold-Down Brackets
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")
- Special Wand/Cord Length (please see available lengths on p.14)
- Cord Tilter (please see available lengths on p.14)
- 2 on 1 Headrail (maximum 120") – price as separate blinds (2 on 1 headrail not available with Cordless Lift)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size, and color.)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd \$80 each
- Cordless Lift Systemadd \$125 each
- Blinds Under 12" Wideadd \$16 each
- Tape Valance (on 3" Standard Deco Valance Only)add \$16 each
- Keystone Valance option (for blinds under 102" wide).....add \$16

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	Automation				
	2" Standard	2" Cordless	2" Cordless Lift & Lock™	2" Bliss and Somfy Automation w/ Std Lift	2" Bliss and Somfy Automation w/ Cordless Lift
Minimum Width (Net)	8" 12" with Tapes	18" Tapes NA	10-1/2" Tapes NA	20" 22" with Tapes	20" Tapes NA
Maximum Width (One blind)	102"	78"	96"	96"	78"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"	84"
Max. AREA (SQ/FT)	50 sq/ft	45 sq/ft	45 sq/ft	50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	N/A	120"	N/A	N/A
Maximum Continuous Valance Width (not spliced)	102"	102"	102"	102"	102"

1-3/8" SMOOTH AND 2-3/8" SMOOTH FINISHES

3" Standard Decorative Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
HEIGHT TO:															
30"	\$145	156	178	193	212	233	260	298	323	352	383	419	444	475	517
36"	155	174	192	208	234	255	282	331	355	386	422	461	487	528	572
42"	171	192	208	231	258	282	319	365	397	433	470	519	552	598	644
48"	183	202	225	248	281	305	342	399	431	472	513	566	604	650	708
54"	209	232	258	286	319	349	388	453	486	535	580	645	681	736	799
61"	223	247	278	304	342	374	422	485	526	580	632	699	736	799	870
66"	236	266	295	327	368	405	456	523	565	622	681	754	799	873	950
73"	257	288	321	349	400	438	495	569	623	684	750	824	878	955	
78"	273	302	336	370	419	457	533	611	661	717	779	889	944		
84"	288	322	360	393	445	494	570	649	702	754	832	939			
90"	304	336	380	417	470	517	600	677	733	810	857				
96"	320	359	401	441	500	552	632	708	781	850					
102"	335	374	420	454	517	570	660	746	813						
108"	368	411	456	487	555	609	701	798	872						
114"	383	425	470	506	572	634	725	826							
120"	401	446	494	534	605	671	768	850							
126"	420	469	513	565	643	705	822								

Note: Blinds over 50 sq. ft. require 2 on 1 Headrail

Cordless Lift & Lock not available in sizes over 50 sq ft outside the thick black line

SOLID AND DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut option, Cordless Lift & Lock upgrade, or on 1-3/8" Wood Blinds.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
Solid	\$28	28	28	28	33	33	33	41	41	41	41	47	47	47	53
Decorative	59	59	59	59	74	74	74	88	88	88	88	103	103	103	117

FORTE VALANCE UPGRADE SURCHARGE

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
4" Forte	\$21	21	21	21	33	33	33	33	45	45	45	45	54	54	54	70	70	70	86	86

OPTIONS: NO CHARGE – SPECIFY ON ORDER

- 3" Crescent Valance (in place of 3" Standard Deco Valance)
- 3" Modern Valance (in place of 3" Standard Deco Valance)
- LightsOut Routeless Feature (not available on blinds with Tapes)
- Controls – LR, RL, or Grouped (Standard Only)
- Tile Cut Out – maximum 5-1/2" width each side (not available with Cordless Lift & Lock)
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4") (one 3/8" spacer set standard with 2-3/8" blinds)
- Special Wand/Cord Length (please see available lengths on p.14)
- Cord Tilter (please see available lengths on p.14)
- 2 on 1 Headrail (maximum 120") – price as separate blinds
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size, and color.)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd \$80 each
- Cordless Lift Systemadd \$125 each
- Blinds Under 12" Wideadd \$16 each
- Tape Valance (on 3" Standard Deco Valance Only)add \$16 each
- Keystone Valance option (for blinds under 102" wide).....add \$16

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

* Somfy Automation is not available with Cordless Lift & Lock. Tapes option and Cordless Lift & Lock are not available with 1-3/8" blinds.

SIZE SPECIFICATIONS	Automation					
	1-3/8" Standard	2-3/8" Standard	1-3/8" & 2-3/8" Cordless	2-3/8" Cordless Lift & Lock™	1-3/8" & 2 3/8" Bliss and Somfy Automation w/ Std Lift	1-3/8" & 2 3/8" Bliss and Somfy Automation w/ Cordless Lift
Minimum Width (Net)	8"	12" 12" with Tapes	18" Tapes N/A	10-1/2" Tapes N/A	20" 22" with Tapes (2-3/8" Only)	20" Tapes N/A
Maximum Width (One blind)	102"	102"	78"	96"	96"	78"
Minimum Height	12"	12"	12"	12"	12"	12"
Maximum Height	126"	126"	84"	84"	96"	84"
Max. AREA (SQ/FT) - Blinds over 50 SQ/FT require 2 on 1 headrail	50 sq/ft	50 sq/ft	45 sq/ft	50 sq/ft	50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	120"	N/A	120"	N/A	N/A
Maximum continuous valance width (not spliced)	102"	102"	102"	102"	102"	102"



The Automation cost factor is different from blinds/shades. If you need to access your cost factor, refer to page 4 in the General Information Guide.

BLISS AUTOMATION OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (must select RF when ordering)		
MOTORIZATION		
• BLISS™ Tilt (includes external pack)	Part #62008000 + #62203300	add \$300 per blind
• BLISS™ External Battery Pack	Part #62203300	add \$90 each
• BLISS™ Solar Panel	Part #62201000	add \$120 each
• BLISS™ Plug In Charger Kit	Part #1027720	add \$30 each
• BLISS™ 15 Channel Hand Held Remote	Part #62101C00	add \$50 each
• BLISS™ 15 Channel Surface Mounted Wall Switch	Part #62109C00	add \$50 each
• BLISS™ 8" Charger Cable - charger to battery	Part #62206700	add \$6 each
• BLISS™ 48" Charger Cable - charger to battery	Part #62206800	add \$10 each
• BLISS™ Magnetic Charging Kit - 90 Degree	Part #1027769	add \$40 each
• BLISS™ Magnetic Charging Tip	Part #62206200	add \$6 each
• BLISS™ USB Bridge	Part #62102C00	add \$100 each
• BLISS™ External Battery Pack 48" Extension - motor to battery	Part #62207000	add \$6 each

SOMFY AUTOMATION OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (must select RF when ordering)		
MOTORIZATION		
• Tilt Only 50 WireFree™ RTS	Part #1021803	add \$260 per blind
• Situo® 1 Remote in Pure - 1 Channel	Part #1019536	add \$60 each
• Situo® 5 Remote in Pure - 5 Channel	Part #1019537	add \$84 each
• Telis 16 Remote - 16 Channel	Part #1811081	add \$300 each
• Telis 1 Chronis Timer Remote	Part #1805237A	add \$330 each
• Smooove® 1 Surface Mounted Wall Switch - 1 Channel (Includes Pure Frame)	Part #1811533	add \$120 each
• Smooove® 4 Surface Mounted Wall Switch - 4 Channel (Includes Pure Frame)	Part #1019538	add \$120 each
• Smooove® Frame - Silver	Part #9015025	add \$24 each
• Smooove® Frame - Black	Part #9015023	add \$24 each
• Decoflex WireFree™ Wall Switch - 1 Channel, White	Part #1810897	add \$100 each
• Decoflex WireFree™ Wall Switch - 5 Channel, White	Part #1810813	add \$100 each
• Rechargeable Li-ion Battery Pack	Part #1019535	add \$100 each
• WireFree™ Lithium-ion Charger	Part #9025166	add \$30 each
• WireFree™ Li-ion Solar Kit (Charges Lithium-Ion Battery Pack)	Part #1026827	add \$160 each
• Plug-in Transformer 12v DC, 10ft Cord	Part #1822445	add \$140 each
• Reloadable Battery Wand, empty (requires 8 AA Lithium batteries)	Part #RC445268	add \$36 each
• Dual Reloadable Battery Wand, empty w/ connecting cable (each requires 8 AA lithium batteries)	Part #KITRDWR	add \$86 each
• Battery Pack Extension Cable - 10"	Part #9018623	add \$12 each
• Battery Pack Extension Cable - 48"	Part #9016736	add \$12 each
• Battery Pack Extension Cable - 96"	Part #9018624	add \$18 each
• 8" WireFree Charger Extension Cable	Part #9021131	add \$12 each
• 95" WireFree Charger Extension Cable	Part #9021016	add \$12 each
• TaHoma Bridge	Part #1031856	add \$300 each
• TaHoma Ethernet Adaptor	Part #1031853	add \$40 each
• WireFree™ Solar Kit <i>(Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.)</i>	Part #9019034	add \$200 each
• NiMH Rechargeable Batteries (10AA)	Part #9018621	add \$60 each
• Solar Kit Rapid Charger	Part #9018620	add \$150 each

Notes: When ordering multiple motorized shades/remotes, please provide programming instructions. Otherwise, all shades will be programmed to one remote.

INDIVIDUAL VALANCE ORDERING & PRICING



Refer to this pricing for "individual" valances only. (Valances on all blind orders are already standard and included in the blind price.)

Valance Deductions for Wood Blinds

Order Configuration		How Valance Will Be Produced
IB	RETURN LENGTH OVERRIDE	Inside miter to miter valance will be 1" wider than ordered width
OB	NET (Valance Only)	Inside miter to miter valance will be exact ordered width
IB	NET (Valance Only)	Valance will be exact ordered width
IB	CONTINUOUS	Valance will be exact size of continuous valance measurement
IB	CONTINUOUS with RETURN LENGTH OVERRIDE	Inside miter to miter valance will be 1" wider than ordered width
OB	CONTINUOUS	Inside miter to miter valance will be exact ordered width

SMOOTH FINISH	3" Standard Decorative, 3" Crescent, 3" Modern, and 4" Forte Valance Color #
Amber	287
Ashen	401
Barn Door	316
Chocolate	320
Dark Mocha	295
Eastern Cherry	315
English Walnut	299
Golden Oak	124
Golden Pine	285
Gray Day	402
Lunar	301
Mahogany	125
Mesquite	291
Milky White	282
Neuvo White	284
New Oak	117
Provincial	319
Pure White	026
Raven	400
Rich Walnut	133

SMOOTH FINISH	3" Standard Decorative, 3" Crescent, 3" Modern, and 4" Forte Valance Color #
Rose Mahogany	293
Snow White	296
Snowflake	013
Spice	134
Stewart Pecan	318
Storm Cloud	317
Sugar	300
Sunset Pine	288
Traditional White	283
Winter White	012

COASTAL	3" Standard Decorative, 3" Crescent, 3" Modern, and 4" Forte Valance Color #
Boardwalk	807
Driftwood	801
Ocean Mist	806
Sailcloth	800
Sand Dollar	803
Winter Surf	805

INDIVIDUAL VALANCE PRICING

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
3" Std Deco, Crescent, Modern	\$28	28	28	28	44	44	44	44	60	60	60	60	72	72	72	93	93	93	120	146
4" Forte	48	48	48	48	76	76	76	76	105	105	105	105	125	125	125	162	162	162	198	236

NOTE: The maximum continuous valance width is 102". Valances over the maximum width will be spliced in the center.

TAPE VALANCE OPTION



With this option, the 1" Solid, 1" or 1-1/8" Decorative Tape is attached (glued) across the flat section of the 3" Standard Decorative Valance. Refer to the wood/tape sample deck to coordinate wood and tape colors to your liking. The tape names available for this option and the 4 digit tape color numbers are listed below. (Tape pattern orientation flows from left to right.)


SOLID TAPE NAMES	Color Number
Alabaster	1113
Black	1899
Chocolate	1376
Dark Beige	1323
Dark Gray	1850
Light Beige	1322
Light Gray	1861

SOLID TAPE NAMES	Color Number
Pecan	1334
Steel	1867
Taupe	1302
White	1100
DECORATIVE TAPE NAMES	Color Number
Gray Cream Band	5007
Gray Gold Band	5006

NOTE: Decorative Keystone can be ordered with the tape valance option but the tape will not be placed on the Keystone, as it will butt up to it on each side.

VALANCES

STANDARD VALANCE & RETURN CONFIGURATIONS (OUTSIDE MOUNTS)



Standard Decorative - 3" Profile

- Standard on All Styles

Crescent Valance - 3" Profile (optional)

- Optional for All Styles

Modern Valance - 3" Profile (optional)

- Optional for All Styles

Forte Valance - 4" Profile (upgrade)

- Optional for All Styles

NOTE: Outside mount returns are adjusted longer by the factory when short or long extension brackets or when small or large (3/8" or 3/4") spacer blocks are ordered. Only the 1st set of ordered spacer blocks will affect the return length adjustment. Please specify longer custom return lengths when ordering if necessary.

Slat Size/Style

- 1-3/8" Woods
- 2" Woods
- 2-3/8" Woods (+ 3/8" spacer blocks)
- 2" Coastal Woods

Standard OB Returns

- 3"
- 3"
- 3-3/8"
- 3"

Note: Inside mount blind valances do not come with returns unless specified on the order.


KEYSTONE VALANCE OPTION

Keystones are designed to cover splices in oversized valances or can be used as a decorative element to add dimensional appeal.

Valances under 102" – a keystone may be added to a valance for a small surcharge. The valance will come fully assembled with the keystone positioned in the center. The color of the keystone will match the valance.

Valances over 102" that are spliced - a keystone will automatically be provided at no charge to join the sides and cover the splice. Will require assembly.

Note: the addition of a keystone will not affect the overall width of the valance.





VALANCE / RETURN SPECIFICATIONS

- **Custom valance widths** are available upon request. Maximum widths for valance are as follows:
The maximum Continuous Valance width is **102"**.
The maximum Spliced Valance width is **168"**. (See note below).
- **Custom return lengths** are available upon request:
The minimum return length is **1/2"**
The maximum return length is **6"**
- **3" Return lengths** are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.
Returns + Short Extension Brackets = **4-1/4"** Returns + Small Spacer Blocks = **3-3/8"**
Returns + Long Extension Brackets = **6-1/4"** Returns + Large Spacer Blocks = **3-3/4"**

NOTE: Valances over 102" will be spliced in the middle. **A decorative keystone will be supplied at no charge to join the sides and conceal the splice.**

CUSTOM VALANCE & RETURNS – MEASURED & CUT FROM THE INSIDE:

- **NOTE:** Valances are cut to measure from the **inside** miter to insure the most accurate fit when installed over the headrail or window frame.



CORDLESS LIFT & LOCK™ – BOTTOMRAIL COLOR COORDINATION

The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below.

Wood Styles & Names	2" COLOR #	2-3/8" COLOR #	Cordless Lift & Lock Bottomrail		
			Color	Color #	End Cap PCN
SMOOTH FINISH (paints & stains)					
Amber	W2-287	W238-287	Camel	082	5003091082
Ashen	W2-401		Pearl Gray	879	5003097879
Barn Door	W2-316		Camel	082	5003091082
Chocolate	W2-320		Sweet Chocolate	378	5003091378
Dark Mocha	W2-295	W238-295	Venetian Bronze	234	5003091234
Eastern Cherry	W2-315		Camel	082	5003091082
English Walnut	W2-299		Sweet Chocolate	378	5003091378
Golden Oak	W2-124	W238-124	Wild Ginger	463	1005680
Golden Pine	W2-285		Camel	082	5003091082
Gray Day	W2-402		Gray Flannel	405	1005598
Lunar	W2-301	W238-301	Antique White	973	5003091973
Mahogany	W2-125	W238-125	Venetian Bronze	234	5003091234
Mesquite	W2-291	W238-291	Sweet Chocolate	378	5003091378
Milky White	W2-282	W238-282	Pearl	974	1005683
Neuvo White	W2-284	W238-284	Pearl	974	1005683
New Oak	W2-117		Wild Ginger	463	1005680
Provincial	W2-319		Sweet Chocolate	378	5003091378
Pure White	W2-026	W238-026	Pearl	974	1005683
Raven	W2-400		Black	048	5003091048
Rich Walnut	W2-133	W238-133	Venetian Bronze	234	5003091234
Rose Mahogany	W2-293		Cognac	282	5003091282
Snow White	W2-296		Alabaster	002	1005592
Snowflake	W2-013	W238-013	Pearl	974	1005683
Spice	W2-134	W238-134	Ginger	187	5003091187
Stewart Pecan	W2-318		Cocoa	083	1005593
Storm Cloud	W2-317		WD Gold	422	5003097422
Sugar	W2-300	W238-300	Pearl	974	1005683
Sunset Pine	W2-288		Wild Ginger	463	1005680
Traditional White	W2-283		Pearl	974	1005683
Winter White	W2-012	W238-012	Alabaster	002	1005592

COASTAL	2" COLOR #	2-3/8" COLOR #	Cordless Lift & Lock Bottomrail		
			Color	Color #	End Cap PCN
Boardwalk	WBR-807		Cocoa	083	1005593
Driftwood	WBR-801		Smokey Gray	443	1005599
Ocean Mist	WBR-806		Smokey Gray	443	1005599
Sailcloth	WBR-800		Antique White	973	5003091973
Sand Dollar	WBR-803		Antique White	973	5003091973
Winter Surf	WBR-805		Bronze	064	5003091064

= NOT AVAILABLE

NOTE: Bottomrail colors are pre-selected. Hardware color override is not available.
Please refer to the cordless Lift & Lock™ Hardware Color Card to see an example of the bottomrail color.

SOLID AND DECORATIVE TAPES

TAPES



TAPE SPECIFICATIONS

Select the tape width, color and design which will complement your 2" or 2-3/8" wood blind.

- Made from a poly/cotton blend
- Resists fading or shrinking
- *Lifetime Guarantee*
- Decorative tapes are attached to solid colored tape ladders that are slightly narrower than the width of the decorative tape (see chart below). The ladder is pre-selected based upon this width and for color coordination. A high tech gluing process is used to adhere the decorative tape. This process is superior to the commonly used sewing application which is visible and tends to pucker. **The decorative tape is only applied to the ladder on the front of the blind. The back of the blind will have a solid color tape visible (see chart below).**

Solid Tapes

1" Solid Tape	Color Number
Alabaster	1113
Black	1899
Chocolate	1376
Dark Beige	1323
Dark Gray	1850
Light Beige	1322
Light Gray	1861
Pecan	1334
Steel	1867
Taupe	1302
White	1100

1-1/2" Solid Tape	Color Number
Alabaster	8113
Black	8899
Chocolate	8376
Dark Beige	8323
Dark Gray	8850
Light Beige	8322
Light Gray	8861
Pecan	8334
Steel	8867
Taupe	8302
White	8100

Decorative Tapes

1-1/8" Deco Tape		Attached To
Gray Cream Band	5007	Alabaster
Gray Gold Band	5006	Alabaster
1-1/4" Deco Tape		Attached To
Stonewash Cocoa	5003	Light Beige
Stonewash Espresso	5005	Chocolate
Stonewash Gray	5002	Alabaster
Stonewash Khaki	5001	Alabaster

1-1/2" Deco Tape		Attached To
Dublin	6200	Alabaster
Ivory Accent	0911	Alabaster
Knit Fit	4300	Alabaster
White Accent	0910	White

Solid and Decorative Tapes are not available with:

- LightsOut Routeless Feature
- Cordless Lift
- Cordless Lift & Lock™
- 1-3/8" Slats

PRODUCT SPECIFICATIONS

FEATURES	1-3/8"	2" Smooth	2" Coastal	2-3/8"
# of Colors	9	30	6	14
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024	.024	.024
Bracket Style	Box	Box	Box	Box
Ladder Space Between Slats	30 mm	44 mm	44 mm	54 mm
Wand Tilt	Yes	Yes	Yes	Yes
Decorative Valance	Yes – 3"	Yes – 3"	Yes – 3"	Yes – 3"
Valance Return Lengths (standard for OB mounts)	3"	3"	3"	3-3/8"
Magnetic Valance Attachment System	Yes	Yes	Yes	Yes
Decorative Wood Tassel	Yes	Yes	Yes	Yes
Break-Away Stop Ball - not required with cordless lift or cordless Lift & Lock™	Yes	Yes	Yes	Yes
Warranty (Tilt motor systems are warranted for 5 years)	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited

OPTIONS AND UPGRADES	1-3/8"	2" Smooth	2" Coastal	2-3/8"
Cordless Lift - not available with tapes LightsOut Routeless feature	Yes	Yes	Yes	Yes
Cordless Lift & Lock™ - not available with tapes LightsOut Routeless feature	N/A	Yes	Yes	Yes
Bliss and Somfy Automation System ^{1a} - not available with cordless Lift & Lock™	Yes	Yes	Yes	Yes
Cordless Lift System PLUS Automation System	Yes	Yes	Yes	Yes
LightsOut Routeless Slats ² - not available with tapes Cordless Lift Cordless Lift & Lock™	Yes	Yes	Yes	Yes
2 On 1 Headrail ³	Yes	Yes	Yes	Yes
Tapes ⁴ - not available with cordless lift Cordless Lift & Lock™ Lightsout Routless	N/A	Yes	Yes	Yes
Tape Valance – Decorative Valance Only	Yes	Yes	Yes	Yes
Crescent Valance	Yes	Yes	Yes	Yes
Modern Valance	Yes	Yes	Yes	Yes
Forte Valance	Yes	Yes	Yes	Yes
Keystone Valance	Yes	Yes	Yes	Yes

FOOTNOTES
1a Automation systems requires a hand-held REMOTE CONTROL unit. Somfy requires a power source selection when ordering.
2 The LightsOut configuration may cause slight "puckering" of the lift cords on the front of the blind when the slats are tilted backwards (reverse tilt) due to the use of interlacing cords on the front (the back uses looped ladders). A gentle tug down on the lift cord tassel will eliminate any puckering. The slats on LightsOut routeless blinds feature notches in the slat instead of route holes. Regardless of blind size, there will notches in the front and rear of the slat on the far right and far left ladders only, approximately 6" in from the end of the slat.
3 There will be a 1/2" maximum light gap between multiple blinds on 1 headrail. 2 on 1 headrail not available with Cordless Lift or Somfy Motorization upgrades.
4 Wood tone blinds will include Antique Brass Tape Clamps and White/Neutral tone blinds will include White Tape Clamps on the bottomrail.
5 On outside mount valances, the 1st set of ordered spacer blocks will automatically lengthen the default 3" valance return length by the depth of the spacer, either 3/8" or 3/4".

PRODUCT SPECIFICATIONS

CONTROL/MOUNTING OPTIONS	1-3/8"	2" Smooth	2" Coastal	2-3/8"
Cord Tilt (single blind)	Yes	Yes	Yes	Yes
Control Positions (single blind)	LR, RL or Grouped	LR, RL or Grouped	LR, RL or Grouped	LR, RL or Grouped
Tilt Control Position – Cordless Lift	L (only)	L (only)	L (only)	L (only)
Tilt Control Position – Cordless Lift & Lock™ (single blind)	N/A	L or R	L or R	L or R
Lift Control Position – Bliss and Somfy Automation Tilt (Motor will be on opposite side)	L or R	L or R	L or R	L or R
Tile Cut-out(s) - not available with cordless Lift & Lock™	Yes	Yes	Yes	Yes
Spacer Blocks ⁵ (3/8" and 3/4" Depths)	Yes	Yes	Yes	3/8" Standard
Extension Brackets (Short & Long)	Yes	Yes	Yes	Yes
Hold-down Brackets - not available with 2-3/8" cordless Lift & Lock™	Yes	Yes	Yes	Yes

2 on 1 Cordlock with Wand Tilt	Width (NET)	LEFT BLIND		RIGHT BLIND		
		WAND TILT	LIFT CORD	WAND TILT	LIFT CORD	
	8" to 11-7/8"	C (only)	n/a	C (only)	n/a	
	12" to 18"	R (only)	L (only)	L (only)	R (only)	
	18-1/8" or more	L or R	L (only)	L or R	R (only)	
2 on 1 Cordlock with Cord Tilt	Width (NET)	LEFT BLIND		RIGHT BLIND		
		CORD TILT	LIFT CORD	CORD TILT	LIFT CORD	
		8" to 11-7/8"	N/A	N/A	N/A	N/A
		12" to 18"	N/A	N/A	N/A	N/A
	18-1/8" or more	L (only)	L (only)	R (only)	R (only)	
2 on 1 Lift & Lock with Wand Tilt	Width (NET)	LEFT BLIND	Right Blind			
		WAND TILT	WAND TILT			
		10-1/2" to 12-3/8"	C (only)	C (only)		
		12-1/2" or more	L or R	L or R		
2 on 1 Lift & Lock with Cord Tilt	Width (NET)	LEFT BLIND	Right Blind			
		CORD TILT	CORD TILT			
		10-1/2" to 12-3/8"	C (only)	C (only)		
		12-1/2" or more	L (only)	R (only)		

SIZE SPECIFICATIONS

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™	Automation	
				2" Bliss and Somfy Automation w/ Std Lift	2" Bliss and Somfy Automation w / Cordless Lift
Minimum Width (Net)	8" 12" with Tapes	18" Tapes NA	10-1/2" Tapes NA	20" 22" with Tapes	20" Tapes NA
Maximum Width (One blind)	102"	78"	96"	96"	78"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"	84"
Max. AREA (SQ/FT)	50 sq/ft	45 sq/ft	45 sq/ft	50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	N/A	120"	N/A	N/A
Maximum Continuous Valance Width (not spliced)	102"	102"	102"	102"	102"

SIZE SPECIFICATIONS	2-3/8" Standard	2-3/8" Cordless	2-3/8" Cordless Lift & Lock™	Automation	
				2-3/8" Bliss and Somfy Automation w/ Std Lift	2-3/8" Bliss and Somfy Automation w / Cordless Lift
Minimum Width (Net)	12" 12" with Tapes	18" Tapes N/A	10-1/2" Tapes N/A	20" 22" with Tapes	20" Tapes N/A
Maximum Width (One blind)	102"	78"	96"	96"	78"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"	84"
Max. AREA (SQ/FT) - Blinds over 50 SQ/FT require 2 on 1 headrail	50 sq/ft	45 sq/ft	50 sq/ft	50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	N/A	120"	N/A	N/A
Maximum continuous valance width (not spliced)	102"	102"	102"	102"	102"

SIZE SPECIFICATIONS	1-3/8" Standard	1-3/8" Cordless	1 3/8" Cordless Lift & Lock™**	Automation	
				1 3/8" Bliss and Somfy Automation w/ Std Lift	1 3/8" Bliss and Somfy Automation w / Cordless Lift
Minimum Width (Net)	8"	18"		20"	20"
Maximum Width (One blind)	102"	78"		96"	78"
Minimum Height	12"	12"		12"	12"
Maximum Height	126"	84"		96"	84"
Max. AREA (SQ/FT) - Blinds over 50 SQ/FT require 2 on 1 headrail (where available)	50 sq/ft	45 sq/ft		50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	N/A		N/A	N/A
Maximum continuous valance width (not spliced)	102"	102"		102"	102"

**1-3/8" Wood Blinds are not available with Cordless Lift & Lock or Tapes

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

Inside (IB) Mount	
Headrail width ¹	- 3/4"
Blind width	- 1/2"
Blind height	ordered height
Valance	- 1/8"
Outside (OB) Mount	
Headrail width ¹	- 1/4"
Blind width	ordered width
Blind height	ordered height
Valance (measured from inside corners ¹)	+ 1"
2 on 1 Headrail	
Gap between panels	- 1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	1-1/8"
Minimum mounting depth, flush mount - 1-3/8", 2":	3-1/2"
Minimum mounting depth, flush mount - 2-3/8":	3-3/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-3/4"

FOOTNOTE

1 The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.

CONTROL CHARTS / COMPONENTS – STANDARD RECTANGULAR

TILT WAND (STANDARD)

- Wood tilt wands are **color coordinated** with slats
- Chart shows standard lengths.
- *Tilt Length Override – specify length when ordering*

Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 126"

Wood Wands up to 48" long. Clear plastic in 60", 72", 84". Wand length optional. Specify optional lengths when ordering.

TILT CORD (OPTIONAL)

- Cords are **color-coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request.
 - For 2" blinds, minimum cord length is 6". For blinds under 15" in height, a cord length override to at least 6" must be requested.
 - For 2-3/8" blinds, minimum cord length is 10". For blinds under 24-3/4" in height, a cord length override to at least 10" must be requested.
- **For motorized tilt blinds the tilt function is controlled by remote unit**

CONTROL POSITIONS:	Min. Width (NET)
Tilt Cord center and no Lift Cord*	Under 12"
Tilt Cord left / Lift Cord right (standard)	12"
Lift Cord left / Tilt Cord right	12"
Tilt & Lift Cords <i>grouped left</i>	18-1/8"
Tilt & Lift Cords <i>grouped right</i>	18-1/8"

* Available on 1-3/8" and 2" blinds only

Lift Cord Control – Standard lift cord length is 40% of the blind height as required by child safety standards. Customized lengths are available upon request.

LADDER / TAPE PLACEMENT CHARTS

The following charts show the number of ladders and routes based on the NET width of the blind.

1-3/8" and 2" WOOD		
Blind Width	# of Ladders	# of Routes
8" - 36"	2	2
36 1/8" - 56 1/4"	3	2
56 3/8" - 78 1/4"	4	4
78 3/8" - 100 1/4"	5	4
100 3/8" - 102"	6	4

2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
8" - 36"	2	2
36 1/8" - 52"	3	2
52 1/8" - 72"	4	4
72 1/8" - 92"	5	4
92 1/8" - 102"	6	4

**Routes are positioned approximately 2" from the end of the slat for blinds less than 12" wide, 3-3/4" from the end of the slat for blinds less than 18" wide, and 6 1/4" from the end of the slat for all others. Blinds with motorization have routes 6-5/8" from end of slat.

STACK-UP CHART (APPROXIMATE)

- *Headrail+Bottomrail = 2-1/2"*

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

1-3/8" WOOD	
+ 2 1/2"	
Blind Height	Stack Height
48"	5 3/4"
60"	7 3/8"
72"	8 3/4"
84"	10 1/4"
96"	11 3/4"
PLUS	2-1/2"


2" WOOD	
+ 2 1/2"	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"
96"	8"
PLUS	2-1/2"

2-3/8" WOOD	
+ 2 1/2"	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"
96"	6 1/4"
PLUS	2-1/2"

BREAK-AWAY STOP BALL

- *Stop balls are standard for ALL lift cords.*

The stop ball separates under pressure. It easily snaps together again.



BOTTOMRAIL

- **Trapezoid** bottomrails are standard on wood blinds

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating). It also accommodates a smaller flat 1" tape clamp when solid or decorative tapes are ordered.



NOTE: Wood tone blinds will include Antique Brass Tape Clamps and White/Neutral tone blinds will include White Tape Clamps on the bottomrail.

CONTROL CHARTS – CORDLESS

CONTROLS

- Tilt cords are **color coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request.
 - For 2" blinds, minimum cord length is 6". For blinds under 15" in height, a cord length override to at least 6" must be requested.
 - For 2-3/8" blinds, minimum cord length is 10". For blinds under 24-3/4" in height, a cord length override to at least 10" must be requested.
- **LIFT** function is controlled from the bottom rail

TILT CONTROL POSITIONS - LEFT ONLY

Tilt Wand (Standard), Tilt Cords (Optional) or Motorization (Optional)

Min. Width
18"
20" with Motorized Tilt

LADDER PLACEMENT CHARTS

The following charts show the number of ladders and routes based on the NET width of the blind.

1-3/8" and 2" WOOD		
Blind Width	# of Ladders	# of Routes
18" - 38-1/8"	2	2
38-1/4" - 60-1/8"	3	2
60-1/4" - 78"	4	4

2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
18" - 36"	2	2
36-1/8" - 60-1/8"	3	2
60-1/4" - 78"	4	4

**Routes are positioned approximately 6 1/4" from the end of the slat for blinds less than 38 1/4" wide, and 8 1/4" from the end of the slat for all others, and 6-5/8" for blinds with motorization

STACK-UP CHART (APPROXIMATE)

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- *Headrail+Bottomrail = 2-1/2"*

1-3/8" WOOD	
Blind Height	Stack Height
48"	5 3/4"
60"	7 3/8"
72"	8 3/4"
84"	10 1/4"

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"

PLUS	2-1/2"
-------------	---------------

PLUS	2-1/2"
-------------	---------------

PLUS	2-1/2"
-------------	---------------

CONTROL CHARTS – BLISS AND SOMFY MOTOR SYSTEM

CONTROLS

- Lift cords are **color coordinated** with slats
- Standard lift cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request.
- **TILT** function is motor controlled from remote unit

LIFT CONTROL POSITIONS:

Lift Cord **right** (standard) or **left**
 Motor position will be on the opposite side of Lift Cord

Min. Width
20"
22" w/ Tapes

Note: Not available with Cordless Lift & Lock

LADDER PLACEMENT CHARTS

The following charts show the number of ladders and routes based on the NET width of the blind.

1-3/8" and 2" WOOD		
Blind Width	# of Ladders	# of Routes
20" - 36"	2	2
36 1/8" - 56 1/4"	3	2
56 3/8" - 78 1/4"	4	4
78 3/8" - 96"	5	4

2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
20" - 36"	2	2
36 1/8" - 52"	3	2
52 1/8" - 72"	4	4
72 1/8" - 92"	5	4
92 1/8" - 96"	4	4

**Routes approximately 6-5/8" from the end of the slat

STACK-UP CHART (APPROXIMATE)

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- *Headrail+Bottomrail = 2-1/2"*

1-3/8" WOOD	
Blind Height	Stack Height
48"	5 3/4"
60"	7 3/8"
72"	8 3/4"
84"	10 1/4"
96"	11 3/4"

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"
96"	8"

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"
96"	6 1/4"

PLUS	2-1/2"
-------------	---------------

PLUS	2-1/2"
-------------	---------------

PLUS	2-1/2"
-------------	---------------

CONTROL CHARTS – CORDLESS LIFT & LOCK SYSTEM

TILT WAND (STANDARD)

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths.
- Tilt Length Override – specify length when ordering

2" & 2-3/8" WOOD	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 84"



Wood Wands up to 48" long. Clear plastic in 60", 72", 84".
Wand length optional. Specify optional lengths when ordering.

TILT CORD (OPTIONAL)

- Cords are **color-coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request.
 - For 2" blinds, minimum cord length is 6". For blinds under 15" in height, a cord length override to at least 6" must be requested.
 - For 2-3/8" blinds, minimum cord length is 10". For blinds under 24-3/4" in height, a cord length override to at least 10" must be requested.
- For cordless **Lift & Lock** the lift function is controlled by the bottomrail

CONTROL POSITIONS:

Tilt Cord center ONLY

Tilt Left or Right ONLY

Min. Width (NET)

10-1/2" to 12-3/8"

12-1/2" and more

LADDER PLACEMENT CHART

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
10-1/2" - 36"	2	2
36-1/8" - 56"	3	2
56-1/8" - 78"	4	4
78 1/8" - 96"	5	4

**Routes are positioned approximately 2 1/2" from the end of the slat for blinds less than 12 1/2" wide, 3" from the end of the slat for blinds less than 19 3/4" wide, and 6" from the end of the slat for all others.

STACK-UP CHART (APPROXIMATE)

- Headrail+Bottomrail = 2-1/2"

The charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"

PLUS 2-1/2"


PLUS 2-1/2"

BOTTOMRAIL – CORDLESS LIFT & LOCK™

- A 2" deep by 1" tall aluminum bottomrail is standard

The aluminum bottomrail comes in one of the available colors pre-selected to best complement the color of the slat. A list of the coordinating bottomrail colors can be found on page 10. Please refer Cordless Lift & Lock Bottomrail Colors sheet to see an example of the bottomrail color.

Aluminum Bottomrail



NOTE: Bottomrail colors are pre-selected. Hardware color override is not available.