FAUX WOOD BLINDS

Product Specifications Guide

ALTA

DOCUMENT USE

This document provides detailed product specifications only. Pricing information is now published separately in the Alta US Price Guide. (This guide was formerly known as the Retail Price List & Product Info Guide, which previously included both specifications and pricing.)

SUMMARY OF REVISIONS

1-20-2026 Revisions:

Various Pages.....Pricing information moved to the Alta US Price Guide

TABLE OF CONTENTS

Product Overview

• Color Charts 2

Alta Advantage Faux Wood

• 2" Advantage Faux Wood - Product Specifications 4-5

Valance Information

• Individual Valance ordering and Color Chart 7

• Valances and Valance Return Information and Specifications 8

Product and Specifications

• Product Specifications. 9

• Size Specifications, Finished Dimensions and Mounting Requirements 10

Controls, Components, Ladder/Tape Placement & Stack-up Charts

• Cordless XL. 11

• Cordless 12

• Cordless Lift & Lock™ 13

• BLISS and Somfy Automation. 14

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

COLOR CHART

ADVANTAGE FAUX WOODS

2" FAUX			
Lily	SD053	Textured Lily	PM054
Gravel	SD046	Pecan Pie	PM036
Greek Villa	SD130	Walnut Grove	PM035

WHITES & NEUTRALS

2" FAUX	COLOR #
Blooming Jasmine	S1001
Canvas	S920
Cotton	S1000
Flannel	S1005
Gathered Gray	S921
Gray Owl	S1003
Old Linen	S904
Pearl	S903
Silhouette	S1002
Soft Whisper	S1004
Snow	S901
Ultra White	S951
Wrought Iron	S922
Textured Cotton	T1000
Textured Gray Owl	T1003
Textured Pearl	T903
Textured Pure White	T901
Textured Soft Whisper	T1004

2-1/2" FAUX	COLOR #
Blooming Jasmine	S1001
Canvas	S920
Cotton	S1000
Flannel	S1005
Gathered Gray	S921
Gray Owl	S1003
Old Linen	S904
Pearl	S903
Silhouette	S1002
Soft Whisper	S1004
Snow	S901
Ultra White	S951
Wrought Iron	S922

PREMIUM GRAIN I

2" FAUX			
Campfire Ash	PG509	Heathered	PG500
Canyon	PG508	Sterling Gray	PG502
Down Home	PG510	Slate	PG501

PREMIUM GRAIN II

2" FAUX			
Blonde Hickory	PG700	Gray Ashwood	PG703
Colonial Maple	PG702	Sierra Spruce	PG704
Early American	PG701	Special Walnut	PG705

CHARACTERISTICS OF FAUX WOOD BLINDS

Faux wood blinds are an excellent and economical alternative to wood blinds for many applications and offer a long lasting performance. A durable engineered polymer material is used for all colors with the exception of the darker colors in Premium Grain II. These Premium Grain darker colors; Early American, Colonial Maple, and Special Walnut are made of acrylic styrene acrylonitrile (ASA).

Faux wood blinds are not intended for installation near heat sources such as radiators, heat registers, and space heaters which can potentially compromise the integrity of the faux wood material. Airflow through the blind is also very important. Keeping slats closed for long periods of time and/ or using additional window treatments in front of or behind blinds can significantly increase the temperature the blinds are exposed to. These high temperatures (above 140°F / 60°C) may cause the slats to warp or twist.

ALTA ADVANTAGE FAUX WOOD

PRODUCT SPECIFICATIONS

FEATURES

- Cordless Operation
- Wand Tilt - Left Side Only
- Low Profile PVC Headrail (Steel reinforced over 60" wide)
- LightsOut Routeless Feature

NO CHARGE OPTIONS

- 2-1/2" Crescent Valance
- Hold-Down Brackets (Plastic)
- Center Supports included
- Continuous Valance
- Spacer Blocks (3/8")

BOTTOM RAIL SIZE: 2" X 3/4"

Bottom Rail



End Cap

SIZE SPECIFICATIONS	
Minimum Width	18"
Maximum Width	96"
Minimum Height	18"
Maximum Height	84"

*Blinds are built with a height tolerance, therefore extra slats may rest on the bottom rail.

VALANCE ORDERING	
Outside Mount	1" Added to valance, measured inside returns
Inside Mount	-1/8" (no returns)
Max Un-Spliced	102"
Max Spliced	168"

NOTE: Valances are cut to measure inside miter to ensure the most accurate fit when installed over the headrail or window frame

STANDARD RETURNS	
Inside Mount	1/2"
Outside Mount	3"

2-1/2" CRESCENT VALANCE



Mitered Corner



Corner Cap



Valance Clip





- Height: 2-1/2" Depth: 3/8"
- Standard with blind
- Returns are available with miter cuts that attach with hidden connectors or straight cuts that attach with visible corner caps
- Attaches with hidden, adjustable valance clip





INSTALLATION BRACKETS

Blind Width	Box Brackets	Support Brackets*
Below 30"	2	0
30" - 48"	2	1
38-1/8" - 72"	2	2
72-1/8" - 84"	2	3
72-1/8" - 84"	2	3
84-1/8" - 96"	2	4
		

• Support brackets are evenly spaced along length of headrail

FINISHED DIMENSIONS		
	Inside Mount	Outside Mount
Headrail	-1/2"	-1/2"
Blind Width	-1/2"	0"
Valance	-1/8"	+1"
Do NOT make any deductions from your measurements		

PRODUCT SPECIFICATIONS

MOUNTING DEPTH & REQUIREMENTS









Headrail		Headrail Projects (X)	Headrail Flush (Y)	Valance Flush (Z)
Height	Depth			
1-1/2"	2-3/8"	3/4"	2-1/2"	3-1/2"

STACKING CHART	
Blind Height	**Stack Height**
24"	3-3/4"
36"	4-5/8"
42"	5"
48"	5-1/4"
54"	5-3/4"
60"	6"
66"	6-1/2"
72"	6-3/4"
84"	7-1/2"

• Height includes headrail

LADDER PLACEMENT CHART		
Blind Width (Net)	**Number of Ladders**	
	Gravel, Pecan Pie and Walnut Grove	Lily, Greek Villa and Textured Lily
18" - 24"	2	2
24-1/8" - 36"	3	3
36-1/8" - 48"	4	4
48-1/8" - 54"	5	5
54-1/8" - 60"	6	5
60-1/8" - 66"	5	6
66-1/8" - 72"	6	6
72-1/8" - 78"	6	7
78-1/8" - 84"	8	7
84-1/8" - 96"	8	8

NOTE: Since this product has varying ladder spacing between colors, the spacing may differ slightly from color to color.

WAND SIZING	
Blind length less than or equal to 72":	24" Wand
Blind length greater than 72"	36" Wand
If blind width < 36" AND blind length > 72":	36" Wand (2-piece)

ALTA FAUX WOOD

INDIVIDUAL VALANCE ORDERING

2" & 2-1/2" FAUX WOOD COLOR NAMES

	Color Number	3" Modern	3" Standard Decorative	3" Crescent	4.5" Modern
Blonde Hickory	PG700	•			
Blooming Jasmine	S1001	•	•	•	•
Campfire Ash	PG509	•	•	•	
Canvas	S920	•	•	•	•
Canyon	PG508	•	•	•	
Colonial Maple	PG702	•			
Cotton	S1000	•	•	•	•
Down Home	PG510	•	•	•	
Early American	PG701	•			
Flannel	S1005	•	•	•	•
Gathered Gray	S921	•	•	•	
Gray Ashwood	PG703	•			
Gray Owl	S1003	•	•	•	•
Heathered	PG500	•	•	•	
Old Linen	S904	•	•	•	
Pearl	S903	•	•	•	•
Sierra Spruce	PG704	•			
Silhouette	S1002	•	•	•	•
Slate	PG501	•	•	•	
Snow	S901	•	•	•	•
Soft Whisper	S1004	•	•	•	•
Special Walnut	PG705	•			
Sterling Gray	PG502	•	•	•	
Textured Cotton	T1000	•	•	•	•
Textured Gray Owl	T1003	•	•	•	•
Textured Pearl	T903	•	•	•	•
Textured Pure White (Snow)	T901	•	•	•	•
Textured Soft Whisper	T1004	•	•	•	•
Ultra White	S951	•	•	•	•
Wrought Iron	S922	•	•	•	

• NOTE: When ordering Textured Cotton, Textured Gray Owl, Textured Pearl, Textured Pure White or Textured Soft Whisper all valances will be smooth.

4-1/2" Modern Valance

- Available in 10 colors
- Outside Mount only, mitered corners and returns
- Utilizes our magnetic valance clip
- Valance projects 1/2" to 5/8" above the headrail when installed
- Keystone not available
- Valance will be notched if ordered with a Cordless XL 2-1/2" blind

3" Standard Decorative

3" Crescent

3" Modern

Standard Decorative - 3" Profile
Crescent Valance - 3" Profile (optional)
Modern Valance - 3" Profile (Optional)
Modern Valance - 4-1/2" (Optional)



VALANCE AND VALANCE RETURN INFORMATION AND SPECIFICATIONS

VALANCE ORDERING

Outside Mount	1" Added to valance, measured inside returns
Inside Mount	-1/8" (no returns)
Max Un-Spliced	102"
Max Spliced	168"* (Min 2 Splices)

Notes:

• Valances are cut to measure inside miter to ensure the most accurate fit when installed over the headrail or window frame.

RETURN LENGTHS

Inside Mount Blind		3" Valance Standard Decorative · Crescent · Modern		4-1/2" Modern Valance	
		Minimum	Maximum	Minimum	Maximum
Cordless XL	2" Faux	1/2"	6"	3/4"	6"
	2-1/2" Faux*	***3/4"***	***6"***	***3/4"***	***6"***
Cordless Lift & Cordless Lift & Lock™	2" Faux	1/2"	6"	3/4"	6"
	2-1/2" Faux	1/2"	6"	3/4"	6"

Outside Mount Blind		3" Valance Standard Decorative · Crescent · Modern		4-1/2" Modern Valance	
		Standard (Min. Recommended)	Maximum	Standard (Min. Recommended)	Maximum
Cordless XL	2" Faux	3"	6"	3-1/4"	6"
	2-1/2" Faux*	***3-5/8"***	***6"***	***3-5/8'***	***6"***
Cordless Lift & Cordless Lift & Lock™	2" Faux	3"	6"	3-1/4"	6"
	2-1/2" Faux	3-3/8"	6"	3-5/8"	6"

All valance profiles will be notched for better clearance. Please refer to Cordless XL Control Charts for an example of how valance is notched.

• 4-1/2" Modern Valance cannot be installed inside the window frame. Returns must be selected for all inside mount blinds.

• All valance profiles utilize magnetic valance clips. The magnetic valance clips have a projection adjustment feature. By pulling the clips outward, they can provide an additional 1/4" projection.

ADJUSTED RETURN LENGTHS WITH SPACER BLOCKS & EXTENSION BRACKETS

3/8" Spacer Blocks (Small)	3-3/8"
3/4" Spacer Blocks (Large)	3-3/4"
3-7/8" Extension Brackets (Short)	4-1/4"
5-7/8" Extension Brackets (Long)	6-1/4"

Notes:

• *3" Return Lengths are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.

CUSTOM VALANCE RETURNS & RETURNS - MEASURED & CUT FROM THE INSIDE:



KEYSTONE VALANCE OPTION

Keystones

Designed to cover splices in oversized valances. Use as a decorative look over any blind.

Valances under 102"

A color matched Keystone may be ordered with a valance. The valance will come assembled with the Keystone position in the center of valance.

Valances over 102"

A color matched Keystone will be included at no charge. Will require assembly.

Notes:

The addition of a keystone will not affect the overall width of the valance.

The color of the keystone will match valance.

Order Configuration		How Valance Will Be Produced
RETURN LENGTH OVERRIDE	IB	1 " Wider than ordered size
	OB	1 " Wider than ordered size (no change from standard)
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
CONTINUOUS	IB	Valance will be exact size of continuous valance measurement
	OB	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
CONTINUOUS with RETURN LENGTH OVERRIDE	IB	1 " Wider than ordered size
	OB	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact

PRODUCT SPECIFICATIONS

FEATURES	2"	2-1/2"
# of Colors	30	13
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024
Bracket Style	Box	Box
Bottomrail - **Cordless XL & Cordless Lift**	Trapezoid	Trapezoid
Bottomrail - **Cordless Lift & Lock™**	Vinyl	Vinyl
Ladder Space	44 mm	54 mm
Wand Tilt	Yes	Yes
Standard Decorative Valance	Yes – 3"	Yes – 3"
Crescent Valance (Optional)	Yes – 3"	Yes – 3"
Modern Valance (Optional)	Yes – 3"	Yes – 3"
Modern Valanace (Optional)	Yes – 4-1/2"	Yes – 4-1/2"
Valance Return Lengths (standard for outside mounts)	3"	3-3/8"
Adjustable Valance Attachment System	Yes	Yes
Headrail End Stiffener	Yes	Yes
Warranty *(Tilt motor systems are warranted for 5 years)*	Limited Lifetime	Limited Lifetime
Flame Resistant – NFPA #701 (2" & 2-1/2" Whites/ Neutrals & 2" Premium Grains I)	Yes	Yes

OPTIONS AND UPGRADES	2"	2-1/2"
Cordless XL	Yes	Yes
Cordless Lift	Yes	Yes
Cordless Lift & Lock™	Yes	Yes
Bliss and Somfy Automation System	Yes	Yes
* 2 On 1 Headrail - **not available** with Cordless XL or Cordless Lift	Yes	Yes
Crescent Valance Option	Yes	Yes
Modern Valance Option	Yes	Yes
Keystone Valance Option	Yes	Yes
CONTROL/MOUNTING OPTIONS	**2"**	**2-1/2"**
Wand – Alternative Lengths (single blind)	Yes	Yes
Tilt Control Position – Cordless XL	L or R Under 12" net - **center tilt only**	L or R Under 12" net - **center tilt only**
Tilt Control Position – Cordless Lift	Left Tilt Only	Left Tilt Only
Tilt Control Position – Cordless Lift & Lock™ (single blind)	L or R	L or R
Tile Cut-out(s)	No	No
Spacer Blocks (3/8" and 3/4" Depths)	Yes	3/8" Standard
Extension Brackets (Short & Long)	Yes	Yes
Hold-down Brackets - **not available** with 2-1/2" Cordless Lift & Lock	Yes	Yes

2 on 1 Lift & Lock™ with Wand Tilt	Width (NET)	LEFT BLIND	Right Blind
		WAND TILT	**WAND TILT**
	10-1/2" to 12-3/8"	C (only)	C (only)
	12-1/2" or more	L or R	L or R

FOOTNOTES (FEATURES & SPECIFICATIONS)
* There will be a 1/2" maximum light gap between multiple blinds on 1 headrail. 2 on 1 headrail not available with the Automation upgrades.

SIZE SPECIFICATIONS

Cordless XL	2"	2-1/2"
Minimum Width (Net)	8" - 11-7/8" (Tilt Only No Lift) 12"	
Maximum Width (One blind)	96"	
Minimum Height	12"	
Maximum Height	96"	
Maximum AREA (SQ/FT)	49 sq/ft	39 sq/ft
Maximum Width 2 on 1 Headrail	N/A	
Maximum Continuous Valance Width (not spliced)	102"	

CORDLESS LIFT	2"	2-1/2"
Minimum Width (Net)	18"	
Maximum Width (One blind)	78"	
Minimum Height	12"	
Maximum Height	72"	
Maximum AREA (SQ/FT)	40 sq/ft	36 sq/ft
Maximum Width 2 on 1 Headrail	N/A	
Maximum Continuous Valance Width (not spliced)	102"	

CORDLESS LIFT & LOCK™	2"	2-1/2"
Minimum Width (Net)	10-1/2"	
Maximum Width (One blind)	96"	
Minimum Height	12"	
Maximum Height	84"	
Maximum AREA (SQ/FT)	40 sq/ft	31 sq/ft
Maximum Width 2 on 1 Headrail	120"	
Maximum Continuous Valance Width (not spliced)	102"	

Bliss & Somfy Automation	2" w/ Cordless Lift	2-1/2" w/ Cordless Lift
Minimum Width (Net)	20"	20"
Maximum Width (One blind)	78"	78"
Maximum Height	72"	72"
Maximum AREA (SQ/FT)	40 sq/ft	36 sq/ft
Maximum Continuous Valance Width (not spliced)	102"	

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

Inside (IB) Mount	
Headrail width[1]	– 3/4"
Blind width	– 1/2"
Blind height	ordered height
Valance	– 1/8"
Outside (OB) Mount	
Headrail width[1]	– 1/4"
Blind width	ordered width
Blind height	ordered height
Valance	+ 1"
2 on 1 Headrail	
Gap between panels	Approx. 1/4" – 1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth: **2"**	1-1/8"
Minimum mounting depth: **2-1/2"**	1-1/4"
Minimum mounting depth, flush mount - **2" Slat**:	3-1/2"
Minimum mounting depth, flush mount - **2-1/2" Slat:**	3-3/4"
Outside (OB) Mount	
Minimum flat vertical surface:	1-3/4"

FOOTNOTE

1 The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.

CONTROL CHARTS – CORDLESS XL

TILT WAND

- *Plastic tilt wand is **color - coordinated** with slats*

2" & 2-1/2" Faux	
Wand Length	**Blind Height**
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 96"

No additional wand sizes available.



BOTTOMRAIL

- *2" Trapezoid bottom rails are standard on faux blinds with Cordless XL*

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).

Trapezoid Bottomrail



LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" Faux		
Blind Width	**# of Ladders**	**# of Routes**
8" to 22"	2	2
22-1/8" to 34"	3	*2
34-1/8" to 40"	4	*2
40-1/8" to 46"	4	4
46-1/8" to 58"	5	4
58-1/8" to 70"	6	*4
70-1/8" to 82"	7	*4
82-1/8" to 96"	8	4

2-1/2" Faux		
Blind Width	**# of Ladders**	**# of Routes**
8" to 22"	2	2
22-1/8" to 34"	3	*2
34-1/8" to 40"	4	*2
40-1/8" to 46"	4	4
46-1/8" to 58"	5	4
58-1/8" to 70"	6	*4
70-1/8" to 82"	7	*4
82-1/8" to 96"	8	4

The chart shows the end routes and the tilter route position based on the NET width of the headrail.The tilter route is from the end of the headrail.

Blind Width	**End Routes**	**Tilter Route**
8" to 11-7/8"	2-1/2"	Centered
12" to 13-7/8"	2-1/2"	1-1/4"
14" to 16"	3"	1-1/4"
16-1/8" to 20"	4-1/2"	1-1/2"
21-1/8" to 96"	5"	1-1/2"

Blind Width	**End Routes**	**Tilter Route**
8" to 11-7/8"	2-1/2"	Centered
12" to 13-7/8"	2-1/2"	1-1/4"
14" to 16"	3"	1-1/4"
16-1/8" to 20"	4-1/2"	1-1/2"
20-1/8" to 96"	5"	1-1/2"

tilter route is from the end of the headrail

*For the ranges between 30.125" and 40", add the same quantity of lift cords as ladders when the drop is 70" or greater.

STACK-UP-CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is

2" Faux	
Blind Height	**Stack Height**
48"	5"
72"	7-1/2"
84"	9-1/4"
96"	10-7/8"
PLUS	+ 2-1/2"

2-1/2" Faux	
Blind Height	**Stack Height**
48"	4"
72"	6-1/4"
84"	7-1/2"
96"	9"
PLUS	+ 2-1/2"

VALANCE



- All valance profiles ordered over 2-1/2" Cordless XL will be notched for better clearance.

SQUARE FOOTAGE SPECIFICATIONS

2" FAUX

WIDTH TO: / HEIGHT TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36
61	10	12	14	15	18	20	23	25	28	31	33	36	38	41
66	11	13	15	17	19	22	25	28	30	33	36	39	41	44
73	12	14	16	18	21	24	27	30	33	37	40	43	46	49
78	13	15	17	20	23	26	29	33	36	39	42	46	49	N/A
84	14	16	19	21	25	28	32	35	39	42	46	49	N/A	N/A
90	15	18	20	23	26	30	34	38	41	45	49	N/A	N/A	N/A
96	16	19	21	24	28	32	36	40	44	48	N/A	N/A	N/A	N/A

Max Square Footage 49

2-1/2" FAUX

WIDTH TO: / HEIGHT TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36
61	10	12	14	15	18	20	23	25	28	31	33	36	38	N/A
66	11	13	15	17	19	22	25	28	30	33	36	39	N/A	N/A
73	12	14	16	18	21	24	27	30	33	37	N/A	N/A	N/A	N/A
78	13	15	17	20	23	26	29	33	36	39	N/A	N/A	N/A	N/A
84	14	16	19	21	25	28	32	35	39	N/A	N/A	N/A	N/A	N/A
90	15	18	20	23	26	30	34	38	N/A	N/A	N/A	N/A	N/A	N/A
96	16	19	21	24	28	32	36	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Max Square Footage 39

CONTROL CHARTS – CORDLESS

TILT WAND

- *Tilt wands are **color - coordinated** with slats*
- *Tilt Length Override **(Optional)** - specify length when ordering*
- *Bliss and Somfy Automation, tilt function is controlled by remote unit*

Color wands up to 48" long. Clear wands 60", 72", or 84" available upon request. Please specify optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	**Blnd Length**
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 72"
48"	72-1/8" to 96"

LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
# of Routes	**# of Ladders**	**# of Routes**
18" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 78"	7	4

**Routes are positioned approximately 6" from the end of the slat for all blinds and 6-5/8" for blinds with Bliss or Somfy Automation

BOTTOMRAIL

- ***2" Trapezoid** bottomrails are standard on faux wood blinds with **cordless lift***

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).

Trapezoid Bottomrail



STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" Faux	
Blind Height	**Stack Height**
48"	5"
72"	7-1/2"
PLUS	**+ 2-1/2"**

2-1/2" Faux	
Blind Height	**Stack Height**
48"	4"
72"	6-1/4"
PLUS	**+ 2-1/2"**

SQUARE FOOTAGE SPECIFICATIONS

2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78
HEIGHT TO:											
30	5	6	7	8	9	10	11	13	14	15	16
36	6	7	8	9	11	12	14	15	17	18	20
42	7	8	9	11	12	14	16	18	19	21	23
48	8	9	11	12	14	16	18	20	22	24	26
54	9	11	12	14	16	18	20	23	25	27	29
61	10	12	14	15	18	20	23	25	28	31	33
66	11	13	15	17	19	22	25	28	30	33	36
73	12	14	16	18	21	24	27	30	33	37	40

Max Square Footage 40

2-1/2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78
HEIGHT TO:											
30	5	6	7	8	9	10	11	13	14	15	16
36	6	7	8	9	11	12	14	15	17	18	20
42	7	8	9	11	12	14	16	18	19	21	23
48	8	9	11	12	14	16	18	20	22	24	26
54	9	11	12	14	16	18	20	23	25	27	29
61	10	12	14	15	18	20	23	25	28	31	33
66	11	13	15	17	19	22	25	28	30	33	36
73	12	14	16	18	21	24	27	30	33	N/A	N/A

Max Square Footage 36

CONTROL CHARTS – CORDLESS LIFT & LOCK SYSTEM

TILT WAND

- *Tilt wands are **color-coordinated** with slats*
- *Tilt Length Override **(Optional)** – specify length when ordering*

Color wands up to 48" long. Clear wands 60", 72", or 84" available upon request. Please specify optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	**Blnd Length**
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 72"
48"	72-1/8" to 96"

LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
Blind Width	**# of Ladders**	**# of routes**
10-1/2" to 12-1/2"	2	2
12-5/8" to 18"	2	2
18-1/8" to 21-1/2"	2	2
21-5/8" to 33-1-/2"	3	2
33-5/8" to 45-1/2"	4	2
45-5/8" to 57-1/2"	5	4
57-5/8" to 69-1/2"	6	4
69-5/8" to 81-1/2"	7	4
81-5/8" to 96"	8	4

**Routes are positioned approximately 2 1/2" from the end of the slat for blinds less than 12 1/2" wide, 3" from the end of the slat for blinds less than 18 1/8" wide, and 4 3/4" from the end of the slat for all others.

BOTTOMRAIL – CORDLESS LIFT & LOCK™

- *A **2" deep by 1" tall faux bottomrail** is standard*
- *Bottom rail colors are pre- selected. Color matched to slat color. Hardware override is not available*
- *Color cordinated end caps*

STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- *Headrail+Bottomrail = 2-1/2"*

2" Faux	
Blind Height	**Stack Height**
48"	5"
72"	7-1/2"
84"	9-1/4"
PLUS	**+ 2-1/2"**

2-1/2" Faux	
Blind Height	**Stack Height**
48"	4"
72"	6-1/4"
84"	7-1/2"
PLUS	**+ 2-1/2"**

SQUARE FOOTAGE SPECIFICATIONS

2" FAUX

WIDTH TO: / HEIGHT TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	1
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36
61	10	12	14	15	18	20	23	25	28	31	33	36	38	N/A
66	11	13	15	17	19	22	25	28	30	33	36	39	N/A	N/A
73	12	14	16	18	21	24	27	30	33	37	40	N/A	N/A	N/A
78	13	15	17	20	23	26	29	33	36	39	N/A	N/A	N/A	N/A
84	14	16	19	21	25	28	32	35	39	N/A	N/A	N/A	N/A	N/A

Max Square Footage 40

2-1/2" FAUX

WIDTH TO: / HEIGHT TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	N/A
54	9	11	12	14	16	18	20	23	25	27	29	N/A	N/A	N/A
61	10	12	14	15	18	20	23	25	28	N/A	N/A	N/A	N/A	N/A
66	11	13	15	17	19	22	25	28	30	N/A	N/A	N/A	N/A	N/A
73	12	14	16	18	21	24	27	30	N/A	N/A	N/A	N/A	N/A	N/A
78	13	15	17	20	23	26	29	N/A	N/A	N/A	N/A	N/A	N/A	N/A
84	14	16	19	21	25	28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Max Square Footage 31

LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" FAUX		
Blind Width	**# of Ladders**	**# of Routes**
20" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 84"	7	4
84-1/8" to 96"	8	4

**Routes approximately 6-5/8" from the end of the slat.

STACK-UP CHART (Approximate)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- *Headrail+Bottomrail = 2-1/2"*

2" Faux	
Blind Height	**Stack Height**
48"	5"
72"	7-1/2"
84"	9-1/4"
96"	10-7/8"

2 1/2" Faux	
Blind Height	**Stack Height**
48"	4"
72"	6-1/4"
84"	7-1/2"
96"	9"