HONEYCOMB SHADES

Product Specifications Guide

ALTA

DOCUMENT USE

This document provides detailed product specifications only. Pricing information is now published separately in the Alta US Price Guide. (This guide was formerly known as the Retail Price List & Product Info Guide, which previously included both specifications and pricing.)

SUMMARY OF REVISIONS

1-20-2026 Revisions:

Various Pages.....Pricing information moved to the Alta US Price Guide

Table of Contents

TABLE OF CONTENTS

Product Overview
- Pattern Information 2
- Fabric and Rail Color Charts 3-8
- Stack chart and Privacy Light Block 9

Product Configuration Specifications
- Cordless Lift 10-11
- Cordless Lift & Lock 12
- Continuous Cord Loop 13-14

TriLight Shades®
- Features & Benefits 15
- Selecting a TriLight Shade 15
- Sheer Pleated Color Chart 16
- Configuration Specifications 17-20

Product Configuration Specifications
- Automation and PowerWand™ 21-28
- Vertical Application 29-30
- Classic Skylight & Skylight with Automation 31-32
- Arches 33
- Specialty Shapes 34-35

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width (or Vertical Applications over 90" in height) are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

PATTERN INFORMATION

MOST PATTERNS ARE MADE FROM UNIQUE, DURABLE, POLYESTER FABRICS THAT REPEL DIRT, RESIST STAINS AND CLEAN EASILY.

Pattern Name		# of Cells	Price Group (Standard)	Care Code	GREENGUARD Certification	Light Control	Hardware Restrictions
3/8" Bella Vista	H52	Single	Group 2	1, 2 & 3	Yes	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight
3/8" Bella Vista Blackout	H55	Single	Group 10	1, 2 & 3	Yes	D	Cordless, Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight
3/8" Opulence	H40	Single	Group 2	1, 2 & 3	Yes	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight
3/8" Opulence Blackout	H41	Single	Group 10	1, 2 & 3	Yes	D	Cordless, Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight
3/4" Bella Vista	H72	Single	Group 6	1, 2 & 3	Yes	C	–
3/4" Bella Vista Blackout	H75	Single	Group 11	1, 2 & 3	Yes	D	–
3/4" Cardiff	H91	Single	Group 6	1, 2 & 3	Yes	C	–
3/4" Fiesta	H80	Single	Group 6	1, 2 & 3	Yes	C	–
3/4" Fiesta Blackout	H81	Single	Group 11	1, 2 & 3	Yes	D	–
3/4" Linen	H27	Single	Group 6	1, 2 & 3	Yes	C	–
3/4" Linen Blackout	H327	Single	Group 11	1, 2 & 3	Yes	D	
3/4" Marcella	H45	Single	Group 3	1, 2 & 3	Yes	C	–
3/4" Marcella Blackout	H46	Single	Group 9	1, 2 & 3	Yes	D	–
3/4" Mirada	H92	Single	Group 6	1, 2 & 3	Yes	C	–
3/4" Opulence	H28	Single	Group 6	1, 2 & 3	Yes	C	–
3/4" Opulence Blackout	H29	Single	Group 11	1, 2 & 3	Yes	D	–
3/4" Peaceful Allure	H96	Single	Group 12	1, 2 & 3	Yes	C	Arches
3/4" Peaceful Allure Room Darkening	H96R	Single	Group 13	1, 2 & 3	Yes	D	Vertical App, Arches, Angles, Specialty Shapes, TriLight, Skylight, Multi-Panel, Two-Fabric-Combo
3/4" Coastal Allure	H98	Single	Group 12	1, 2 & 3	Yes	C	Arches, Angles, Specialty Shapes, TriLight, Skylight, Two-Fabric Combo
3/4" Enchanting Allure	H99	Single	Group 12	1, 2 & 3	Yes	C	Arches, Angles, Specialty Shapes, TriLight, Skylight, Two-Fabric Combo
3/4" Lanai Allure	H97	Single	Group 12	1, 2 & 3	Yes	C	Arches, Angles, Specialty Shapes, TriLight, Skylight, Two-Fabric Combo
3/4" Radiance	HF6	Single	Group 1	1, 2 & 3	Yes	C	–
3/4" Radiance Blackout	HF7	Single	Group 7	1, 2 & 3	Yes	D	–
3/4" Serene FR*	H62	Single	Group 6	1, 2 & 3	Yes	C	–
3/4" Serene FR Blackout*	H60	Single	Group 11	1, 2 & 3	Yes	D	–
3/4" Tiffany Sheer	H25	Single	Group 12	1, 2 & 3	Yes	A	TriLight
3/4" Tranquility Semi-Sheer	H24	Single	Group 12	1, 2 & 3	Yes	B	TriLight, Vertical App, Arches, Angles, Specialty Shapes
1/2" Marcella Double Cell	H47	Double	Group 5	1, 2 & 3	Yes	C	Cordless Two-Fabric Combo, Vertical App
1/2" Opulence Double Cell	H39	Double	Group 8	1, 2 & 3	Yes	C	Cordless Two-Fabric Combo, Vertical App
1/2" Radiance Double Cell	HF5	Double	Group 4	1, 2 & 3	Yes	C	Cordless Two-Fabric Combo, Vertical App
1-1/4" Coastal Allure	H198	Single	Group 20	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Arches, Angles, Speciality Shapes, Two-Fabric Combo, Vertical Application, Skylight
1-1/4" Enchanting Allure	H199	Single	Group 20	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Arches, Angles, Speciality Shapes, Two-Fabric Combo, Vertical Application, Skylight
1-1/4" Lanai Allure	H197	Single	Group 20	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Arches, Angles, Speciality Shapes, Two-Fabric Combo, Vertical Application, Skylight
1-1/4" Fiesta	H280	Single	Group 16	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Arches, Angles, Speciality Shapes, Two-Fabric Combo, Skylight
1-1/4" Fiesta Blackout	H281	Single	Group 19	1, 2 & 3	Yes	D	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Arches, Angles, Speciality Shapes, Two-Fabric Combo, Skylight
1-1/4" Radiance	HF8	Single	Group 14	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Arches, Angles, Speciality Shapes, Two-Fabric Combo, Skylight
1-1/4" Radiance Blackout	HF9	Single	Group 17	1, 2 & 3	Yes	D	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Arches, Angles, Speciality Shapes, Two-Fabric Combo, Skylight
1-1/4" Marcella	H145	Single	Group 15	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Arches, Angles, Speciality Shapes, Two-Fabric Combo, Skylight
1-1/4" Marcella Blackout	H146	Single	Group 18	1, 2 & 3	Yes	D	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Arches, Angles, Speciality Shapes, Two-Fabric Combo, Skylight
1-1/4" Peaceful Allure	H196	Single	Group 20	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Arches, Angles, Speciality Shapes, Two-Fabric Combo, Skylight
1-1/4" Bella Vista	H77	Single	Group 16	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Arches, Angles, Speciality Shapes, Two-Fabric Combo, Skylight
1-1/4" Bella Vista Blackout	H78	Single	Group 19	1, 2 & 3	Yes	D	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Arches, Angles, Speciality Shapes, Two-Fabric Combo, Skylight
Peaceful Allure - 2" Hybrid Pleat - Light FIltering	HP96	Single	Group 21	1, 2 & 3	Yes	C	Skylight, Arches, Angles, Specialty Shapes, PowerWand, Two-Fabric Combo
Coastal Allure - 2" Hybrid Pleat - Light FIltering	HP98	Single	Group 21	1, 2 & 3	Yes	C	Skylight, Arches, Angles, Specialty Shapes, PowerWand, Vertical App, Multi-Panel, Two-Fabric Combo, Trilight
Enchanting Allure - 2" Hybrid Pleat - Light FIltering	HP99	Single	Group 21	1, 2 & 3	Yes	C	Skylight, Arches, Angles, Specialty Shapes, PowerWand, Vertical App, Multi-Panel, Two-Fabric Combo, Trilight
Lanai Allure - 2" Hybrid Pleat - Light FIltering	HP97	Single	Group 21	1, 2 & 3	Yes	C	Skylight, Arches, Angles, Specialty Shapes, PowerWand, Vertical App, Multi-Panel, Two-Fabric Combo, Trilight

Hardware Options

- Continuous Cord Loop System
- Continuous Cord Loop Top-Down/ Bottom-Up
- Cordless Lift System
- Cordless Lift & Lock
- Two-Fabric Combination
- Top-Down
- Top-Down/ Bottom-Up
- Two-On-One Headrail
- TriLight
- Vertical Application
- Classic Skylight
- Arches
- Angles
- Specialty Shapes
- Powerwand
- Bliss Automation
  - Bottom Up
  - TDBU
  - Trilight
- Somfy Automation
  - Bottom Up

* Flame Resistant – Passes Flame Test NFPA 701 (Horizontal Configuration **Only**)

Care Method 1
Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all Honeycomb Shade surfaces which are lightly soiled.

Care Method 2
Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all Honeycomb Shade surfaces which need spot cleaning.

Care Method 3
Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all Honeycomb Shade surfaces which are heavily soiled.

LIGHT CONTROL DEFINITIONS

A	Sheer - Filtered light for an open, softened view, UV protection and glare reduction, when privacy is not a concern.
B	Semi-Sheer - Softly diffuses light while offering minimal privacy. Images, shapes and people can be seen with some clarity.
C	Light Filtering - Diffuses sunlight and helps to reduce glare. Provides a moderate degree of privacy as only shadows will be discernible.
D	Room Darkening / Blackout - Room Darkening dramatically reduces light. Provides privacy against most direct light. Images, shapes and people are not discernible. Blackout fabrics provide the ultimate in light control and privacy; perfect for bedrooms, nurseries, or media rooms. Pair with side channels or privacy light block for additional light control.

FABRIC AND RAIL COLOR CHART

3/8" Single Cell Fabrics Light Filtering & Blackout

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
BELLA VISTA Light Filtering				
H52	3522	Wispy Keys	785	N/A
H52	3502	Farina	785	
H52	3503	Cashew Nut	862	
H52	3505	Parmesan	862	
H52	3523	Sandbox	401	
H52	3524	Gray Mist	018	
H52	3520	Stone Paver	401	
H52	3521	Mountain Shadows	405	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
BELLA VISTA Blackout				
H55	3522	Wispy Keys	785	N/A
H55	3502	Farina	785	
H55	3503	Cashew Nut	862	
H55	3505	Parmesan	862	
H55	3523	Sandbox	862	
H55	3524	Gray Mist	018	
H55	3520	Stone Paver	401	
H55	3521	Mountain Shadows	405	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Light Filtering				
H40	606	Biscuit	882	N/A
H40	636	Chocolate Bliss	083	
H40	5060	Tuxedo	048	
H40	603	Doe	206	
H40	604	Fallen Snow	862	
H40	612	Gentle White	661	
H40	629	Soft Linen	862	
H40	601	Soft White	661	
H40	617	Sunbeam	862	
H40	632	Tranquil Tea	954	
H40	637	Warm Cocoa	810	
H40	618	White Azalea	661	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Blackout				
H41	703	Doe	206	N/A
H41	702	Soft White	862	
H41	632	Tranquil Tea	954	
H41	701	White Azalea	661	
H41	5060	Tuxedo	048	

*If this patterned fabric is ordered with Fabric-Wrapped Rail option the fabric used to wrap the rails will be solid, it does not have a pattern

CODE KEY: HEADRAIL

STD = Cordless Lift, Continuous Cord Loop, and Motorized shades with coordinated rail.

VA = Vertical Application shades

Hardware Colors

		STD	1-1/4"	VA	Cord Tensioner
689	Ash	X	X	N/A	Dark Brown
785	Aspen White	X	X	X	Vanilla
048	Black	X	X	X	black
685	Blue Sky	X	X	N/A	White
083	Cocoa	X	X	X	Light Brown
841	Dark Blonde	X	X	X	Light Brown
180	Dove Gray	X	X	X	Dark Brown
206	Fawn HG	X	X	N/A	Vanilla
878	Frosted Ice	X	X	N/A	Vanilla
862	Gardenia White	X	X	X	Vanilla
187	Ginger	X	X	N/A	White

		STD	1-1/4"	VA	Cord Tensioner
405	Gray Flannel	X	X	N/A	Dark Brown
882	Honey Bisque	X	X	X	Vanilla
849	Mocha	X	X	N/A	Dark Brown
810	Mushroom	X	X	X	Dark Brown
018	Satin Silver	X	X	N/A	White
748	Shadow Gray	X	X	X	White
401	Silver Sand	X	X	X	White
276	Silverado	X	X	X	White
450	Skyline	X	X	N/A	White
954	Tranquil Tea	X	X	X	Light Brown
135	Whisper Heather	X	X	N/A	White
661	White Tiara	X	X	X	White

NOTE: Fabric Color Names are NOT intended to be a literal representation of the fabric. Please review fabrics, especially lighter colors, in different lights and compared to other fabrics of similar color to ensure you make the selection that best meets your expectations. Any subtleties in the color will be more obvious when the material is stacked.

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics Light Filtering & Blackout

Code	Color #	Color Name	HARDWARE STD	HARDWARE VA
BELLA VISTA Light Filtering				
H72	3522	Wispy Keys	785	785
H72	3502	Farina	785	785
H72	3503	Cashew Nut	862	862
H72	3505	Parmesan	862	862
H72	3523	Sandbox	401	401
H72	3524	Gray Mist	018	661
H72	3520	Stone Paver	401	401
H72	3521	Mountain Shadows	405	276
FIESTA Light Filtering				
H80	3706	Agua Dulce	685	661
H80	3702*	Aioli	862	862
H80	3701*	Arrowroot	661	661
H80	3721	Vienna	180	180
H80	3703	Linen Breeze	862	862
H80	3723	Pear	135	862
H80	3722	Stone Manor	276	276
H80	3720	Rattan	401	401
MARCELLA Light Filtering				
H45	8720	Rowan	405	276
H45	8722	Tofu	862	862
H45	822	Grey Linen	401	401
H45	8721	Marble	018	661
H45	802*	Mountain Mist	862	862
H45	821	Pearly Beige	862	862
H45	8703	Serious Gray	276	276
H45	801*	Sugar Cane	661	661
LINEN Light Filtering				
H27	454*	Dried Sage	180	180
H27	451*	French Vanilla	882	882
H27	452*	Harvest	841	841
H27	453*	Khaki	841	841
H27	1460	Cape	048	048
RADIANCE Light Filtering				
HF6	445	Aged Brass	180	180
HF6	444	Aged Leather	810	810
HF6	921	Sandy Toes	206	862
HF6	458	Pewter	018	748
HF6	922	Weathered	206	862
HF6	920	Charcoal	276	276
HF6	454	Twilight	450	661
HF6	400	Vintage Lace	785	785
SERENE FR Light Filtering				
H62	263	Blanched Almond	862	862
H62	262	Pearl Shell	862	862
H62	260	Snow White	661	661
OPULENCE Light Filtering				
H28	651	Accent Grey	748	748
H28	5043	Basalt Basin	405	276
H28	606	Biscuit	882	882
H28	636	Chocolate Bliss	083	083
H28	5063	Piccadilly	748	748
H28	5062	Lily Green	135	661
H28	5061	Blue Lake	450	661
H28	603	Doe	206	862
H28	604	Fallen Snow	862	862
H28	621	Gentle White	661	661
H28	5060	Tuxedo	048	048
H28	652	Grey Stone	276	276
H28	5021	Nantucket Gray	405	276
H28	5020	Regal Taupe	180	180
H28	629	Soft Linen	862	862
H28	601	Soft White	661	661
H28	617	Sunbeam	862	862
H28	632	Tranquil Tea	954	954
H28	637	Warm Cocoa	810	810
H28	618	White Azalea	661	661

Code	Color #	Color Name	HARDWARE STD	HARDWARE VA
BELLA VISTA Blackout				
H75	3522	Wispy Keys	785	785
H75	3502	Farina	785	785
H75	3503	Cashew Nut	862	862
H75	3505	Parmesan	862	862
H75	3523	Sandbox	401	401
H75	3524	Gray Mist	018	661
H75	3520	Stone Paver	401	401
H75	3521	Mountain Shadows	405	276
FIESTA Blackout				
H81	3706	Agua Dulce	685	661
H81	3702*	Aioli	862	862
H81	3701*	Arrowroot	661	661
H81	3721	Vienna	180	180
H81	3703	Linen Breeze	862	862
H81	3723	Pear	135	862
H81	3722	Stone Manor	276	276
H81	3720	Rattan	401	401
MARCELLA Blackout				
H46	8720	Rowan	405	276
H46	8722	Tofu	862	862
H46	822	Grey Linen	401	401
H46	8721	Marble	018	661
H46	802*	Mountain Mist	862	862
H46	821	Pearly Beige	862	862
H46	8703	Serious Gray	276	276
H46	801*	Sugar Cane	661	661
LINEN Blackout				
H327	454*	Dried Sage	180	180
H327	451*	French Vanilla	882	882
H327	452*	Harvest	841	841
H327	453*	Khaki	841	841
H327	1460	Cape	048	048
RADIANCE Blackout				
HF7	445	Aged Brass	180	180
HF7	444	Aged Leather	810	810
HF7	921	Sandy Toes	206	862
HF7	458	Pewter	018	748
HF7	922	Weathered	206	862
HF7	920	Charcoal	276	276
HF7	454	Twilight	450	661
HF7	400	Vintage Lace	785	785
SERENE FR Blackout				
H60	263	Blanched Almond	862	862
H60	262	Pearl Shell	862	862
H60	260	Snow White	661	661
OPULENCE Blackout				
H29	5043	Basalt Basin	405	276
H29	606	Biscuit	882	882
H29	603	Doe	206	862
H29	690	Grey Stone	276	276
H29	5021	Nantucket Gray	405	276
H29	601	Soft White	661	661
H29	617	Sunbeam	862	862
H29	632	Tranquil Tea	954	082
H29	637	Warm Cocoa	810	810
H29	618	White Azalea	661	661
H29	5060	Tuxedo	048	048
H29	5061	Blue Lake	450	661
H29	5062	Lily Green	135	661
H29	5063	Piccadilly	748	748

IMPORTANT NOTE:
3/4" Serene FR Light Filtering (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

*If this patterned fabric is ordered with Fabric-Wrapped Rail option the fabric used to wrap the rails will be solid, it does not have a pattern

CODE KEY: HEADRAIL

STD = Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.

VA = Vertical Application shades

3/4" Single Cell Fabrics

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
ENCHANTING ALLURE Light Filtering				
H99	5270	Northern Lights	661	661
H99	5271	Sunshine	785	785
H99	5272	April Showers	206	862
H99	5273	Natural Pumice	180	180
H99	5274	Bunny Gray	401	401
H99	5275	Elegant Gray	276	276
H99	5276	Spa Day	018	661
H99	5277	Ocean	450	661
H99	5278	Honey Bun	882	882
H99	5279	Autumn Leaves	083	083
H99	5280	Rock Garden	689	810
H99	5281	Cozy Cabin	849	810
LANAI ALLURE Light Filtering				
H97	6550	Bright Lights	018	661
H97	6551	Hint of Blue	018	661
H97	6552	Fade to Green	135	661
H97	6553	Ice Blue	685	661
H97	6554	Pale Khaki	180	180
H97	6555	Weathered Wood	810	810
H97	6556	Rainy Day	018	661
H97	6557	Gray Suit	276	276
H97	6558	Vintage Veil	878	661
H97	6559	Cocoa with Cream	083	083
H97	6560	Moon Landing	206	661
H97	6561	Park Bench	810	810
PEACEFUL ALLURE Light Filtering				
H96	2243	Banana Bread	810	810
H96	2222	Barely Beige	785	785
H96	2270	Pelican	018	661
H96	2221	Drop of Sun	785	785
H96	2226	Fair Oaks	401	401
H96	2227	Fallen Leaves	180	180
H96	2271	Gray Wolf	276	276
H96	2272	Modest Gray	405	276
H96	2276	Raven	048	048
H96	2274	Lapis	450	661
H96	2240	Warm Sun	862	862
H96	2220	Zephyr	661	661
COASTAL ALLURE Light Filtering				
H98	4838	Cold Waters	276	276
H98	4830	Snowy Beach	661	661
H98	4831	Fresh Butter	862	862
H98	4832	Waves of Grain	841	841
H98	4833	Brown Bread	083	083
H98	4834	Polished Silver	018	661
H98	4835	Silver Lining	401	401
H98	4836	Fresh Eucalyptus	135	862
H98	4837	Spring Leaves	135	661
H98	4839	Storm Clouds	276	276
H98	4840	Weathered Fence	810	810
H98	4841	Beach Bungalow	048	048

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
TIFFANY Sheer				
H25	102	Almond Veil	882	882
H25	103	Soft Sand	862	862
H25	100	White Veil	661	661
TRANQUILITY Semi-Sheer				
H24	273	Desert Sand	882	N/A
H24	272	Pale Rose	785	
H24	271	White Linen	661	
CARDIFF Light Filtering				
H91	3002	Distant Range	785	785
H91	3211	Fair Lady	862	862
H91	3006	Riverfront	180	180
H91	3005	Skipping Stones	401	401
H91	3001	Star Gazing	785	785
H91	3004	Winter Forest	810	810
H91	3212	Anchor	450	276
H91	3210	Lilac Gray	048	048
MIRADA Light Filtering				
H92	3021	Bungalow Brown	849	810
H92	3022	Lazy Day	862	862
H92	3025	Marina Gray	276	276
H92	3024	North Star	661	661
H92	3023	Relaxing Rain	405	276
H92	3026	Sonora Dunes	180	180
H92	3231	Neptune	018	661
H92	3230	Ebony	048	048
PEACEFUL ALLURE Room Darkening				
H96R	2243	Banana Bread	810	N/A
H96R	2222	Barely Beige	785	
H96R	2270	Pelican	018	
H96R	2221	Drop of Sun	785	
H96R	2226	Fair Oaks	401	
H96R	2227	Fallen Leaves	180	
H96R	2271	Gray Wolf	276	
H96R	2272	Modest Gray	405	
H96R	2276	Raven	048	
H96R	2274	Lapis	450	
H96R	2240	Warm Sun	862	
H96R	2220	Zephyr	661	

*If this patterned fabric is ordered with Fabric-Wrapped Rail option the fabric used to wrap the rails will be solid, it does not have a pattern

CODE KEY: HEADRAIL

STD = **Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.**

VA = **Vertical Application shades**

Table of Contents

FABRIC AND RAIL COLOR CHART

1/2" Double Cell

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Double Cell				
H47	8720	Rowan	405	N/A
H47	8722	Tofu	862	
H47	822	Grey Linen	401	
H47	8721	Marble	018	
H47	802*	Mountain Mist	862	
H47	821	Pearly Beige	862	
H47	8703	Serious Gray	276	
H47	801*	Sugar Cane	661	
RADIANCE Double Cell				
HF5	445	Aged Brass	180	N/A
HF5	444	Aged Leather	810	
HF5	921	Sandy Toes	206	
HF5	458	Pewter	018	
HF5	922	Weathered	206	
HF5	920	Charcoal	276	
HF5	454	Twilight	450	
HF5	400	Vintage Lace	785	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Double Cell				
H39	651	Accent Grey	748	N/A
H39	606	Biscuit	885	
H39	636	Chocolate Bliss	083	
H39	5063	Piccadilly	748	
H39	603	Doe	206	
H39	604	Fallen Snow	862	
H39	621	Gentle White	661	
H39	652	Grey Stone	276	
H39	629	Soft Linen	862	
H39	601	Soft White	661	
H39	617	Sunbeam	862	
H39	632	Tranquil Tea	954	
H39	637	Warm Cocoa	810	
H39	618	White Azalea	661	
H39	5062	Lily Green	135	

*If this patterned fabric is ordered with Fabric-Wrapped Rail option the fabric used to wrap the rails will be solid, it does not have a pattern

CODE KEY: HEADRAIL		
STD	=	Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.)
VA	=	Vertical Application shades

FABRIC AND RAIL COLOR CHART

1-1/4" Pleat (Light Filtering & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" BELLA VISTA Light Filtering				
H77	3522	Wispy Keys	785	785
H77	3502	Farina	785	785
H77	3503	Cashew Nut	862	862
H77	3505	Parmesan	862	862
H77	3523	Sandbox	401	401
H77	3524	Gray Mist	018	661
H77	3520	Stone Paver	401	401
H77	3521	Mountain Shadows	405	276
1-1/4" FIESTA Light Filtering				
H280	3706	Agua Dulce	685	661
H280	3702*	Aioli	862	862
H280	3701*	Arrowroot	661	661
H280	3721	Vienna	180	180
H280	3703	Linen Breeze	862	862
H280	3723	Pear	135	862
H280	3722	Stone Manor	276	276
H280	3720	Rattan	401	401
1-1/4" MARCELLA Light Filtering				
H145	8720	Rowan	405	276
H145	8722	Tofu	862	862
H145	822	Grey Linen	401	401
H145	8721	Marble	018	661
H145	802*	Mountain Mist	862	862
H145	821	Pearly Beige	862	862
H145	8703	Serious Gray	276	276
H145	801*	Sugar Cane	661	661
1-1/4" RADIANCE Light Filtering				
HF8	445	Aged Brass	180	180
HF8	444	Aged Leather	810	810
HF8	921	Sandy Toes	206	862
HF8	458	Pewter	018	748
HF8	922	Weathered	206	862
HF8	920	Charcoal	276	276
HF8	454	Twilight	450	661
HF8	400	Vintage Lace	785	785
1-1/4" COASTAL ALLURE- Light Filtering				
H198	4838	Cold Waters	276	N/A
H198	4830	Snowy Beach	661	
H198	4831	Fresh Butter	862	
H198	4832	Waves of Grain	841	
H198	4833	Brown Bread	083	
H198	4834	Polished Silver	018	
H198	4835	Silver Lining	401	
H198	4836	Fresh Eucalyptus	135	
H198	4837	Spring Leaves	135	
H198	4839	Storm Clouds	276	
H198	4840	Weathered Fence	810	
H198	4841	Beach Bungalow	048	
1-1/4" LANAI ALLURE- Light Filtering				
H197	6550	Bright Lights	018	N/A
H197	6551	Hint of Blue	018	
H197	6552	Fade to Green	135	
H197	6553	Ice Blue	685	
H197	6554	Pale Khaki	180	
H197	6555	Weathered Wood	810	
H197	6556	Rainy Day	018	
H197	6557	Gray Suit	276	
H197	6558	Vintage Veil	878	
H197	6559	Cocoa with Cream	083	
H197	6560	Moon Landing	206	
H197	6561	Park Bench	810	

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" BELLA VISTA Blackout				
H78	3522	Wispy Keys	785	785
H78	3502	Farina	785	785
H78	3503	Cashew Nut	862	862
H78	3505	Parmesan	862	862
H78	3523	Sandbox	401	401
H78	3524	Gray Mist	018	661
H78	3520	Stone Paver	401	401
H78	3521	Mountain Shadows	405	276
1-1/4" FIESTA- Blackout				
H281	3706	Agua Dulce	685	661
H281	3702*	Aioli	862	862
H281	3701*	Arrowroot	661	661
H281	3721	Vienna	180	180
H281	3703	Linen Breeze	862	862
H281	3723	Pear	135	862
H281	3722	Stone Manor	276	276
H281	3720	Rattan	401	401
1-1/4" MARCELLA Blackout				
H146	8720	Rowan	405	276
H146	8722	Tofu	862	862
H146	822	Grey Linen	401	401
H146	8721	Marble	018	661
H146	802*	Mountain Mist	862	862
H146	821	Pearly Beige	862	862
H146	8703	Serious Gray	276	276
H146	801*	Sugar Cane	661	661
1-1/4" RADIANCE Blackout				
HF9	445	Aged Brass	180	180
HF9	444	Aged Leather	810	810
HF9	921	Sandy Toes	206	862
HF9	458	Pewter	018	748
HF9	922	Weathered	206	862
HF9	920	Charcoal	276	276
HF9	454	Twilight	450	661
HF9	400	Vintage Lace	785	785
1-1/4" ENCHANTING ALLURE- Light Filtering				
H199	5270	Northern Lights	661	N/A
H199	5271	Sunshine	785	
H199	5272	April Showers	206	
H199	5273	Natural Pumice	180	
H199	5274	Bunny Gray	401	
H199	5275	Elegant Gray	276	
H199	5276	Spa Day	018	
H199	5277	Ocean	450	
H199	5278	Honey Bun	882	
H199	5279	Autumn Leaves	083	
H199	5280	Rock Garden	689	
H199	5281	Cozy Cabin	849	
1-1/4" PEACEFUL ALLURE- Light Filtering				
H196	2243	Banana Bread	810	810
H196	2222	Barely Beige	785	785
H196	2270	Pelican	018	661
H196	2221	Drop of Sun	785	785
H196	2226	Fair Oaks	401	401
H196	2227	Fallen Leaves	180	180
H196	2271	Gray Wolf	276	276
H196	2272	Modest Gray	405	276
H196	2276	Raven	048	048
H196	2274	Lapis	450	661
H196	2240	Warm Sun	862	862
H196	2220	Zephyr	661	661

CODE KEY: HEADRAIL

OPTION = Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.
VA = Vertical Application shades

2" Hybrid Pleat Light Filtering

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" PEACEFUL ALLURE HYBRID PLEAT - Light Filtering				
HP96	2243	Banana Bread	810	810
HP96	2222	Barely Beige	785	785
HP96	2270	Pelican	018	661
HP96	2221	Drop of Sun	785	785
HP96	2226	Fair Oaks	401	401
HP96	2227	Fallen Leaves	180	180
HP96	2271	Gray Wolf	276	276
HP96	2272	Modest Gray	405	276
HP96	2276	Raven	048	048
HP96	2274	Lapis	450	661
HP96	2240	Warm Sun	862	862
HP96	2220	Zephyr	661	661
2" COASTAL ALLURE HYBRID PLEAT - Light Filtering				
HP98	4838	Cold Waters	276	N/A
HP98	4830	Snowy Beach	661	
HP98	4831	Fresh Butter	862	
HP98	4832	Waves of Grain	841	
HP98	4833	Brown Bread	083	
HP98	4834	Polished Silver	018	
HP98	4835	Silver Lining	401	
HP98	4836	Fresh Eucalyptus	135	
HP98	4837	Spring Leaves	135	
HP98	4839	Storm Clouds	276	
HP98	4840	Weathered Fence	810	
HP98	4841	Beach Bungalow	048	

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" ENCHANTING ALLURE HYBRID PLEAT - Light Filtering				
HP99	5270	Northern Lights	661	N/A
HP99	5271	Sunshine	785	
HP99	5272	April Showers	206	
HP99	5273	Natural Pumice	180	
HP99	5274	Bunny Gray	401	
HP99	5275	Elegant Gray	276	
HP99	5276	Spa Day	018	
HP99	5277	Ocean	450	
HP99	5278	Honey Bun	882	
HP99	5279	Autumn Leaves	083	
HP99	5280	Rock Garden	689	
HP99	5281	Cozy Cabin	849	
2" LANAI ALLURE HYBRID PLEAT - Light Filtering				
HP97	6550	Bright Lights	018	N/A
HP97	6551	Hint of Blue	018	
HP97	6552	Fade to Green	135	
HP97	6553	Ice Blue	685	
HP97	6554	Pale Khaki	180	
HP97	6555	Weathered Wood	810	
HP97	6556	Rainy Day	018	
HP97	6557	Gray Suit	276	
HP97	6558	Vintage Veil	878	
HP97	6559	Cocoa with Cream	083	
HP97	6560	Moon Landing	206	
HP97	6561	Park Bench	810	

CODE KEY: HEADRAIL		
OPTION	=	Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.
VA	=	Vertical Application shades

STACKING CHART

Pattern Name		48" Shade Drop	72" Shade Drop	84" Shade Drop	120" Shade Drop	144" Shade Drop
3/8" Bella Vista	H52	1-1/2"	2"	2-1/4"	2-5/8"	N/A
3/8" Bella Vista Blackout	H55	3/4"	1-1/4"	1-3/8"	1-5/8"	N/A
3/8" Opulence	H40	1-1/2"	2"	2-1/4"	2-5/8"	N/A
3/8" Opulence Blackout	H41	3/4"	1-1/4"	1-1/2"	1-3/4"	N/A
1/2" Marcella Double Cell	H47	1-1/4"	1-1/2"	1-3/4"	2-1/4"	2-3/4"
1/2" Opulence Double Cell	H39	1-1/4"	1-1/2"	1-3/4"	2-1/4"	2-3/4"
1/2" Radiance Double Cell	HF5	1-1/4"	1-1/2"	1-3/4"	2-1/4"	2-3/4"
3/4" Bella Vista	H72	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
3/4" Bella Vista Blackout	H75	7/8"	7/8"	1"	1-1/4"	1-1/2"
3/4" Cardiff	H91	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Fiesta	H80	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
3/4" Fiesta Blackout	H81	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
3/4" Linen	H27	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
3/4" Linen Blackout	H327	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
3/4" Marcella	H45	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Marcella Blackout	H46	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
3/4" Mirada	H92	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Opulence	H28	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
3/4" Opulence Blackout	H29	7/8"	7/8"	1"	1-1/4"	1-1/2"
3/4" Peaceful	H96	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Peaceful Allure Room Darkening	H96R	7/8"	7/8"	1"	1-1/4"	1-1/2"
3/4" Radiance	HF6	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Radiance Blackout	HF7	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
3/4" Serene FR*	H62	5/8"	1-1/8"	1-1/4"	1-5/8"	1-7/8"
3/4" Serene FR Blackout*	H60	5/8"	1-1/8"	1-1/4"	1-5/8"	1-7/8"
3/4" Tiffany Sheer	H25	1-1/4"	1-1/4"	1-1/2"	1-3/4"	2-7/8"
3/4" Tranquility Semi-Sheer	H24	1-1/4"	1-3/4"	2-1/8"	2-5/8"	3-1/4"
3/4" Coastal Allure	H98	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Enchanting Allure	H99	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Lanai Allure	H97	1/2"	7/8"	1"	1-1/2"	1-3/4"
1-1/4" Bella Vista (max drop 108")	H77	5/8"	1"	1-1/8"	1-1/4"	N/A
1-1/4" Bella Vista Blackout (max drop 108")	H78	3/4"	1-1/8"	1-1/4"	1-1/2"	N/A
1-1/4" Fiesta (max drop 108")	H280	5/8"	1"	1-1/8"	1-1/4"	N/A
1-1/4" Fiesta Blackout (max drop 108")	H281	3/4"	1-1/8"	1-1/4"	1-3/4"	N/A
1-1/4" Marcella	H145	5/8"	1"	1-1/8"	1-5/8"	N/A
1-1/4" Marcella Blackout	H146	3/4"	1-1/8"	1-1/4"	1-3/4"	N/A
1-1/4" Radiance	HF8	5/8"	1"	1-1/8"	1-5/8"	N/A
1-1/4" Radiance Blackout	HF9	3/4"	1-1/8"	1-1/4"	1-3/4"	N/A
1-1/4" Coastal Allure	H198	5/8"	1"	1-1/8"	1-5/8"	N/A
1-1/4" Enchanting Allure	H199	5/8"	1"	1-1/8"	1-5/8"	N/A
1-1/4" Lanai Allure	H197	5/8"	1"	1-1/8"	1-5/8"	N/A
1-1/4" Peaceful Allure	H196	5/8"	1"	1-1/8"	1-5/8"	N/A
Coastal Allure - 2" Hybrid Pleat - Light Filtering	HP98	3/4"	1"	1-1/4"	1-1/2"	N/A
Enchanting Allure-2" Hybrid Pleat- Light Filtering	HP99	3/4"	1"	1-1/4"	1-1/2"	N/A
Lanai Allure-2" Hyrbid Pleat- Light Filtering	HP97	3/4"	1"	1-1/4"	1-1/2"	N/A
Peaceful Allure - 2" Hybrid Pleat - Light Filtering	HP96	3/4"	1"	1-1/4"	1-1/2"	N/A

NOTE: Measurements listed are provided for reference, actual stack height may vary.

Hardware System	to be added
Lift & Lock - Deluxe Headrail	1-1/2"
Lift & Lock - Premium Headrail	2-1/2"
Continuous Cord Loop, Cordless, Motorized	2"

1-1/4" Cordless, Motorized	2"

PRIVACY LIGHT BLOCK

Privacy Light Block

- Available in 5 colors: White, Gray, Vanilla, Bronze and Black
- Inside Mount Only



Surcharge applies; refer to price grids section.

Shade Deductions:

- If Privacy Light Block is selected – 1/2", in addition to the 1/4" for IB Only
- Available on Cordless, Lift & Lock, Powerwand, Bliss Automation and Somfy Automation

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Cordless Lift System easily lifts and lowers from color-coordinated bottomrail. No lift cord is necessary.

- All Cordless shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. Must be specified when order is placed.
- Cordless honeycomb shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.
  Shades over 42" in width will have 2 handles. Single handle available*, must be selected during order entry.
  *Single handle option over 42" in width is not available with 3/8" fabric
- Cut-outs are not available on Cordless Lift shades.
- Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates and magnets comes standard on shades ordered with color-coordinated rails.
  Striker plate & magnet placement:
  Shades under 42" Wide – one magnet on each end of the shade
  Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord
  Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.
  Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT – SIZE STANDARDS (See Exclusions Below)

	3/8" LF Fabrics	H60 & H62	3/4" LF & BO Fabrics	3/4" Peaceful Allure Room Darkening Fabrics	1-1/4" Fabrics	2" Peaceful Allure Hybrid	2" Hybrid Lanai Allure, Coastal Allure, Enchanting Allure
Min. Width (net)	16"	16"	14"	14"	16"	16"	16"
Max. Width	120"	120"	120"	108"	120"	120"	96"
Max. Width – End Mount	48"	48"	48"	48"	N/A	42"	48"
Min. Height	12"	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"	84"
Max Area (sq. ft.)	70	70	60	60	60	60	56

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS (See Exclusions Below)

	3/4" & Double Cell	3/4" Peaceful Allure Room Darkening Fabrics	1-1/4" Fabrics	2" Peaceful Allure Hybrid	2" Hybrid Lanai Allure, Coastal Allure, Enchanting Allure
Min. Width (net)	16"	16"	18"	16"	16"
Max. Width	120"	96"	96"	120"	96"
Max. Width – End Mount	48"	48"	N/A	42"	48"
Min. Height	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"
Max Area (sq. ft.)	60	60	56	60	56

CORDLESS TWO-ON-ONE & THREE-ON-ONE– SIZE STANDARDS (See Exclusions Below)

	3/4" LF & BO Fabrics	H60 & H62	2" Peaceful Allure Hybrid	1-1/4" Fabrics
Two-on-One				
Min Width (per panel)	14"	16"	16"	16"
Min Width (overall)	28"	32"	32"	32"
Max Width (per panel)	120"	120"	100"	96"
Max Width (overall)	174"	174"	120"	120"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	60	70	60	60
Three-on-One				
Min Width (per panel)	14"	16"	16"	
Min Width (overall)	42"	48"	48"	
Max Width (per panel)	120"	120"	120"	
Max Width (overall)	174"	174"	174"	
Min Height	12"	12"	12"	
Max Height	84"	84"	84"	
Max Area (per panel) (Sq/Ft)	60	70	60	

CORDLESS LIFT TWO-FABRIC COMBO – SIZE STANDARDS (See Exclusions Below)

	3/4" Fabrics
Min. Width (net)	16"
Max. Width	84"
Max. Width – End Mount	36"
Min. Height	12"
Max. Height	84"
Max Area (sq. ft.)	42

Exclusions:

Cordless Lift

H81 ¾" Fiesta BO Max Width 84"; Max square footage is 40

Not available with 3/8" blackout fabrics

Cordless Lift System Two-On-One Headrail

Not available with 3/4" Peaceful Allure Room Darkening Fabrics

Not available with Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid

End mount not available

Cordless Lift System Three-On-One Headrail

Not available with 1-1/4", 3/4" Peaceful Allure Room Darkening Fabrics

Not available with Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid

End mount not available

Cordless Lift Two-Fabric Combination System

Not available with 1/2" double cell, 1-1/4", 2" Hybrid Pleat, 3/4" Peaceful Allure Room Darkening or 3/4" Lanai, Coastal, Enchanting Allure Fabrics

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb & 2" Hybrid
Inside (IB) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
End (EB) Mounts	
Headrail unit	– 1/2"
Shade height	ordered height
Fabric width	– 5/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"
2-on-1 & 3-on-1 Headrail	
Gap between panels	– 1/4"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb & 2" Hybrid
Inside (IB) & End (EB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

NOTE: Privacy Light Block Shade Deduction:
1/2", in addition to the 1/4" for IB Only

Adjustments are taken from ordered dimensions.

Cordless Lift (N/A as 2 Fabric Combo)

	1-1/4" Fabrics
Inside (IB) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
End (EB) Mounts	
Headrail unit	– 1/2"
Shade height	ordered height
Fabric width	– 5/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"
2-on-1 & 3-on-1 Headrail	
Gap between panels	– 1/4"

Adjustments are taken from ordered dimensions.

Cordless Lift (N/A as 2 Fabric Combo)

	1-1/4" Fabrics
Inside (IB) & End (EB) Mounts	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mou	3"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

NOTE: To accommodate the larger pleat of 1-1/4" fabrics, use a larger rail system that requires more mounting depth.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT & LOCK



Press a button on the bottomrail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless Lift & Lock shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. Must be specified when order is placed.

Cordless Lift & Lock shades can be ordered with the Premium headrail **for a surcharge**. Premium headrail option is not available with Top-Down/Bottom-Up or TriLight.

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

CORDLESS LIFT & LOCK – SIZE STANDARDS (See Exclusions Below)			
	3/4" Sheer, Semi-Sheer & Light Filtering Fabrics*	3/4" & Double Cell Blackout Fabrics	2" Hybrid
Min. Width (net)	10"	10"	10"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	48"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS (See Exclusions Below)		
	3/4" Sheer, Semi-Sheer, Light Filtering & Blackout Fabrics	2" Hybrid Fabrics
Min. Width (net)	16"	16"
Max. Width	84"	84"
Max. Width – End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max Area (sq. ft.)	49	49

CORDLESS LIFT & LOCK TWO-ON-ONE & THREE-ON-ONE – SIZE STANDARDS (See Exclusions Below)		
	3/4" Sheer, Semi-Sheer, Light Filtering & Blackout Fabrics	2" Peaceful Allure Hybrid
Two-on-One		
Min. Width (net - per panel)	10"	10"
Max. Width (per panel)	84"	84"
Max. Width (overall)	168"	168"
Three-on-One		
Min. Width (net - per panel)	10"	10"
Max. Width (per panel)	84"	84"
Max. Width (overall)	168"	168"
Min. Height	12"	12"
Max. Height	84"	84"
Max Area (per panel) (sq. ft.)	49	49

Exclusions:

Cordless Lift & Lock

Not available with 3/8" or 1-1/4" fabrics

Cordless Lift & Lock TWO-ON-ONE & THREE-ON-ONE

Not available with 3/4" Peaceful Allure Room Darkening Fabrics

Not available with Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid

End mount not available

NOTE: Privacy Light Block Shade Deduction:
1/2", in addition to the 1/4" for IB Only

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	Honeycomb and 2" Hybrid Pleat*
Inside (IB) Mounts	
Headrail unit (includes end caps)	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
End (EB) Mounts	
Headrail unit (includes end caps)	– 1/2"
Shade height	ordered height
Fabric width	– 5/8"
Outside (OB) Mount	
Headrail unit (includes end caps)	ordered width
Shade height	ordered height
Fabric width	– 1/8"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Standard Rail

	Honeycomb and 2" Hybrid Pleat
Inside (IB) Mount	
Minimum mounting depth	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"
End (EB) Mount	
Minimum flat vertical surface	2"
Outside (OB) Mount	
Minimum flat vertical surface	1"

Premium Rail

	Honeycomb and 2" Hybrid Pleat
Inside (IB) & End (EB) Mounts	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM



Continuous cord loop easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

- All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. **Must be specified** when order is placed.
- On top-down/bottom-up Honeycomb shades, a fabric insert is standard (does not apply to Hybrid Pleat). This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

Tensioner has been pre-selected in one of five colors, White, Vanilla, Light Brown, Dark Brown & Black. The tensioner color may be overridden during order entry.

Notes: For TDBU shades, right control operates the center moving rail; left control operates the bottomrail. Reverse controls are available.

CONTINUOUS CORD LOOP – SIZE STANDARDS (See Exclusions Below)

	Honeycomb						2" Hybrid	2" Hybrid
	3/8" Light Filtering Fabrics	3/8" Blackout Fabrics	3/4" Light Filtering, Sheer and Semi-Sheer Fabrics	3/4" Peaceful Allure Room Darkening Fabrics	3/4" Blackout Fabrics	1/2" Double Cell Fabrics	Peaceful Allure	Lanai Allure, Coastal Allure, Enchanting Allure
Min. Width (net)*	18”	18”	18”	18”	18”	18”	18”	18”
Max. Width	144”	144”	174”	108"	144”	144"	120"	96"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	42"	48"
Min. Height	6”	6”	6”	6”	6”	6”	12"	12"
Max. Height*	96”	96”	144”	120"	144”	144”	120”	108"
Max. Area (sq. ft.)	90	80	150	60	100	80	60	55

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS (See Exclusions Below)

	Honeycomb						2" Hybrid	2" Hybrid
	3/8" Light Filtering Fabrics	3/8" Blackout Fabrics	3/4" Light Filtering, 3/4" Sheer and Semi-Sheer Fabrics	3/4" Peaceful Allure Room Darkening Fabrics	3/4" Blackout Fabrics	1/2" Double Cell Fabrics	Peaceful Allure	Lanai Allure, Coastal Allure, Enchanting Allure
Min. Width (net)*	24"	24"	24"	24"	24"	24"	24"	18”
Max. Width	144”	144”	144"	108"	144”	144"	120"	96"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	42"	48"
Min. Height	8"	8"	8"	8"	8"	8"	12"	12"
Max. Height*	96”	96”	144”	120"	144”	144”	120"	108"
Max. Area (sq. ft.)	90	80	150	80	100	80	60	55

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS (See Exclusions Below)

	Honeycomb					2" Hybrid
	3/8" Light Filtering Fabrics	3/8" Blackout Fabrics	3/4" Light Filtering, 3/4" Sheer and Semi-Sheer Fabrics	3/4" Blackout Fabrics*	1/2" Double Cell Fabrics	Peaceful Allure
Min. Width (per panel)	18”	18”	18”	18”	18”	18"
Min. Width (overall)	36”	36”	36”	36”	36”	36"
Max. Width (per panel)	144”	144”	144”	144”	144"	102"
Max. Width (overall)	174”	174”	174”	174”	174”	120"
Min. Height	6”	6”	6”	6”	6”	12"
Max. Height	96”	96”	144”	144”	144”	120"
Max. Area (sq. ft.)	90	80	150	100	80	60

Exclusions:

Continuous Cord Loop System

All Radiance fabrics => Max Width 120"

All Radiance fabrics => Max Height 120"

3/4" Fiesta Blackout Max Area 60 Sq Feet

Not available with 1-1/4"

Continuous Cord Loop Two-on-One Headrail & Top-Down/ Bottom-Up

Not available with 3/4" Peaceful Allure Room Darkening

Not available with Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid

End mount not available.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 5/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 3/8"

*An extra 1/4" dediction will be taken from the fabric with the Top-Down/ Bottom-Up option for Hybric Pleat

NOTE: Measurements may vary ± 1/8"

CORD LOOP DROP

SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	– 5/8"	– 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 3/8"
2-on-1 Headrail		
Gap between panels	– 1/4"	– 1/4"

MOUNTING REQUIREMENTS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on standard cordlock and continuous cord loop bottom-up shades only.

Not available on 1-1/4", 2" Hybrid Pleat

CUT -OUTS - SIZE STANDARDS	
Min. Cut-out Width	1/8"
Max. Cut-out Width	3"
Min. Shade Width	12"
Max. Shade Width	120"
Min. Shade Height	12"
Max. Shade Height	120"

FEATURES & BENEFITS

- The beautiful combination of a sheer pleated shade on top and honeycomb or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors and exclusive prints.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Light Filtering and blackout fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Honeycomb fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade – even large or hard-to-reach – and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock option provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.
- The Bliss Automation option provides safe, simple operation by raising and lowering the shade with the touch of a button or via the Bliss App (Bliss Bridge required). Ideal in homes with children and pets.

SELECTING A TRILIGHT SHADE

1. Choose a fabric, cell size and color for the bottom shade. Note: TriLight Shades are not available with 3/8" single cell, 3/4" sheer/semi-sheer, or 1-1/4".
2. Choose a sheer pleated fabric for the top shade. See Sheer Pleated Color Chart.
3. Refer to the honeycomb and 2" Hybrid Pleat price grids on pages 9-24 to determine your bottom shade price.
4. Refer to the sheer pleated grids on page 31 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price. Bliss Automation option and options prices can be found in the Bliss Automation pricing section.

- TriLight Shades are available as standard rectangle only.
- Continuous cord loop system – right operates the middle rail; left operates the bottomrail. Reverse controls are available; grouped controls are NOT available.

SHEER PLEATED COLOR CHART

Nova Sheer Pleated		
Style Name	**Color #**	**Color Name**
Nova Sheer	P33-820	Bridal White
Nova Sheer	P33-825	Tea

Carousel Sheer Pleated		
Style Name	**Color #**	**Color Name**
Carousel Sheer	P32-800	Bridal White

Willa Sheer Pleated		
Style Name	**Color #**	**Color Name**
Willa Sheer	P05-504	Crystal
Willa Sheer	P05-551	Dusty Gray
Willa Sheer	P05-501	Ice
Willa Sheer	P05-552	Maritime
Willa Sheer	P05-550	Taupe
Willa Sheer	P05-500	Snow White
Willa Sheer	P05-503	Soft Ivory
Willa Sheer	P05-509	Twilight

Lyssa Sheer Pleated		
Style Name	**Color #**	**Color Name**
Lyssa Sheer	P04-405	Blush
Lyssa Sheer	P04-400	Bridal White
Lyssa Sheer	P04-401	Glacier White
Lyssa Sheer	P04-407	Tea

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Carousel	96"	60
Lyssa	96"	50
Nova	96"	60
Willa	83"	60

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails - no extra charge
  – Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
  – fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
  – Rails, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

The tensioner has been pre-selected in one of five colors, White, Vanilla, Light Brown, Dark Brown & Black. The tensioner color may be overridden during order entry

NOTES:

- Right loop control operates the middle rail, left loop control operates the bottomrail.
- TriLight is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer, 1-1/4"

Cut-outs are not available on TriLight Shades.

CONTINUOUS CORD LOOP SIZE STANDARDS				
	Honeycomb			2" Hybrid Pleat
	All 3/4" Light Filtering Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	Peaceful Allure Hybrid Pleat **
Min. Width (net)	24"	24"	24"	24"
Max. Width*	83" - 96"	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	96"	96"	96"	96"
Max. Area (sq. ft.)	64"	50"	50"	60"

*** Not available with 3/8" Fabrics**
*** Not available with 3/4" Peaceful Allure Room Darkening Fabrics or 3/4" Lanai, Coastal, Enchanting Allure Fabrics**
**** Not available with Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid**

* The bottom panel fabric width can be reduced by the ordered sheer fabric (top panel), if the sheer max width is less than the bottom panel max width.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
NOTE: Measurements may vary ± 1/8"

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 7/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 1-1/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 5/8"

MOUNTING REQUIREMENTS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CONTINUOUS CORD LOOP TRILIGHT:** Take 2-1/2" for rails, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CONTINUOUS CORD LOOP TRILIGHT:** Take 2-1/2" for rails, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
  – Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
  – fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
  – Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail. Single handle available, must be selected during order entry.
- Cordless TriLight is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer

Cut-outs are not available on TriLight Shades.

CORDLESS LIFT SIZE STANDARDS		
	Honeycomb	**2" Hybrid Pleat ***
	All Fabrics*	Peaceful Allure Hybrid Pleat **
Min. Width (net)	16"	16"
Max. Width*	83" - 96"	83" - 96"
Max. Width-End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max. Area (sq. ft.)	70	60

*** Not available with 3/8" Fabrics**

*** Not available with 3/4" Peaceful Allure Room Darkening Fabrics or 3/4" Lanai, Coastal, Enchanting Allure Fabrics**

**** Not available with Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid**

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
NOTE: Measurements may vary ± 1/8"

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mount		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS TRILIGHT:** Take 2-1/2" for rails, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS TRILIGHT:** Take 2-1/2" for rails, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS LIFT & LOCK



CORDLESS LIFT & LOCK SIZE STANDARDS				
	Honeycomb			2" Hybrid Pleat *
	All 3/4" Light Filtering Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	Peaceful Allure Hybrid Pleat **
Min. Width (net)	12"	12"	12"	12"
Max. Width*	84"	84"	84"	84"
Max. Width-End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max. Area (sq. ft.)	49	49	49	49

*** Note available with 3/4" Peaceful Allure Room Darkening Fabrics or 3/4" Lanai, Coastal, Enchanting Allure Fabrics**

**** Not available with Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid**

Options:

- Color-Coordinated painted rails - no extra charge
  – Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

- Fabric wrapped rails - surcharge applies
  – fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

NOTE: Measurements may vary ± 1/8"

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (OB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

Note: Inside mount with hold down brackets deductions: Headrail - 1/2", Fabric - 5/8", Bottomrail - 1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.

- **2" HYBRID PLEAT CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – BLISS AUTOMATION



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

BLISS AUTOMATION - SIZE STANDARDS				
	Honeycomb		2" Hybrid Pleat	
	All Available Fabrics*		Peaceful Allure Hybrid Pleat **	
	Right Side Control	Left Side Control	Right Side Control	Left Side Control
Min. Width (net)	30"	35"	30"	35"
Max. Width*	83" - 96"	83" - 96"	83" - 96"	83" - 96"
Min. Height	18"	18"	18"	18"
Max. Height	96"	96"	96"	96"
Max. Area (sq. ft.)	n/a *	n/a	n/a	n/a

NOTE: H62 Serene FR Light Filtering, 65 MAX Sq Ft
End Mount not available
Not available with 1-1/4", 3/8", or 3/4" Peaceful Allure Room Darkening Fabrics or 3/4" Lanai, Coastal, Enchanting Allure Fabrics
**** Not available with Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid**

Options:
- Color-Coordinated painted rails - no extra charge
  – Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

- Fabric wrapped rails - surcharge applies
  – fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
  – Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:
- TriLight with Bliss Automation is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer or 1-1/4" fabrics.

Cut-outs are not available on TriLight Shades.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb & Hybrid Pleat
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

	Honeycomb & Hybrid Pleat
Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Note: Inside mount with hold down brackets deductions:
Headrail - 1/2", Fabric - 5/8", Bottomrail - 1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.

- **2" HYBRID PLEAT CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

BLISS AUTOMATION LIFT 0.6 DC (EXTERNAL POWERSOURCE)

- DC= Requires External source of power
- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

SIZE STANDARDS					
	Bottom-Up				
	All Honeycomb Fabrics	3/4" Peaceful Allure Room Darkening Fabrics	2" Hybrid Pleat	2" Hybrid Pleat (HP98, HP99, HP97)	1-1/4"
Minimum NET Width	18"	18"	18"	18-1/8"	24"
Maximum Width	120" *	108"	120"	96"	120"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	108"	108"	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 50
End Mount not available
Minimum Panel Width for 1-1/4" Pleat is 24"
The minimum inside mount width is 19" when ordered with hold-down brackets
Note: Bliss Bottom-Up with external power source has a right side motor position only

2-on-1 HEADRAIL - SIZE STANDARDS			
	Bottom-Up		
	All Honeycomb Fabrics	2" Peaceful Allure Hybrid Pleat **	1-1/4"
Minimum NET Width (per panel)	20"	20"	24"
Minimum NET Width (overall)	40" / 48" ***	40"	48"
Maximum Width (per panel)	120"	120"	120"
Maximum Width (overall)	144"	144"	144"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 50
Minimum Panel Width for 1-1/4" Pleat is 24"
**** Not available with Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid**
**** Not available with 3/4" Peaceful Allure Room Darkening Fabrics**

FINISHED DIMENSIONS

	Honeycomb	Hybrid Pleat	1-1/4" Pleat
Inside (IB) Mounts			
Headrail unit	– 1/4"	– 1/4"	– 3/8"
Shade height	ordered height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"	– 3/8"
Outside (OB) Mount			
Headrail unit	ordered width	ordered width	ordered width
Shade height	ordered height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"	– 1/8"

NOTE: Measurements may vary ± 1/8"

NOTE: Privacy Light Block Shade Deduction: 1/2", in addition to the 1/4" for IB Only

MOUNTING REQUIREMENTS

	Honeycomb & Hybrid Pleat	1-1/4" Pleat
Inside (IB) Mount		
Minimum mounting depth	3/4"	1-3/4"
Minimum mounting depth, flush mount:	2-1/8"	3"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

External Battery - Mounted to the back of the Headrail

	Honeycomb & Hybrid Pleat	1-1/4" Pleat
Inside (IB) Mount		
Minimum mounting depth	2-5/8"	3"
Minimum mounting depth, flush mount	3-1/4"	4-1/4"

Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

BLISS AUTOMATION BU & TDBU 0.6 LI-ION (INTERNAL BATTERY)

- Li-ion = Features Internal Battery
- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

CERTIFIED BEST FOR KIDS™

SIZE STANDARDS									
	Bottom-Up					Top-Down/Bottom-Up		Top-Down/Bottom-Up 2" Hybrid Pleat (HP98, HP99, HP97)	
	Honeycomb Fabrics 3/8", 3/4", Double Cell	3/4" Peaceful Allure Room Darkening Fabrics	Peaceful Allure Hybrid Pleat **	2" Hybrid Pleat (HP98, HP99, HP97)	1-1/4" Fabrics	Right Side Control	Left Side Control	Right Side Control	Left Side Control
Minimum NET Width*	18-1/8"	18"	18-1/8"	18-1/8"	24"	30"	35"	30"	35"
Maximum Width	120"	108"	120"	96"	120"	120"	120"	96"	96"
Minimum Height	12"	12"	12"	12"	18"	18"	18"	18"	18"
Maximum Height	108"	108"	108"	108"	108"	108"	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 50-51

End Mount not available

***The minimum inside mount width is 19" when ordered with hold-down brackets, and 25" for 1-1/4"**

**** Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid Max Area 45 Sq Feet**

2-on-1 HEADRAIL - SIZE STANDARDS			
	Bottom-Up		
	Honeycomb Fabrics 3/8", 3/4", Double Cell	2" Peaceful Allure Hybrid Pleat **	1-1/4" Fabrics
Minimum NET Width (per panel)	20"	20"	24"
Minimum NET Width (overall)	40"	40"	48"
Maximum Width (per panel)	120"	120"	120"
Maximum Width (overall)	144"	144"	144"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 50

*** Not available with 3/4" Peaceful Allure Room Darkening Fabrics**

**** Not available with Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid**

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Honeycomb & Hybrid

Inside (IB) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"

NOTE: Measurements may vary ± 1/8"

NOTE: Privacy Light Block Shade Deduction: 1/2", in addition to the 1/4" for IB Only

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Internal Battery - Top-Down/Bottom-Up

Honeycomb & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

1-1/4" Fabrics

Inside (IB) & End (EB) Mounts	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush m	3"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

SIZE STANDARDS – BLISS AUTOMATION

BLISS AUTOMATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
3/8" Light Filtering						
H52	3/8" Bella Vista	108"	108"	108"	108"	108"
H40	3/8" Opulence	108"	108"	108"	108"	108"
3/8" Blackout					60 Sq Ft Max - Over 96"	
H55	3/8" Bella Vista Blackout	108"	108"	108"	80"	72"
H41	3/8" Opulence Blackout	108"	108"	108"	80"	72"
3/4" Light Filtering					85 Sq Ft Max - Over 96"	
H72	3/4" Bella Vista	108"	108"	108"	108"	102"
H91	3/4" Cardiff	108"	108"	108"	108"	108"
H80	3/4" Fiesta	108"	108"	108"	108"	108"
H27	3/4" Linen	108"	108"	108"	108"	108"
H45	3/4" Marcella	108"	108"	108"	108"	108"
H92	3/4" Mirada	108"	108"	108"	108"	108"
H28	3/4" Opulence	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H96	3/4" Peaceful Allure	108"	108"	108"	80"	72"
H97	3/4" Lanai Allure	108"	108"	108"	80"	72"
H98	3/4" Coastal Allure	108"	108"	108"	80"	72"
H99	3/4" Enchanting Allure	108"	108"	108"	80"	72"
HF6	3/4" Radiance	108"	108"	108"	108"	108"
			65 Sq Ft Max - Up to 96"		50 Sq Ft Max - Over 96"	
H62	3/4" Serene FR	108"	108"	97"	67"	60"
3/4" Room Darkening					45 Sq Ft Max - Over 96"	
H96R	3/4" Peaceful Allure	108"	108"	108"	108"	N/A
3/4" Sheer & Semi-Sheer						
H25	3/4" Tiffany Sheer	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H24	3/4" Tranquility Semi-Sheer	108"	108"	108"	108"	72"
3/4" Blackout					65 Sq Ft Max - Over 96"	
H75	3/4" Bella Vista Blackout	108"	108"	108"	87"	78"
					50 Sq Ft Max - Over 96"	
H81	3/4" Fiesta Blackout	108"	108"	108"	67"	60"
H327	3/4" Linen Blackout	108"	108"	108"	67"	60"
					60 Sq Ft Max - Over 96"	
H46	3/4" Marcella Blackout	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
H29	3/4" Opulence Blackout	108"	108"	108"	87"	78"
HF7	3/4" Radiance Blackout	108"	108"	108"	108"	108"
					50 Sq Ft Max - Over 96"	
H60	3/4" Serene FR Blackout	108"	108"	108"	67"	60"
Double Cell					70 Sq Ft Max - Over 96"	
H47	1/2" Marcella Double Cell	108"	108"	108"	93"	84"
					60 Sq Ft Max - Over 96"	
H39	1/2" Opulence Double Cell	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
HF5	1/2" Radiance Double Cell	108"	108"	108"	87"	78"
1-1/4" Light Filtering & Blackout					55 Sq Ft Max - Over 96"	
H77	1-1/4" Bella Vista	108"	108"	108"	73"	66"
H78	1-1/4" Bella Vista Blackout	108"	108"	108"	67"	60"
H280	1-1/4" Fiesta	108"	108"	108"	73"	66"
H281	1-1/4" Fiesta Blackout	108"	108"	108"	67"	60"
H145	1-1/4" Marcella	108"	108"	108"	73"	66"
H146	1-1/4" Marcella Blackout	108"	108"	108"	67"	60"
HF8	1-1/4" Radiance	108"	108"	108"	73"	66"
HF9	1-1/4" Radiance Blackout	108"	108"	108"	67"	60"
H196	1-1/4" Peaceful Allure	108"	108"	108"	67"	60"
H197	1-1/4" Lanai Allure	108"	108"	108"	67"	60"
H198	1-1/4" Coastal Allure	108"	108"	108"	67"	60"
H199	1-1/4" Enchanting Allure	108"	108"	108"	67"	60"
2" Hybrid Pleat Light Filtering						
			45 Sq Ft Max - Up to 96"		30 Sq Ft Max - Over 96"	
HP96	2" Peaceful Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"
HP97	2" Lanai Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"
HP98	2" Coastal Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"
HP99	2" Enchanting Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"

NOTES:

DC = Requires External source of power

Li-ion = Features Internal Battery

1) Minimum Panel Width for 1-1/4" is 24"

2) 2-on-1 Minimum Panel Width 20" (24" for 1-1/4")

3) 2-on-1 Maximum Width (overall) is 144"

4) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

SIZE STANDARDS – BLISS AUTOMATION

BLISS AUTOMATION MAXIMUM HEIGHTS Top- Down / Bottom-Up						
CODE	SHADE NET WIDTH TO:	30" – 72" *	84"	96"	108"	120"
3/8" Light Filtering						
H52	3/8" Bella Vista	108"	108"	108"	108"	108"
H40	3/8" Opulence	108"	108"	108"	108"	108"
3/8" Blackout					60 Sq Ft Max - Over 96"	
H55	3/8" Bella Vista Blackout	108"	108"	108"	80"	72"
H41	3/8" Opulence Blackout	108"	108"	108"	80"	72"
3/4" Light Filtering					85 Sq Ft Max - Over 96"	
H72	3/4" Bella Vista	108"	108"	108"	108"	102"
H91	3/4" Cardiff	108"	108"	108"	108"	108"
H80	3/4" Fiesta	108"	108"	108"	108"	108"
H27	3/4" Linen	108"	108"	108"	108"	108"
H45	3/4" Marcella	108"	108"	108"	108"	108"
H92	3/4" Mirada	108"	108"	108"	108"	108"
H28	3/4" Opulence	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H96	3/4" Peaceful Allure	108"	108"	108"	80"	72"
H97	3/4" Lanai Allure	108"	108"	108"	80"	72"
H98	3/4" Coastal Allure	108"	108"	108"	80"	72"
H99	3/4" Enchanting Allure	108"	108"	108"	80"	72"
HF6	3/4" Radiance	108"	108"	108"	108"	108"
		65 Sq Ft Max - Up to 96"			50 Sq Ft Max - Over 96"	
H62	3/4" Serene FR	108"	108"	97"	67"	60"
3/4" Room Darkening					45 Sq Ft Max - Over 96"	
H96R	3/4" Peaceful Allure	108"	108"	108"	108"	N/A
3/4" Sheer & Semi-Sheer						
H25	3/4" Tiffany Sheer	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H24	3/4" Tranquility Semi-Sheer	108"	108"	108"	80"	72"
3/4" Blackout					65 Sq Ft Max - Over 96"	
H75	3/4" Bella Vista Blackout	108"	108"	108"	87"	78"
					50 Sq Ft Max - Over 96"	
H81	3/4" Fiesta Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
H327	3/4" Linen Blackout	108"	108"	108"	67"	60"
					60 Sq Ft Max - Over 96"	
H46	3/4" Marcella Blackout	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
H29	3/4" Opulence Blackout	108"	108"	108"	87"	78"
HF7	3/4" Radiance Blackout	108"	108"	108"	108"	108"
					50 Sq Ft Max - Over 96"	
H60	3/4" Serene FR Blackout	108"	108"	108"	67"	60"
1-1/4" Light Filtering					55 Sq Ft Max - Over 96"	
H77	1-1/4" Bella Vista	108"	108"	108"	73	66
H196	1-1/4" Peaceful Allure	108"	108"	108"	73	66
H197	1-1/4" Lanai Allure	108"	108"	108"	73	66
H198	1-1/4" Coastal Allure	108"	108"	108"	73	66
H199	1-1/4" Enchanting Allure	108"	108"	108"	73	66
H280	1-1/4" Fiesta	108"	108"	108"	73	66
H145	1-1/4" Marcella	108"	108"	108"	73	66
HF8	1-1/4" Radiance	108"	108"	108"	73	66
1-1/4" Blackout					50 Sq Ft Max - Over 96"	
H78	1-1/4" Bella Vista	108"	108"	108"	66	60
H281	1-1/4" Fiesta	108"	108"	108"	66	60
H146	1-1/4" Marcella	108"	108"	108"	66	60
HF9	1-1/4" Radiance	108"	108"	108"	66	60
Double Cell					70 Sq Ft Max - Over 96"	
H47	1/2" Marcella Double Cell	108"	108"	108"	93"	84"
					60 Sq Ft Max - Over 96"	
H39	1/2" Opulence Double Cell	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
HF5	1/2" Radiance Double Cell	108"	108"	108"	87"	78"
2" Hybrid Pleat Light Filtering						
		45 Sq Ft Max - Up to 96"			30 Sq Ft Max - Over 96"	
HP96	2" Peaceful Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"
HP97	2" Lanai Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"
HP98	2" Coastal Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"
HP99	2" Enchanting Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"

NOTES:

1) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

2) Minimum Width for Top-Down/Bottom-Up is 30" Right Side Control & 35" Left Side Control

Control Side indicates where the Charging Port and Reset/Progamming button are located

SOMFY AUTOMATION CONFIGURATION SPECIFICATIONS

SOMFY AUTOMATION

- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

SOMFY AUTOMATION - SIZE STANDARDS					
	Bottom-Up				
	Honeycomb Fabrics 3/8", 3/4", Double Cell	3/4" Peaceful Allure Room Darkening Fabrics	2" Hybrid Pleat	2" Hybrid Pleat (HP98, HP99, HP97)	1-1/4" Fabrics
Minimum NET Width*	18"	18"	18"	18"	24"
Maximum Width	120"	108"	120"	96"	120"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	108"	108"	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 53
End Mount not available
***The minimum inside mount width is 19" when ordered with hold-down brackets, and 25" for 1-1/4"**

SOMFY AUTOMATION - 2-on-1 HEADRAIL SIZE STANDARDS		
	Bottom-Up	
	Honeycomb Fabrics 3/8", 3/4", Double Cell	2" Peaceful Allure Hybrid Pleat **
Minimum NET Width (per panel)	18"	18"
Minimum NET Width (overall)	36"	36"
Maximum Width (per panel)	120"	120"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 53
End Mount not available
Note: Not availble with 1-1/4' Fabrics or 3/4" Peaceful Allure Room Darkening Fabrics
**** Not available with Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid**

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

NOTE: Measurements may vary ± 1/8"

NOTE: Privacy Light Block Shade Deduction:
1/2", in addition to the 1/4" for IB Only

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

External Battery - Mounted away from the Headrail

	Honeycomb & Hybrid Pleat
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

	Honeycomb & Hybrid Pleat
Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount:	3-1/4"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

Power source Not Mounted on Headrail

	1-1/4" Fabrics
Inside (IB)	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mount:	3"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

	1-1/4" Fabrics
Inside (IB)	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount:	4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

SOMFY AUTOMATION SIZE STANDARDS

SOMFY AUTOMATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
3/8" Light Filtering						
H52	3/8" Bella Vista	108"	108"	108"	108"	108"
H40	3/8" Opulence	108"	108"	108"	108"	108"
3/8" Blackout					**80 Sq Ft Max - Over 96"**	
H55	3/8" Bella Vista Blackout	108"	108"	108"	106"	96"
H41	3/8" Opulence Blackout	108"	108"	108"	106"	96"
3/4" Light Filtering						
H72	3/4" Bella Vista	108"	108"	108"	108"	108"
H91	3/4" Cardiff	108"	108"	108"	108"	108"
H80	3/4" Fiesta	108"	108"	108"	108"	108"
H27	3/4" Linen	108"	108"	108"	108"	108"
H45	3/4" Marcella	108"	108"	108"	108"	108"
H92	3/4" Mirada	108"	108"	108"	108"	108"
H28	3/4" Opulence	108"	108"	108"	108"	108"
HF6	3/4" Radiance	108"	108"	108"	108"	108"
					80 Sq Ft Max - Over 96"	
H96	3/4" Peaceful Allure	108"	108"	108"	106"	96"
H98	3/4" Coastal Allure	108"	108"	108"	106"	96"
H99	3/4" Enchanting Allure	108"	108"	108"	106"	96"
H97	3/4" Lanai Allure	108"	108"	108"	106"	96"
					65 Sq Ft Max - Over 96"	
H62	3/4" Serene FR	108"	108"	108"	86"	78"
3/4" Sheer & Semi-Sheer						
H25	3/4" Tiffany Sheer	108"	108"	108"	108"	108"
					80 Sq Ft Max - Over 96"	
H24	3/4" Tranquility Semi-Sheer	108"	108"	108"	106"	96"
3/4" Blackout					**85 Sq Ft Max - Over 96"**	
H75	3/4" Bella Vista Blackout	108"	108"	108"	108"	102"
					70 Sq Ft Max - Over 96"	
H81	3/4" Fiesta Blackout	108"	108"	108"	93"	84"
H327	3/4" Linen Blackout	108"	108"	108"	93"	84"
					80 Sq Ft Max - Over 96"	
H46	3/4" Marcella Blackout	108"	108"	108"	106"	96"
					85 Sq Ft Max - Over 96"	
H29	3/4" Opulence Blackout	108"	108"	108"	108"	102"
HF7	3/4" Radiance Blackout	108"	108"	108"	108"	108"
					70 Sq Ft Max - Over 96"	
H60	3/4" Serene FR Blackout	108"	108"	108"	93"	84"
1-1/4" Light Filtering					**60 Sq Ft Max - Over 96"**	
H77	1-1/4" Bella Vista	108"	108"	108"	80	72
H198	1-1/4" Coastal Allure	108"	108"	108"	80	72
H199	1-1/4" Enchanting Allure	108"	108"	108"	80	72
H197	1-1/4" Lanai Allure	108"	108"	108"	80	72
H145	1-1/4" Marcella	108"	108"	108"	80	72
H280	1-1/4" Fiesta	108"	108"	108"	80	72
HF8	1-1/4" Radiance	108"	108"	108"	80	72
H77	1-1/4" Bella Vista	108"	108"	108"	80	72
1-1/4" Blackout					**55 Sq Ft Max - Over 96"**	
H78	1-1/4" Bella Vista	108"	108"	108"	73	66
H146	1-1/4" Marcella	108"	108"	108"	73	66
H281	1-1/4" Fiesta	108"	108"	108"	73	66
HF9	1-1/4" Radiance	108"	108"	108"	73	66
Double Cell					**85 Sq Ft Max - Over 96"**	
H47	1/2" Marcella Double Cell	108"	108"	108"	108"	102"
					80 Sq Ft Max - Over 96"	
H39	1/2" Opulence Double Cell	108"	108"	108"	106"	96"
					85 Sq Ft Max - Over 96"	
HF5	1/2" Radiance Double Cell	108"	108"	108"	108"	102"
2" Hybrid Pleat Light Filtering & Blackout						
		65 Sq Ft Max - Up to 96"			**45 Sq Ft Max - Over 96"**	
HP96	2" Peaceful Allure Hybrid Pleat - Light Filtering	108"	108"	86"	40"	36"
HP98	2" Coastal Allure Hybrid Pleat - Light Filtering	108"	108"	86"	40"	36"
HP99	2" Enchanting Allure Hybrid Pleat - Light Filtering	108"	108"	86"	40"	36"
HP97	2" Lanai Allure Hybrid Pleat - Light Filtering	108"	108"	86"	40"	36"

NOTES:

1) 2-on-1 Minimum Panel Width 18"
2) 2-on-1 Maximum Width (overall) is 144"
3) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

POWERWAND CONFIGURATION SPECIFICATIONS

POWERWAND

Powerwand - SIZE STANDARDS Single Panel			
	Honeycomb Fabrics	**3/4" Peaceful Allure Room Darkening Fabrics**	**1-1/4" Fabrics**
Minimum NET Width - **Bottom-Up**	21"	24"	24"
Maximum Width	120"	108"	120"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 55

The minimum inside mount width is 22" for 3/8", 3/4" and double cell, and 25" for 1-1/4" fabrics when ordered with hold-down bracket

Powerwand is not available with Hybrid pleat

PLEASE NOTE- At narrower widths the bottomrail may not travel smoothly during operation. This is an inherent characteristic and not considered a defect.

Powerwand - SIZE STANDARDS Two-on-One Headrail		
	Honeycomb Fabrics	**1-1/4" Fabrics**
Minimum NET Width - Per Panel	24-1/4"	24"
Minimum NET Width - Overall	48-1/2"	48"
Maximum Width - Per Panel	120"	120"
Maximum Width - Overall	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 55

Powerwand is not available with Hybrid pleat
3/4" Peaceful Allure Room Darkening Fabrics are not available on Two-on-one

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	3/8", Double Cell, 3/4", 1-1/4"
Inside (IB) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"

NOTE: Measurements may vary ± 1/8"

NOTE: PowerWand is **not available** with Hybrid Pleat

NOTE: Privacy Light Block Shade Deduction:
1/2", in addition to the 1/4" for IB Only

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	3/8", Double Cell, 3/4"	1-1/4"
Inside (IB) Mount		
Minimum mounting depth	3/4"	1-3/4"
Minimum mounting depth, flush mount:	2-1/8"	3"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

POWERAND SIZE STANDARDS

POWERWAND MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	21" – 72"	84"	96"	108"	120"
3/8" Light Filtering						
H52	3/8" Bella Vista	108"	108"	108"	108"	108"
H40	3/8" Opulence	108"	108"	108"	108"	108"
3/8" Blackout					60 Sq Ft Max - Over 96"	
H55	3/8" Bella Vista Blackout	108"	108"	108"	80"	72"
H41	3/8" Opulence Blackout	108"	108"	108"	80"	72"
3/4" Light Filtering					85 Sq Ft Max - Over 96"	
H72	3/4" Bella Vista	108"	108"	108"	108"	102"
H91	3/4" Cardiff	108"	108"	108"	108"	108"
H80	3/4" Fiesta	108"	108"	108"	108"	108"
H27	3/4" Linen	108"	108"	108"	108"	108"
H45	3/4" Marcella	108"	108"	108"	108"	108"
H92	3/4" Mirada	108"	108"	108"	108"	108"
H28	3/4" Opulence	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H96	3/4" Peaceful Allure	108"	108"	108"	80"	72"
H98	3/4" Coastal Allure	108"	108"	108"	80"	72"
H99	3/4" Enchanting Allure	108"	108"	108"	80"	72"
H97	3/4" Lanai Allure	108"	108"	108"	80"	72"
HF6	3/4" Radiance	108"	108"	108"	108"	108"
		65 Sq Ft Max - Up to 96"			50 Sq Ft Max - Over 96"	
H62	3/4" Serene FR	108"	108"	97"	67"	60"
3/4" Sheer & Semi-Sheer						
H25	3/4" Tiffany Sheer	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H24	3/4" Tranquility Semi-Sheer	108"	108"	108"	80"	72"
3/4" Blackout					65 Sq Ft Max - Over 96"	
H75	3/4" Bella Vista Blackout	108"	108"	108"	87"	78"
					50 Sq Ft Max - Over 96"	
H81	3/4" Fiesta Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
H327	3/4" Linen Blackout	108"	108"	108"	67"	60"
					60 Sq Ft Max - Over 96"	
H46	3/4" Marcella Blackout	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
H29	3/4" Opulence Blackout	108"	108"	108"	87"	78"
HF7	3/4" Radiance Blackout	108"	108"	108"	108"	108"
					50 Sq Ft Max - Over 96"	
H60	3/4" Serene FR Blackout	108"	108"	108"	67"	60"
1-1/4" Light Filtering					55 Sq Ft Max - Over 96"	
H77	1-1/4" Bella Vista	108"	108"	108"	73"	66"
H198	1-1/4" Coastal Allure	108"	108"	108"	73"	66"
H199	1-1/4" Enchanting Allure	108"	108"	108"	73"	66"
H197	1-1/4" Lanai Allure	108"	108"	108"	73"	66"
H280	1-1/4" Fiesta	108"	108"	108"	73"	66"
H145	1-1/4" Marcella	108"	108"	108"	73"	66"
HF8	1-1/4" Radiance	108"	108"	108"	73"	66"
1-1/4" Blackout					50 Sq Ft Max - Over 96"	
H78	1-1/4" Bella Vista	108"	108"	108"	66"	60"
H281	1-1/4" Fiesta	108"	108"	108"	66"	60"
H146	1-1/4" Marcella	108"	108"	108"	66"	60"
HF9	1-1/4" Radiance	108"	108"	108"	66"	60"
Double Cell					70 Sq Ft Max - Over 96"	
H47	1/2" Marcella Double Cell	108"	108"	108"	93"	84"
					60 Sq Ft Max - Over 96"	
H39	1/2" Opulence Double Cell	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
HF5	1/2" Radiance Double Cell	108"	108"	108"	87"	78"

NOTES:

1) PowerWand is not available with Hybrid Pleat

2) PowerWand minimum width is 21"

3) 2-on-1 Minimum Panel Width (overall) 48-1/2"

4) 2-on-1 Maximum Width (overall) is 144"

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

VERTICAL APPLICATION

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors
- Five fabric stacking options:
  1) left stack
  2) right stack
  3) split stack (center opening)
  4) center stack
  5) two fabric combo



Top Rail Dimensions



VERTICAL APPLICATION – SIZE STANDARDS						
	Honeycomb				2" Hybrid Pleat	1-1/4" pleat
	Sheer Fabric	3/4" Fabrics	3/4" Serene Fabric	All 3/4" Blackout Fabrics	Peaceful Allure Hybrid Pleat	Light Filtering & Blackout Fabrics
Min. Width	12”	12”	12”	12”	12”	12”
Max. Width **Side & Center Stack**	120"	168”	168”	168”	120"	120"
Max. Width **Split Stack**	240"	336"	336"	336"	240"	240
Max. Width Two Fabric Combo	120"	168”	168”	168”		120"
Min. Height	24”	24”	24”	24”	24”	24”
Max. Height	120”	120”	120”	120”	120”	120”
Max Sq. ft. **Side & Center Stack**	100" / panel	140"/ panel	120"/ panel	120"/ panel	100"	100" / panel
Max Sq. ft. **Split Stack**	100" / panel	140"/ panel	120"/ panel	120"/ panel	100" / panel	100" / panel
Max Sq. ft. **Two Fabric**	100" / panel	140"/ panel	120"/ panel	120"/ panel	N/A	100 / panel

Vertical Application NOT available with 3/8", 3/4" Semi Sheer, 3/4" Peaceful Allure Room Darkening, 1/2" Double Cell, 1-1/4" Lanai, 1-1/4" Coastal, 1-1/4" Enchanting Allure, Lanai Allure Hybrid, Coastal Allure Hybrid, or Enchanting Allure Hybrid

- Split stack up to 336"
- TFC not available for Hybrid Pleat
  - Hardware color follows the fabric that stacks on the left
  - CANNOT combine two different pleat sizes
  - Max width use the smaller of the two fabrics

Standard Valance Returns	
3/4" Pleat	3-1/4"
1-1/4" Pleat.	4"
Hybrid Fabric.	4-3/8"

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	-1/2"	-1/2"
Shade height	– 1/2"	– 1/2"
Valance width (non-flush)	+ 1"	+ 1-1/4"
Valance width (flush)	– 1/8"	– 1/8"
Outside (OB) Mount		
Headrail unit	-1/2"	-1/2"
Shade height	ordered height	ordered height
Valance width	+ 1.25"	+ 1.25"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount *	1-1/2"	1-1/2"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	1-1/4"	2" Hybrid Pleat
Inside (IB) Mount			
Minimum mounting depth	1/2"	1/2"	1/2"
Minimum mounting depth, flush mount:	3-7/8"	4-5/8"	4-3/4"
Outside (OB) Mount			
Minimum flat vertical surface	5/8"	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

HARDWARE COLOR

- Refer to the hardware color Guide and reference guide for the 10 coordinating configuration colors available.
- The Vertical Application headrail color is always Aspen White (785)

EXCLUSIONS

- All 3/8", 3/4" Semi-Sheer, Double Cell

VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount or flush mount.
- Specify stacking configuration – left stack, right stack, split stack, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
- Inside non flush mount valance returns are 1-1/2" if returns are selected*
- Stack is 6-1/2" space per side when fully opened, regardless of shade width
- Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
  *Override height location will be the center of the handle.
- Standard installation hardware (brackets) provided.
- 2" Hybrid Pleat handles will be clear.
- Also refer to vertical application measuring in “General Information" section.

NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.

Cut-outs are not available on 2" Hybrid Pleat.

For OB Mounting the recommended overlap is 3" - 6"

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CLASSIC SKYLIGHT



This easy to operate system holds shades in place. Perfect for skylights and other windows beyond reach.

- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features a two-cell fabric gasket attached to the headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'

STACK LOCATION:	WINDOW POSITION:
 Top Bottom Side	 Vertical Sloped Horizontal

Note: Pleats will have a vertical orientation when side stack is ordered.

CLASSIC SKYLIGHT – SIZE STANDARDS	Honeycomb
	All Fabrics *
Min. Width	18"
Max. Width	60"
Min. Height	6"
Max. Height	72"
Max Area (sq. ft.)	25

*** Classic Skylight not available with 1/-1/4", 2" Hybrid Pleat or 3/4" Peaceful Allure Room Darkening or 3/4" Lanai, Coastal, Enchanting Allure Fabrics**

NOTE: Shades over 36" wide require support cords.
Rail stiffener is required when shade is over 42" wide.

CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS	Honeycomb
	All Fabrics *
Min. Width	6"
Max. Width	72"
Min. Height	18"
Max. Height	60"
Max Area (sq. ft.)	25

*** Classic Skylight not available with any 1-1/4", 2" Hybrid Pleat, 3/4" Peaceful Allure Room Darkening or 3/4" Lanai, Coastal, Enchanting Allure Fabrics**



Optional Extension Pole
Extends 5' to 10'
(Part #400036-81511)





FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/4"
Outside (OB) Mount	
Headrail unit	+ 3/4"
Shade height	ordered height
Valance width	ordered width

NOTE: All finished dimensions include side tracks.
NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mounts	3/8" Single
Minimum mounting depth IB:	1"
Minimum mounting depth, flush mount:	1-11/16"
Outside (OB) Mount	3/8" Single
Minimum flat vertical surface	5/8"
Inside (IB) Mounts	3/4" Single and 1/2" Double
Minimum mounting depth IB:	1-1/4"
Minimum mounting depth, flush mount:	2-1/2"
Outside (OB) Mount	3/4" Single and 1/2" Double
Minimum flat vertical surface	1"

SKYLIGHT WITH AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH AUTOMATION

Skylights with Automation are different than Classic Skylight.
Key differences include:

- Headrail and Bottomrail are identical and are the same rail used with standard Motorized shades.

Bliss and SOMFY Automation:

- Fabric stacks to the top of the window – between the moving rail and headrail

Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled Bliss Automation or Somfy motors
- Wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Skylight with Bliss and Somfy Automation have the option of an external battery pack that can be installed on the back of the headrail. Consider adding 48" Extension Cable (Part #62207000) to the order for installation flexibility. The part may be daisy-chained for additional flexibility.
- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all.
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Motorized Skylights will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

SKYLIGHT with AUTOMATION - SIZE STANDARDS	
	All Honeycomb Fabrics*
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

*** Skylight with Automation not available with 1-1/4", 2" Hybrid Pleat, 3/4" Peaceful Allure Room Darkening or 3/4" Lanai, Coastal, Enchanting Allure Fabrics**

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 1-1/4"

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"

NOTE: Skylight with Automation is **not available** with 2" Hybrid Pleat, or 1-1/4" Fabrics

NOT AVAILABLE with PowerWand.

MOUNTING REQUIREMENTS

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- The shade must be mounted with the fabric stack at the top or highest point in the window.

Bliss Automation

External Battery - Mounted away from the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	2-1/2"

External Battery - Mounted to the back of the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	3-1/2"

NOTE:
The dimensions of the external battery add an extra 1" to the mounting depth requirements if it is mounted to the back of the headrail.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT
Locate shape below.
Width: Measure exact width(s)
Height: Measure exact height(s)

OUTSIDE MOUNT
Locate shape below.
Width: Measure desired width(s)
Height: Measure desired height(s)

FAN-FOLD ARCHES

NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.

Come standard with arch disc



SIZE STANDARDS	Honeycomb		
	3/4" Light Filtering & Sheer	All 3/4" Blackout	3/8" Light Filtering, 3/8" Blackout, and Double Cell
Min. Width	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	6"	6"	6"
Max. Height	42"	30"	30"

Not available with 2" Hybrid Pleat, 1-1/4", 3/4" Semi-Sheer or 3/4" Peaceful Allure Room Darkening & 3/4" Peaceful, Lanai, Coastal, Enchanting Allure Fabrics

Note: Straight Side Arch is Not Available with Fan-Fold Stationary Perfect Arch

MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here – Fan Fold Left



SIZE STANDARDS	Honeycomb		
	3/4" Light Filtering & Sheer	All 3/4" Blackout	3/8" Light Filtering, 3/8" Blackout, and Double Cell
Min. Width	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	6"	6"	6"
Max. Height	42"	30"	30"

Not available with 2" Hybrid Pleat, 1-1/4", 3/4" Peaceful, 3/4" Semi-Sheer or 3/4" Peaceful Allure Room Darkening & 3/4" Peaceful, Lanai, Coastal, Enchanting Allure Fabrics

Note: Straight Side Arch is Not Available with Fan-Fold Operable Perfect Arch

Note: all fan-fold arches require the use of small, clear clips to be installed around the outer edge, which holds the fabric in place. The fabric must be slid out of the clips before the arch can be operated.

NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.

Come standard with arch disc



SIZE STANDARDS	Honeycomb		
	3/4" Light Filtering & Sheer	All 3/4" Blackout	3/8" Light Filtering, 3/8" Blackout, and
Min. Width	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	1/4 width (6" min)	1/4 width (6" min)	1/4 width (6" min)
Max. Height	1/2" width	1/2" width	1/2" width

Not available with 2" Hybrid Pleat, 1-1/4", 3/4" Peaceful, 3/4" Semi-Sheer or 3/4" Peaceful Allure Room Darkening & 3/4" Peaceful, Lanai, Coastal, Enchanting Allure Fabrics

Note: Straight Side Arch is Not Available with Fan-Fold Stationary Elliptical Arch

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT
Locate shape of window.
Width: Measure exact width(s)
Height: Measure exact height(s)
Diagonal: Measure height of diagonal(s) (for Angle Cuts)

OUTSIDE MOUNT
Locate shape of window.
Width: Measure desired width(s)
Height: Measure desired height(s)
Diagonal: Measure length of diagonal(s) (for Angle Cuts)

CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)



	All Available
Min. Width	12"
Max. Width	42"
NON-OPERABLE	



	All Available
Min. Width	12"
Max. Width	42"
NON-OPERABLE	

- Not Available with: 1-1/4", 2" Hybrid Pleat, 3/4" Semi-Sheer

ANGLE CUTS (TEMPLATE REQUIRED)

ANGLED TOP (TEMPLATE REQUIRED)



ANGLED TOP - Non-Operable	All 3/8" Light Filtering	All 3/4" Sheer and Light Filtering	All 3/8" & 3/4" Blackout	All Available Double Cell
Minimum Height (L/R)	3"	3"	3"	3"
Maximum Height	84"	84"	72"	84"
Maximum Area (sq ft)	35	35	35	35
MINIMUM SLOPE WIDTH				
0 - 30 Angle	12"	12"	12"	12"
MAXIMUM SLOPE WIDTH				
0 - 30 Angle	60"	60"	60"	60"

Angle Top n/a with: 3/4" Semi-Sheer, all 1-1/4" fabrics, 2" Hybrid Pleat or 3/4" Peaceful Allure Room Darkening & 3/4" Lanai, Coastal, Enchanting Allure Fabrics

HEXAGON & OCTAGON (TEMPLATE REQUIRED)



- Not Available with: 1-1/4", 2" Hybrid Pleat, 3/4" Semi-Sheer
- Maximum width and maximum height – 30″
- Non-Operable ONLY

TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40
- Non-Operable ONLY

OPTIONS: EXTRA CHARGE

- **Angle Cut** .....**add $135**
  (includes Hexagon, Octagon & Trapezoid)
- **Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering. (Template required.)
- **Quarter Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES & QUARTER CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mounts	
Rail unit	– 3/16"
Arch height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	3/8" Single
Minimum mounting depth:	
Standard installation bracket	1"
Minimum mounting depth, flush mount:	
Standard installation bracket	1-1/2"
Outside (OB) Mount	3/8" Single
Minimum flat vertical surface	5/8"
Inside (IB) Mount	3/4" Single, 1/2" Double
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
Outside (OB) Mount	3/4" Single, 1/2" Double
Minimum flat vertical surface	1"

CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mounts	
Rail unit	– 1/16"
Arch height	– 3/32"
Fabric width	– 3/8"
Outside (OB) Mount	
Rail unit	+ 3/32"
Arch height	+ 1/32"
Fabric width	ordered width

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	3/8" Single
Minimum mounting depth	1-1/8"
Inside (IB) Mount	3/4" Single, 1/2" Double
Minimum mounting depth	1-7/8"
Outside (OB) Mount	3/4" Single, 1/2" Double
Minimum flat vertical surface	5/8"

ANGLES

FINISHED DIMENSIONS

Finished dimensions vary depending on the degree of the angle.

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SPECIALTY SHAPES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mounts	
Rail unit	– 3/16"
Arch height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES